

# IMMUNIZATION SUMMARY

**A statistical reference containing  
data through 2013**

*(The 2014 Edition)*

*DISCLAIMER: The data in this  
edition supersede all historical  
data previously published by  
UNICEF and WHO.*





# IMMUNIZATION SUMMARY

**A statistical reference containing  
data through 2013**



# CONTENTS

Introduction.....	iv
Annual updates.....	vii
Indicative prices .....	viii
Trends: Regional progress.....	xi
Maps: Global indicators.....	xv
Notes on indicators and data.....	xix
Countries and territories.....	xxiii

Afghanistan.....	1	Cook Islands.....	41	Italy.....	83
Albania.....	2	Costa Rica.....	42	Jamaica.....	84
Algeria.....	3	Côte d'Ivoire.....	43	Japan.....	85
Andorra.....	4	Croatia.....	44	Jordan.....	86
Angola.....	5	Cuba.....	45	Kazakhstan.....	87
Antigua and Barbuda.....	6	Cyprus.....	46	Kenya.....	88
Argentina.....	7	Czech Republic .....	47	Kiribati.....	89
Armenia.....	8	Denmark.....	48	Korea, Democratic People's Republic of.....	90
Australia.....	9	Djibouti.....	49	Korea, Republic of.....	91
Austria.....	10	Dominica.....	50	Kuwait.....	92
Azerbaijan.....	11	Dominican Republic.....	51	Kyrgyzstan.....	93
Bahamas.....	12	Ecuador.....	52	Lao People's Democratic Republic.....	94
Bahrain.....	13	Egypt.....	53	Latvia.....	95
Bangladesh.....	14	El Salvador .....	54	Lebanon.....	96
Barbados.....	15	Equatorial Guinea.....	55	Lesotho.....	97
Belarus.....	16	Eritrea.....	56	Liberia.....	98
Belgium.....	17	Estonia.....	57	Libya.....	99
Belize .....	18	Ethiopia.....	58	Lithuania.....	100
Benin.....	19	Fiji.....	59	Luxembourg.....	101
Bhutan.....	20	Finland.....	60	Madagascar.....	102
Bolivia.....	21	France.....	61	Malawi.....	103
Bosnia and Herzegovina.....	22	Gabon.....	62	Malaysia.....	104
Botswana.....	23	Gambia.....	63	Maldives.....	105
Brazil.....	24	Georgia.....	64	Mali.....	106
Brunei Darussalam.....	25	Germany.....	65	Malta.....	107
Bulgaria.....	26	Ghana.....	66	Marshall Islands .....	108
Burkina Faso.....	27	Greece.....	67	Mauritania.....	109
Burundi.....	28	Grenada.....	68	Mauritius.....	110
Cabo Verde.....	29	Guatemala.....	69	Mexico.....	111
Cambodia.....	30	Guinea.....	70	Micronesia (Federated States of) .....	112
Cameroon.....	31	Guinea-Bissau.....	71	Moldova.....	113
Canada.....	32	Guyana.....	72	Monaco.....	114
Central African Republic.....	33	Haiti.....	73	Mongolia.....	115
Chad.....	34	Honduras.....	74	Montenegro.....	116
Chile.....	35	Hungary.....	75	Morocco.....	117
China.....	36	Iceland.....	76	Mozambique.....	118
Colombia.....	37	India.....	77	Myanmar.....	119
Comoros.....	38	Indonesia.....	78	Namibia.....	120
Congo.....	39	Iran (Islamic Republic of) .....	79	Nauru.....	121
Congo, Democratic Republic of the.....	40	Iraq.....	80		
		Ireland.....	81		
		Israel.....	82		

Nepal.....	122	Samoa.....	148	The former	
Netherlands.....	123	San Marino.....	149	Yugoslav Republic	
New Zealand.....	124	Sao Tome		of Macedonia.....	174
Nicaragua.....	125	and Principe.....	150	Timor-Leste.....	175
Niger.....	126	Saudi Arabia.....	151	Togo.....	176
Nigeria.....	127	Senegal.....	152	Tonga.....	177
Niue.....	128	Serbia.....	153	Trinidad and	
Norway.....	129	Seychelles.....	154	Tobago.....	178
Oman.....	130	Sierra Leone.....	155	Tunisia.....	179
Pakistan.....	131	Singapore.....	156	Turkey.....	180
Palau.....	132	Slovakia.....	157	Turkmenistan.....	181
Palestine, the		Slovenia.....	158	Tuvalu.....	182
State of.....	133	Solomon Islands.....	159	Uganda.....	183
Panama .....	134	Somalia.....	160	Ukraine.....	184
Papua New		South Africa.....	161	United Arab	
Guinea.....	135	South Sudan.....	162	Emirates.....	185
Paraguay.....	136	Spain.....	163	United Kingdom.....	186
Peru .....	137	Sri Lanka.....	164	United States.....	187
Philippines.....	138	Sudan.....	165	Uruguay.....	188
Poland.....	139	Suriname.....	166	Uzbekistan.....	189
Portugal.....	140	Swaziland.....	167	Vanuatu.....	190
Qatar.....	141	Sweden.....	168	Venezuela, Bolivarian	
Romania.....	142	Switzerland.....	169	Republic of.....	191
Russian		Syrian Arab		Viet Nam.....	192
Federation.....	143	Republic.....	170	Yemen.....	193
Rwanda.....	144	Tajikistan.....	171	Zambia.....	194
Saint Kitts		Tanzania, United		Zimbabwe.....	195
and Nevis.....	145	Republic of.....	172		
Saint Lucia.....	146	Thailand.....	173		
Saint Vincent and the					
Grenadines.....	147				
Glossary of acronyms.....	196				

## INTRODUCTION

Tracking, evaluating and sharing information provides a vital tool for understanding immunization coverage. Statistics on levels and trends are used to monitor the performance of services at local, national and international levels. They guide campaigns to eradicate polio, control measles and eliminate neonatal tetanus. They identify areas of weak system performance and reveal areas where focused attention and extra resources may be required. And, when deciding whether to introduce a vaccine, immunization levels and trends are one important consideration.

The numbers for a single vaccine can provide vital information for national and global action. Coverage levels for the diphtheria and tetanus toxoid with pertussis containing vaccine (DTP), for example, are considered to be good indicators of health system performance. In addition, some funding agencies, such as the GAVI Alliance, often consider immunization coverage levels when reviewing applications for financial and technical support, although coverage estimates alone are insufficient to constitute a sole criterion for determining whether a national immunization programme has achieved certain performance levels.

This reference book, jointly produced by the United Nations Children's Fund (UNICEF) and the World Health Organization (WHO), presents detailed statistics on the performance of national and district-level immunization systems in 195 countries and territories. It provides an overview of key aspects, including:

- Basic indicators from WHO and UNICEF, the United Nations Population Division and the World Bank for each country or territory.
- The latest prevalence of home-based vaccination records.
- Trends in national and territorial coverage for ten major antigens.

- District-level performance in achieving coverage with DTP and measles containing vaccines.
- The most current immunization schedule reported by each country or territory.

A copy of the most recent data collection form along with electronic copies of the book, background documentation, and data can be downloaded from UNICEF's statistical data web site at **<http://www.data.unicef.org/child-health/immunization>**.

Some of the background documents and data can also be downloaded from the WHO website at **[http://www.who.int/immunization\\_monitoring/data/en/](http://www.who.int/immunization_monitoring/data/en/)**.



# ANNUAL UPDATES

**Table 1: Indicative budget prices for major antigens, 2014**

The prices listed in the table below are subject to change. UNICEF Supply Division provides this information for preliminary budget planning only. Full names of these vaccines appear in the Glossary of Acronyms, p. 197.

	<b>Vaccine (doses per vial)</b>
BCG	BCG-20
DT	DT-10
DTP	DTP-10
DTPHepHib	DTP-HepB-Hib-1 (Liquid) (GAVI) DTP-HepB-Hib-1 (Liquid) (non GAVI) DTP-HepB+Hib-2 (Liophylized) (GAVI) DTP-HepB+Hib-2 (Liophylized) (non-GAVI) DTP-HepB-Hib-10 (Liquid) (GAVI) DTP-HepB-Hib-10 (Liquid) (non GAVI)
DTPHib	DTP+Hib-1 (Liophylized) (non-GAVI) DTP-Hib-10 (Liquid) (GAVI/non-GAVI) DTP+Hib-10 (Liophylized) (GAVI) DTP+Hib-10 (Liophylized) (non GAVI) DTP-Hib-10 (Liquid) (non GAVI)
HepB	HepB-1 HepB-10
Hib	Hib-1 (Liquid) (non-GAVI) Hib-1 (Liophylized) Hib-10 (Liquid)
HPV	HPV2-2 (GAVI) HPV4-1 (GAVI)
Influenza	Influenza-1 Influenza-10
MCV	Mea-10
Meningitis	Meningitis A Conj-10 Meningitis AC PS-10 Meningitis ACYW PS-10
MMR	MMR-1 (L-Zagreb strain) MMRx-1 (Urabe strain) MMR-2 (Jeryl Lyn) MMR-5 (L-Zagreb strain) MMR-10 (Urabe strain) MMR-10 (L-Zagreb strain)
MR	MR-10
IPV	IPV-1
bOPV	bOPV-20
mOPV	mOPV1-20
tOPV	tOPV-10 tOPV-20
Pneumococcal	PCV13-1 (GAVI) PCV10-2 (GAVI)
Rabies	Rabies-1
Rotavirus	RV1-1 (GAVI)* RV5-1 (GAVI)
Td	Td-10
TT	TT-10 TT-20
Yellow fever	YF-5 YF-10 (GAVI) YF-10 (non-GAVI) YF-20

\* The price of RV1-1 vaccines contracted with supplier is EUR 1.88 per dose. Therefore, the price in US\$ will fluctuate throughout the year. The price indicated in this table is based on the UN rate of exchange as of 1 May 2013.

**Recommended budget price, 2014**  
**(US\$ per vial) (US\$ per dose)**

2.74	0.137
1.195	0.1195
1.97	0.197
2.60	2.60
2.75	2.75
3.92	1.96
5.00	2.50
19.50	1.95
22.00	2.20
not available	not available
0.38	0.38
1.73	0.173
not available	not available
not available	not available
not available	not available
9.20	4.60
4.50	4.50
5.00	5.00
40.00	4.00
2.52	0.252
6.00	0.60
12.20	1.22
50.00	5.00
2.15	2.15
not available	not available
6.50	3.25
5.20	1.04
18.90	1.89
10.25	1.025
5.50	0.55
3.50	3.50
2.90	0.145
2.90	0.145
2.05	0.205
2.90	0.145
3.50	3.50
7.00	3.50
not available	not available
2.46	2.46
3.50	3.50
1.165	0.1165
1.00	0.10
1.18	0.059
4.20	0.84
11.33	1.133
14.42	1.442
13.98	0.699

## Table 2: Indicative budget price for immunization devices, 2014

These prices are subject to change. UNICEF Supply Division provides this information for preliminary budget planning only.

Device (box of 100, unless otherwise stated)	Recommended budget price, 2014 (US\$ per box)
BCG autodisable syringe, 0.05 ml	5.50
BCG autodisable syringe, 0.1 ml	5.29
Autodisable syringe, 0.5 ml	4.65
Reconstitution syringe, 2 ml, with needle	2.84
Re-use prevention feature syringe, 2 ml, with fixed needle	4.25*
Re-use prevention feature syringe with SIP, 3 ml, with fixed needle	9.50*
Reconstitution syringe, 5 ml, with needle	3.50
Re-use prevention feature syringe, 5 ml, with fixed needle	4.21
Re-use prevention feature syringe with SIP, 5 ml, with fixed needle	9.50
Reconstitution syringe, 10 ml, with needle	5.75
Re-use prevention feature syringe, 10 ml, with fixed needle	7.78
Safety box, 5 l (box of 25)	14.50

\* FCA price.

# TRENDS: REGIONAL PROGRESS TOWARDS MDG4, 1980 - 2013

Note: The list of countries and territories in MDG regions appears online at the United Nations Statistics Division website 'Millennium Development Goals Indicators' <<http://mdgs.un.org/unsd/mdg/Host.aspx?Content=Data/regionalGroupings>>

## MCV1 Coverage

Global	2013	84	83	83	84	83	82	80	80	76	77	75	73	2002	73	73	73	72	70	69	69	73	48	16
MDG regions																								
Caucasus and Central Asia		97	97	98	97	94	95	94	93	94	94	94	91	93	93	93	91	91	81	77	...	...	...	
Developed countries		93	94	93	92	92	94	94	93	93	87	86	86	84	84	82	83	80	86	83	84	80	63	
Eastern Asia		99	99	99	99	99	97	94	93	87	83	87	86	86	84	82	83	80	76	82	87	92	87	
Latin America		92	96	95	94	95	96	95	96	94	95	96	95	96	95	92	89	85	87	83	84	81	77	
Caribbean		79	79	78	78	78	77	76	76	76	77	77	78	78	77	75	75	74	73	71	68	68	51	
Northern Africa		96	95	96	96	95	92	96	96	94	93	93	93	94	93	92	92	89	88	87	86	84	21	
Oceania		73	71	64	60	59	58	63	69	66	63	66	65	61	67	67	65	40	52	47	43	72	36	
South-eastern Asia		89	88	85	84	84	84	82	85	85	85	81	79	81	82	83	83	76	75	73	72	70	4	
Southern Asia		76	75	75	76	75	76	72	73	65	70	64	60	61	62	61	65	65	60	67	61	55	9	
Sub-Saharan Africa		74	70	72	74	73	68	66	64	61	59	57	54	53	53	50	52	54	54	51	50	53	6	
Western Asia		83	83	87	87	88	87	84	83	84	81	79	82	86	86	85	84	78	74	74	74	75	17	
UNICEF regions																								
Central and Eastern Europe and CIS		96	95	95	94	94	96	96	96	95	92	91	92	94	93	91	90	85	82	81	83	85	72	
East Asia and Pacific		95	95	93	93	92	89	90	86	86	84	83	84	83	83	82	82	83	78	76	79	83	69	
Eastern and Southern Africa		79	81	80	79	77	73	73	69	66	66	65	65	63	61	61	64	66	64	66	58	62	9	
Industrialised Countries		93	94	93	93	92	93	93	93	92	92	92	91	91	91	90	89	90	88	86	82	81	52	
Latin America and the Caribbean		92	95	94	93	94	95	94	94	93	94	95	94	95	94	92	91	89	84	86	83	80	42	
Middle East and North Africa		89	88	91	91	90	88	88	86	86	85	85	84	85	86	85	85	84	81	80	80	79	20	
South Asia		75	74	74	75	74	75	71	72	64	69	63	59	60	60	59	58	64	69	66	59	47	6	
West and Central Africa		68	60	64	67	69	62	59	58	56	52	48	44	43	44	39	40	41	45	44	41	51	4	
WHO regions																								
African		74	71	73	74	74	69	67	64	62	59	58	55	54	53	51	53	54	55	56	52	54	6	
American		92	94	94	93	93	94	93	94	93	94	94	93	94	93	92	91	89	86	87	85	83	51	
Eastern Mediterranean		78	77	80	81	77	78	78	78	78	76	73	73	73	72	71	70	68	69	66	68	67	15	
European		95	95	94	93	94	95	95	94	93	92	91	91	92	91	89	88	86	84	83	83	82	55	
South East Asian		78	79	78	77	77	77	73	75	66	72	67	62	64	65	64	63	62	69	72	69	63	6	
Western Pacific		97	97	96	96	97	95	92	92	88	88	86	86	86	85	85	84	84	81	77	80	89	4	


## DTP3 coverage

Global	84	83	83	84	84	83	80	80	78	77	75	73	73	73	70	70	70	72	72	72	72	72	72	73	73	73	70	70	70	70	72	72	76	76	50	20				
MDG regions																																								
Caucasus and Central Asia	97	97	97	96	95	94	92	92	94	91	92	93	93	93	93	60	81	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
Developed countries	95	96	94	94	95	96	96	96	96	96	96	95	93	94	92	91	93	90	91	93	90	91	93	90	91	91	87	86	86	86	83	82	82	82	69	...				
Eastern Asia	99	99	99	99	99	97	93	93	87	87	86	86	85	84	83	83	83	83	83	83	83	83	84	81	85	88	91	94	96	78	1									
Latin America	89	95	94	94	94	94	93	94	94	93	94	92	91	92	90	87	84	83	84	83	84	81	79	78	78	78	68	56	37											
Caribbean	81	82	81	82	79	80	80	79	79	76	71	77	73	73	73	71	70	68	70	71	70	68	70	71	70	68	68	50	32											
Northern Africa	97	95	96	97	97	97	97	97	96	95	94	94	96	95	93	91	90	91	89	86	85	84	81	87	73	28														
Oceania	72	69	67	63	67	59	66	67	66	67	72	66	62	65	66	65	54	63	68	67	65	66	73	74	45	37														
South-eastern Asia	85	88	85	85	86	85	82	81	82	81	82	81	81	80	82	81	79	77	76	74	73	74	73	74	75	38	16													
Southern Asia	76	76	76	77	75	74	69	73	72	71	67	63	63	63	63	64	65	69	65	60	57	59	68	20	7															
Sub-Saharan Africa	74	68	69	72	73	70	68	64	62	59	56	53	52	52	49	49	50	52	53	49	48	48	56	29	5															
Western Asia	83	83	88	89	89	87	85	83	84	84	77	81	86	85	82	82	78	76	74	79	78	77	76	86	56	28														
UNICEF regions																																								
Central and Eastern Europe and CIS	95	95	92	92	94	95	96	95	95	92	87	91	94	93	91	90	89	85	82	85	75	80	79	75	81	75														
East Asia and Pacific	93	95	94	93	94	92	89	89	85	85	84	82	84	83	83	82	82	81	79	82	83	85	88	90	66	6														
Eastern and Southern Africa	79	79	79	78	76	74	73	70	69	67	66	64	63	60	59	63	66	66	67	66	61	57	58	63	41	10														
Industrialised Countries	96	97	96	96	96	96	96	96	96	96	96	95	94	93	93	92	91	94	91	91	87	88	89	89	80	62														
Latin America and the Caribbean	89	94	93	93	94	92	92	93	93	92	92	91	90	91	89	86	83	82	83	80	79	77	78	68	55	37														
Middle East and North Africa	90	89	92	92	91	91	90	89	88	88	86	85	87	87	85	83	82	83	81	78	81	80	79	85	57	24														
South Asia	75	75	75	76	74	73	68	72	71	70	66	62	62	62	61	62	62	64	68	64	59	55	57	67	19	5														
West and Central Africa	69	57	57	65	70	65	61	58	55	51	46	42	40	42	39	37	32	34	39	42	36	40	37	49	19	1														
WHO regions																																								
African	75	68	69	72	74	70	68	65	63	60	57	54	52	52	49	51	50	51	54	55	50	50	50	57	32	5														
American	90	94	94	94	94	93	93	94	94	93	93	92	91	92	91	89	86	85	86	84	81	79	80	74	64	50														
Eastern Mediterranean	82	81	84	86	82	79	82	81	81	77	76	75	73	71	69	67	66	69	61	62	64	65	71	46	18															
European	96	96	94	94	95	96	96	95	95	94	92	93	94	93	93	92	91	89	87	88	81	85	84	80	78	63														
South East Asian	77	77	77	77	77	76	69	73	71	72	68	64	65	66	65	66	67	69	71	70	64	60	61	70	20	7														
Western Pacific	96	97	96	96	97	95	92	92	88	88	87	85	86	85	84	83	83	83	80	84	86	89	92	74	8															



## **MAPS: GLOBAL INDICATORS**


# Map 1: Immunization coverage with measles-containing vaccines in infants, 2013



The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of UNICEF or the World Health Organization concerning the legal status of any country, territory, city or area or its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

Source: WHO/UNICEF coverage estimates, 1980-2013, July 2014

## Map 2: Developing and transition countries and territories\* with all districts achieving at least 80% DTP3 coverage, 2013




Source: WHO/UNICEF Joint Reporting Form, 2013, July 2014

\* 156 developing countries and economies in transition per UN World Economic & Social Survey, 2014 classification.

The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of UNICEF or the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

**Map 3: Countries by percentage of districts achieving at least 80% DTP3 coverage, 2013**



The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of UNICEF or the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

Sources: WHO/UNICEF Joint Reporting Form, 2013, July 2014

# **NOTES ON INDICATORS AND DATA**

## Basic indicators

**Births** – The number of children born each year.

**Surviving infants** – The number of children who have survived beyond their first year of life.

For both births and surviving infants, figures are rounded to the nearest thousand. Where populations are small and birth rates are low, the figure shown is '0'. In countries or territories where the numbers of births and surviving infants are very close, rounding to the nearest thousand may cause the figures to appear equal. In places where the birth rate is declining, it is possible for the number of surviving infants to exceed births because the former were born in the previous year.

**Infant mortality rate** – The probability of dying between birth and exactly one year of age. The infant mortality rate is expressed as the number of infant deaths per 1,000 live births.

**Under-five mortality rate** – The probability of dying between birth and exactly five years of age. The under-five mortality rate is expressed as the number of deaths of children under age five per 1,000 live births.

**Gross national income per capita (PPP, US)** – Gross national income (GNI) is the sum of value added by all resident producers, plus any product taxes (less subsidies) not included in the valuation of output, plus net receipts of primary income (compensation of employees and property income) from abroad. GNI per capita is gross national income divided by mid-year population. GNI per capita in US dollars is converted using the World Bank Atlas method. Purchasing power parity (PPP) is a criterion for an appropriate exchange rate between currencies. It indicates that a representative basket of goods in one country would cost the same as in another country if the currencies are exchanged at that rate. Actual exchange rates vary from the PPP levels for such reasons as the demand for imports or investments between countries.

**Percentage of routine EPI vaccines financed by government** – The immunizations in the Expanded Programme on Immunization (EPI) include those against tuberculosis, diphtheria, tetanus and pertussis (DTP), polio and measles, as well as protecting newborn children and their mothers against tetanus by vaccination of pregnant women. In some countries, other vaccines (e.g., against hepatitis B, Haemophilus influenzae type B or yellow fever) may be included.

**Prevalence of home-based records** – The prevalence of home-based records is taken from nationally representative household surveys, including EPI coverage surveys, Demographic and Health Surveys and Multiple Indicator Cluster Surveys. The prevalence is based on the percentage of children aged 12-23 months at the time of the survey for whom a home-based record (e.g., vaccination card, child health book) was available to be seen by the survey team.

## National coverage (WHO/UNICEF estimates)

UNICEF and WHO conduct an annual review of national or territorial immunization reports to determine the most accurate levels of coverage. The resulting estimates are based on reported (administrative) data, household surveys and government estimates as reported annually in the WHO/UNICEF Joint Reporting Form on Immunization, as well as data from the scientific and technical literature. As an essential part of this review, UNICEF and WHO consult and collaborate with national

and territorial authorities. Prior to public release, the draft estimates are sent to the authorities of each country or territory for their review and subsequent revisions as necessary. The vaccines included in this section are:

- BCG** – bacille Calmette-Guérin (vaccine against tuberculosis)
- DTP1** – first dose of diphtheria and tetanus toxoid with pertussis containing vaccine
- DTP3** – third dose of diphtheria and tetanus toxoid with pertussis containing vaccine
- HepBB** – birth dose of hepatitis B vaccine
- HepB3** – third dose of hepatitis B vaccine
- Hib3** – third dose of Haemophilus influenzae type B vaccine
- rota (last)** – last dose of rotavirus vaccine
- PcV3** – third dose of Pneumococcal conjugate vaccine
- Pol3** – third dose of polio vaccine
- MCV1** – first dose of measles-containing vaccine
- MCV2** – second dose of measles-containing vaccine
- PAB** – protection at birth against tetanus

Coverage for DTP1 should be at least as high as DTP3. Cases where DTP1 coverage is less than DTP3 coverage reflect deficiencies in data collection and reporting. UNICEF and WHO are working with national systems to eliminate these discrepancies. Because DTP and Hib vaccines are dispensed on the same schedule, the coverage levels for DTP3 and Hib3 should be similar. More information on the estimation method can be found on the following websites:

**UNICEF:** <http://www.data.unicef.org/child-health/immunization>

**WHO:** [http://www.who.int/immunization\\_monitoring/routine/immunization\\_coverage/en/index4.html](http://www.who.int/immunization_monitoring/routine/immunization_coverage/en/index4.html)

## District coverage (as reported)

The disaggregation of immunization statistics to the district level assists efforts to ensure an equitable distribution of immunization for all children. The data shown in this section reflect reported (administrative) coverage levels and give an indication of district-level performance. The data are reported through the annual WHO/UNICEF Joint Reporting Form on Immunization.

**Number of districts in country** – The total number of districts in a country or territory; this figure may vary from year to year.

**Percentage of districts reporting** – The proportion of districts that report data through the annual WHO/UNICEF Joint Reporting Form on Immunization.

**DTP3** – The proportion of districts achieving each of three coverage ranges for DTP3. In some cases, not all districts are able to report coverage levels; consequently, the sum of the three categories may not be 100 per cent.

**MCV1** – The proportion of districts achieving coverage of 95 per cent or higher for first dose of measles-containing vaccine.

**DTP1-DTP3 drop-out rate** – The percentage of children who do not receive all three doses of DTP after receiving an initial dose, compared with all children who receive the initial dose of DTP. When a given district's drop-out rate is less than 10 per cent, children who receive an initial DTP dose are highly likely to receive all three required doses, indicating a high level of health-care assistance and performance. The key indicator given in this reference is the proportion of districts categorized as high-performing, i.e., those with drop-out rates of less than 10 per cent.

## Immunization schedule

Updated immunization schedules are submitted through the annual WHO/UNICEF Joint Reporting Form on Immunization. The notations used in each table may vary slightly because there is no standard format for reporting immunization schedules.

**Note:** In all instances, an ellipsis indicates that data are not available.

## DATA SOURCES

- **Births, surviving infants, total population:** World Population Prospects 2012, United Nations Population Division.
- **Infant mortality rate, under-five mortality rate:** United Nations Inter-agency Group for Child Mortality Estimation (IGME), 2014.
- **Gross national income per capita:** The World Bank.
- **National coverage:** WHO and UNICEF Estimates of National Immunization Coverage 1980-2013, July 2014.
- **Percentage of routine EPI vaccines financed by government, district coverage, and immunization schedules:** WHO/UNICEF Joint Reporting Form on Immunization, data collected in 2014.

# **COUNTRIES AND TERRITORIES**



2013

Births.....	1,042,000
Surviving infants.....	973,000
Total population.....	30,552,000
Infant mortality rate (per 1,000 live births).....	70
Under-five mortality rate (per 1,000 live births).....	97
Gross national income per capita (PPP, US\$).....	700
Percentage of routine EPI vaccines financed by government.....	4
Home-based vaccination records (percent).....	66 (2013, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	75	75	71	68	64	66	60	60	57	30	31	30	0
DTP1	86	86	86	86	84	85	84	81	80	48	44	50	22
DTP3	71	71	68	66	63	64	63	58	58	24	20	25	4
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	71	71	68	66	63	64	63	0	0	0	0	0	...
Hib3	71	71	68	66	63	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	71	71	68	66	63	64	63	58	58	24	20	25	0
MCV1	75	68	65	62	60	59	55	53	50	27	41	20	11
MCV2	40	37	31	29	24	23	0	10	0	0	...	...	...
PAB	65	60	60	79	89	83	84	95	96	32	13	13	1

## District coverage (as reported)

	2013	2012
Number of districts in country	329	329
Percentage of districts reporting	98	98
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	9 12 24 28 67 59
MCV1: proportion of districts with coverage at 95% or above (%)	41	34
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	45	44

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact; +1, +6 months;
Measles	9, 18 months		+1, +1 year
OPV	birth; 6, 10, 14 weeks; 9 months		

2013

Births.....	41,000
Surviving infants.....	40,000
Total population.....	3,173,000
Infant mortality rate (per 1,000 live births).....	13
Under-five mortality rate (per 1,000 live births).....	15
Gross national income per capita (PPP, US\$).....	4,700
Percentage of routine EPI vaccines financed by government.....	5
Home-based vaccination records (percent).....	96 (2008, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	96	98	99	97	99	98	97	98	93	97	94	93
DTP1	99	99	99	99	99	99	98	98	99	98	98	97	97
DTP3	99	99	99	99	98	99	98	97	98	97	97	94	94
HepBB	99	97	99	99	98	98	98	99	99	98	...	...	...
HepB3	99	99	99	99	98	99	98	98	98	96	88	0	...
Hib3	99	99	99	99	98	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	99	99	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	98	99	99	97	97	97	98	89	92
MCV1	99	98	99	99	97	98	97	95	97	95	91	88	90
MCV2	99	99	99	98	98	98	95	94	97	0	...	...	...
PAB	87	87	87	87	87	87	87	87	86	86	90	30	0

## District coverage (as reported)

	2013	2012
Number of districts in country	36	36
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50%</li> <li>Between 50-79%</li> <li>at 80% or above</li> </ul>	<ul style="list-style-type: none"> <li>0</li> <li>0</li> <li>100</li> </ul>
MCV1: proportion of districts with coverage at 95% or above (%)	100	97
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	94	94

## Immunization schedule

BCG	birth	MMR	1, 5 years
DT	6 years	OPV	2, 4, 6 months; 2, 6 years
DTwP	2 years	Pneumo_conj	2, 4, 6 months
DTwPHibHepB	2, 4, 6 months	Td	14 years
HepB	birth	TT	18-19 years
IPV	2, 4 months		

2013

Births.....	952,000
Surviving infants.....	927,000
Total population.....	39,208,000
Infant mortality rate (per 1,000 live births).....	22
Under-five mortality rate (per 1,000 live births).....	25
Gross national income per capita (PPP, US\$).....	5,290
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	92 (2006, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	98	97	93	99	0
DTP1	99	99	99	99	98	97	98	98	94	95	96	96	0
DTP3	95	95	95	95	95	93	95	95	88	86	88	89	0
HepBB	99	99	99	99	99	99	99	97	97	0	...	...	...
HepB3	95	95	95	95	94	91	90	80	83	0	0	0	...
Hib3	95	95	95	95	95	93	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	95	95	95	95	94	92	95	95	88	86	88	89	0
MCV1	95	95	95	95	92	88	92	91	83	80	89	83	0
MCV2	93	95	96	95	98	96	95	98	94	78	...	...	...
PAB	90	90	90	90	71	71	70	70	69	64	44	75	0

## District coverage (as reported)

	2013	2012
Number of districts in country	271	271
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 ... 0 ... 0 0
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	90

## Immunization schedule

BCG	birth	Measles	9 months; 6 years
DT	6 years	OPV	birth; 3, 4, 5, 18 months; 6 years
DTwPHib	3, 4, 5, 18 months		
HepB	birth 1, 5 months	Td	11-13, 16-18 years

2013

Births.....	1,000
Surviving infants.....	1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	2
Under-five mortality rate (per 1,000 live births).....	3
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	98	99	99	99	99	99	98	97	99	99	...	...	...
DTP3	96	99	99	99	99	99	96	93	98	98	...	...	...
HepBB	96	95	93	94	94	98	98	98	97	0	...	...	...
HepB3	94	97	99	96	96	94	91	84	79	84	...	...	...
Hib3	96	98	99	98	97	98	95	93	97	90	...	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	96	99	99	99	99	99	96	93	98	95	...	...	...
MCV1	95	98	99	99	98	98	94	91	94	97	...	...	...
MCV2	91	89	82	86	82	86	80	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	1	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0
MCV1: proportion of districts with coverage at 95% or above (%)	0	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DTaP	5, 15 years	MenC_conj	2, 4, 18 months
DTaPHibHepIPV	2, 6 months	MMR	15 months; 5 years
HepB	birth	Pneumo_conj	3, 5, 15 months

2013

Births.....	949,000
Surviving infants.....	859,000
Total population.....	21,472,000
Infant mortality rate (per 1,000 live births).....	102
Under-five mortality rate (per 1,000 live births).....	167
Gross national income per capita (PPP, US\$).....	5,010
Percentage of routine EPI vaccines financed by government.....	88
Home-based vaccination records (percent).....	33 (2013, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	85	87	88	93	83	87	88	65	61	56	60	48	0
DTP1	97	99	99	99	93	99	83	66	62	44	48	48	0
DTP3	93	91	86	91	73	81	83	44	47	31	24	24	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	93	91	86	91	73	81	83	0	0	0	0	0	...
Hib3	93	91	86	91	73	81	83	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	9	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	80	88	85	92	73	75	83	44	46	33	28	23	0
MCV1	91	97	88	93	77	79	88	48	45	41	46	38	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	75	72	70	75	88	79	78	77	75	60	48	34	0

## District coverage (as reported)

	2013	2012
Number of districts in country	166	165
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)		
below 50%	5	12
Between 50-79%	29	21
at 80% or above	66	68
MCV1: proportion of districts with coverage at 95% or above (%)	60	53
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	25	33

## Immunization schedule

BCG	birth	Pneumo_conj	2, 4, 6 months
DTwPHibHepB	2, 4, 6 months	Rotavirus	2, 4 months
HPV	9 years; +1, +5 months	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
IPV	6 months	Vitamin A	6, 9 months
Measles	9 months	YF	9 months
OPV	birth; 2, 4, 6 months		

# Antigua and Barbuda

2013

Births.....	1,000
Surviving infants.....	1,000
Total population.....	90,000
Infant mortality rate (per 1,000 live births).....	8
Under-five mortality rate (per 1,000 live births).....	9
Gross national income per capita (PPP, US\$).....	12,910
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	99	99	99	99	99	99	99	99	99	98	99	99	77
DTP3	99	98	99	98	99	99	99	99	99	95	99	99	54
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	98	99	98	98	98	97	99	99	0	0	0	...
Hib3	99	98	98	98	94	97	99	99	99	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	97	99	99	98	99	98	99	98	96	99	99	36
MCV1	98	98	99	98	99	99	99	99	99	95	93	89	0
MCV2	87	90	89	92	94	83	78	68	46	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	7
Percentage of districts reporting	88	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0
MCV1: proportion of districts with coverage at 95% or above (%)	...	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DT	4-5, 15 years	Influenza	30-37 months
DTaPHibHep	2, 4, 6 months	MMR	12 months; 4-5, 15 years
DTwP	18 months	OPV	2, 4, 6, 18 months; 4-5 years
HepB	1st contact; +6 weeks; +6 months	Td	1st contact; + 6 weeks; +6 months

2013

Births.....	694,000
Surviving infants.....	687,000
Total population.....	41,446,000
Infant mortality rate (per 1,000 live births).....	12
Under-five mortality rate (per 1,000 live births).....	13
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	60
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	99	99	99	62
DTP1	93	94	94	95	94	97	94	93	99	96	95	95	69
DTP3	87	91	92	94	94	94	91	91	98	83	85	87	44
HepBB	85	88	85	85	81	80	79	72	67	0	...	...	...
HepB3	87	91	92	94	93	90	85	84	88	0	0	0	...
Hib3	87	91	92	94	93	90	85	84	88	83	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	81	22	0	0	0	0	...	...	...	...	...	...	...
Pol3	87	90	93	95	97	94	92	92	95	88	90	90	33
MCV1	91	94	95	98	99	96	94	97	99	91	99	93	61
MCV2	79	90	91	96	96	86	91	91	88	91	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	511	511
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	1 3 16 13 83 84
MCV1: proportion of districts with coverage at 95% or above (%)	55	53
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	81	82

## Immunization schedule

BCG	birth	MMR	1, 6 years
DTwP	6 years	OPV	2, 4, 6, 18 months; 6 years
DTwPHib	18 months	Pneumo_conj	2, 4, 12 months
DTwPHibHep	2, 4, 6 months	Pneumo_ps	> 65 years
HepA	12 months	Td	16 years
HepB	birth	Tdap	11 years
HPV	11 years (x3)	YF	12 months (subnational; risk areas)
Influenza	6, 7 months; >= 65 years		

2013

Births.....	41,000
Surviving infants.....	40,000
Total population.....	2,977,000
Infant mortality rate (per 1,000 live births).....	14
Under-five mortality rate (per 1,000 live births).....	16
Gross national income per capita (PPP, US\$).....	3,790
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	92 (2010, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	96	96	95	99	98	94	91	94	97	84	...	...
DTP1	97	98	98	98	97	96	96	95	96	97	98	...	...
DTP3	95	95	95	94	93	89	88	87	90	93	98	...	...
HepBB	98	95	95	94	92	91	92	92	93	97	...	...	...
HepB3	95	95	95	94	93	89	85	78	91	55	0	...	...
Hib3	95	95	95	48	0	0	0	0	0	0	0	...	...
rota (last)	33	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	96	96	96	96	94	91	90	87	92	96	93	...	...
MCV1	97	97	97	97	96	94	92	92	94	92	96	...	...
MCV2	97	97	98	97	96	94	93	85	92	94	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	51	51
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 0 0</li> <li>at 80% or above 100 100</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	92	92
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	birth	OPV	6, 12, 18 weeks; 18 months;
DTaP	18 months		6 years
DTwPHibHep	6, 12, 18 weeks	Rotavirus	6, 12 weeks
HepB	birth	Td	6, 15-16, 26-30, 36-40, 46-
MMR	1, 6 years		50, 56-60 years

2013

Births.....	308,000
Surviving infants.....	307,000
Total population.....	23,343,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	65,520
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	92	92	92	97	97	97	97	97	97	96	95	98	58
DTP3	91	92	92	92	92	92	92	92	92	90	86	95	33
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	91	91	92	92	94	94	94	95	95	0	0	0	...
Hib3	91	92	92	92	94	94	94	95	94	90	0	0	...
rota (last)	84	84	85	84	82	81	0	0	...	...	...	...	...
PcV3	91	91	91	91	91	91	...	...	...	...	...	...	...
Pol3	91	92	92	92	92	92	92	92	92	90	86	72	17
MCV1	94	94	94	94	94	94	94	94	94	91	87	86	0
MCV2	92	91	90	88	82	80	89	87	85	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	8	8
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	13	13
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

## Immunization schedule

DTaPHibHepIPV	2, 4, 6 months	MMR	12, 18 months
DTaPIPV	4 years	MMRV	18 months
HepA	1-5 years (subnational)	Pneumo_conj	2, 4, 6, 12, 12-18 months
HepB	birth; 10-15 years	Pneumo_ps	>=65 years
HibMenC	12 months	Rotavirus	2, 4, 6 months
HPV	10-15 years	Tdap	4, 10-15 years
Influenza	>= 65 years	Varicella	18 months, 10-15 years
IPV	4 years		

2013

Births.....	81,000
Surviving infants.....	81,000
Total population.....	8,495,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	48,610
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	90
DTP1	93	93	93	93	93	97	99	99	99	99	96	96	96
DTP3	83	83	83	83	83	83	85	83	86	81	90	90	90
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	83	83	83	83	83	83	85	83	86	33	0	0	...
Hib3	83	83	83	83	83	83	85	83	86	72	0	0	...
rota (last)	61	61	61	61	61	47	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	83	83	83	83	83	83	85	83	86	71	90	90	90
MCV1	76	76	76	76	76	83	79	80	75	75	60	60	0
MCV2	64	64	64	64	64	62	56	61	54	35	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	121
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
<div style="border: 1px solid black; padding: 2px; display: inline-block;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DTaPHibHepIPV	0-1 year (x3); 1-2 years	MMR	1-2 years (x2)
HepB	12-13 years	Pneumo_conj	0-1 year (x3); 1-2 years
HPV	9 years (x3)	Rotavirus	7 weeks - 6 months (x2 or 3)

2013

Births.....	167,000
Surviving infants.....	161,000
Total population.....	9,413,000
Infant mortality rate (per 1,000 live births).....	30
Under-five mortality rate (per 1,000 live births).....	34
Gross national income per capita (PPP, US\$).....	7,350
Percentage of routine EPI vaccines financed by government.....	86
Home-based vaccination records (percent).....	98 (2011, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	98	99	98	95	92	88	86	82	81	76	...	...
DTP1	95	94	94	94	90	90	87	86	81	83	79	...	...
DTP3	93	89	87	81	81	81	79	78	75	76	74	...	...
HepBB	99	98	99	98	95	92	88	86	82	0	...	...	...
HepB3	93	88	84	80	74	68	62	52	49	0	0	...	...
Hib3	93	89	36	0	0	0	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	96	92	91	85	84	85	81	80	79	75	71	...	...
MCV1	98	94	92	89	85	79	75	69	67	67	64	...	...
MCV2	98	95	92	89	83	79	75	68	67	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	64	64
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 2 0 98 98
MCV1: proportion of districts with coverage at 95% or above (%)	88	80
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

## Immunization schedule

BCG	4-7 days	MMR	12 months; 6 years
DT	6 years	OPV	4-7 days; 2, 3, 4, 18 months
DTwP	18 months	Pneumo_conj	2, 4, 6 months
DTwPHibHepB	2, 3, 4 months	Vitamin A	12, 18 months
HepB	birth		

2013

Births.....	6,000
Surviving infants.....	6,000
Total population.....	377,000
Infant mortality rate (per 1,000 live births).....	10
Under-five mortality rate (per 1,000 live births).....	13
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	99	99	99	99	99	99	98	95	99	99	95	95	61
DTP3	97	98	98	99	96	93	95	95	93	99	87	86	36
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	97	96	95	98	95	90	93	96	93	0	0	0	...
Hib3	97	98	98	98	96	94	95	95	93	90	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	97	37	1	1	3	0	...	...	...	...	...	...	...
Pol3	97	99	97	97	97	93	95	94	93	91	86	82	35
MCV1	92	91	90	94	98	90	96	88	85	93	90	86	0
MCV2	69	73	79	78	76	80	84	88	88	0	...	...	...
PAB	99	99	99	99	99	99	99	99	90	85	79	71	0

## District coverage (as reported)

	2013	2012
Number of districts in country	45	91
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 2 98
MCV1: proportion of districts with coverage at 95% or above (%)	67	38
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	99

## Immunization schedule

DTaPHibHepIPV	2, 4, 6 months	MMR	1, 4-5 years
DTaPHibIPV	2, 4, 6 months (subnational)	OPV	2, 4, 6 months; 4-5 years
DTwP	4-5 years	Pneumo_conj	2, 4, 6, 15 months
DTwPHib	15 months	Rotavirus	2, 4 months (subnational)
DTwPHibHep	2, 4, 6 months	Td	10-12 years
HepB	2, 4, 6 months	Tdap	10-12 years
IPV	2, 4, 6 months; 4-5 years	Varicella	1, 4-5 years

2013

Births.....	20,000
Surviving infants.....	20,000
Total population.....	1,332,000
Infant mortality rate (per 1,000 live births).....	5
Under-five mortality rate (per 1,000 live births).....	6
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	99	99	99	99	98	98	97	99	99	98	98	97	89
DTP3	99	99	99	99	98	98	97	98	98	97	95	94	72
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	99	99	99	99	98	98	97	98	98	97	95	0	...
Hib3	99	99	99	99	97	97	97	97	98	97	0	0	...
rota (last)	97	96	96	59	81	49	0	0	...	...	...	...	...
PcV3	99	99	99	99	96	14	...	...	...	...	...	...	...
Pol3	99	99	99	99	97	97	97	98	98	97	95	94	72
MCV1	99	99	99	99	99	99	99	99	99	98	95	87	45
MCV2	99	99	96	98	99	97	99	99	99	92	...	...	...
PAB	94	94	94	94	94	99	96	93	97	84	59	48	5

## District coverage (as reported)

	2013	2012
Number of districts in country	5	5
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	birth	MenACWY	2 years
DT	2, 4, 6, 18 months; 5 years	MMR	1, 5 years
DTaP	5 years	OPV	4, 6, 18 months; 5 years
DTaPHibHepIPV	2 months	Pneumo_conj	2, 4, 6 months; 1 year
DTwPHibHepB	4, 6, 18 months	Pneumo_ps	>=65 years
HepA	18 months; 2 years	Rotavirus	2, 4 months
HepB	birth; 1 month	Td	>10 years
Hib	> 5 years	Tdap	13 years
IPV	2, 4, 6, 18 months; 5 years		

Births.....	3,138,000
Surviving infants.....	3,039,000
Total population.....	156,595,000
Infant mortality rate (per 1,000 live births).....	33
Under-five mortality rate (per 1,000 live births).....	41
Gross national income per capita (PPP, US\$).....	900
Percentage of routine EPI vaccines financed by government.....	33
Home-based vaccination records (percent).....	67 (2011, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	98	99	99	98	97	97	94	93	86	0
DTP1	99	99	99	98	99	99	98	97	97	92	87	86	0
DTP3	97	97	96	94	97	96	94	94	93	82	69	69	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	97	97	96	94	97	96	95	86	45	0	0	0	...
Hib3	97	97	96	94	97	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	97	97	96	94	97	96	96	95	94	83	69	69	0
MCV1	93	93	91	88	93	92	89	83	88	74	79	65	0
MCV2	81	22	0	0	0	0	0	0	0	0	...	...	...
PAB	94	94	94	93	93	91	91	92	89	89	85	70	2

### District coverage (as reported)

	2013	2012
Number of districts in country	64	64
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 2 0</li> <li>at 80% or above 98 100</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	77	84
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

BCG	birth	OPV	6, 10, 14, 38 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	15 years +1, +6 months; +1, +1 year
Measles	15 months		
MR	38 weeks; 15 years	Vitamin A	6-59 months

2013

Births.....	4,000
Surviving infants.....	4,000
Total population.....	285,000
Infant mortality rate (per 1,000 live births).....	13
Under-five mortality rate (per 1,000 live births).....	14
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	93	93	93	93	93	85	93	94	97	93	97	97	82
DTP3	87	87	91	86	93	85	93	84	92	93	93	91	60
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	87	87	91	86	93	85	93	84	92	0	0	0	...
Hib3	87	87	91	86	93	85	93	84	92	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	75	75	75	75	75	0	...	...	...	...	...	...	...
Pol3	88	88	91	90	93	85	93	85	91	86	93	90	99
MCV1	90	90	93	85	94	94	75	92	93	94	92	87	41
MCV2	90	90	94	96	97	97	96	94	98	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	8
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%  
Between 50-79%  
at 80% or above

## Immunization schedule

BCG	5 years	MMR	1, 3-5 years
DT	5-7 years	OPV	2, 4, 6, 18 months; 4.5, 10-11 years
DTwP	18 months; 4.5 years	Pneumo_conj	2, 4, 6 months
DTwPHibHep	2, 4, 6 months	Td	10-11 years
Influenza (subnational; high risk areas)		Varicella	>=18 years
IPV	2, 4, 6, 18 months; 4.5, 10-11 years		

2013

Births.....	103,000
Surviving infants.....	102,000
Total population.....	9,357,000
Infant mortality rate (per 1,000 live births).....	4
Under-five mortality rate (per 1,000 live births).....	5
Gross national income per capita (PPP, US\$).....	6,720
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	99 (2005, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	98	99	99	98	98	98	99	99	99	96	...	...
DTP1	99	98	99	99	98	98	99	99	99	99	98	...	...
DTP3	98	98	98	98	96	97	95	99	99	99	96	...	...
HepBB	99	98	98	98	98	98	98	99	99	0	...	...	...
HepB3	98	97	98	96	98	98	91	98	99	70	0	...	...
Hib3	23	22	21	0	19	6	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	98	99	98	98	90	97	98	99	96	...	...
MCV1	99	98	99	99	99	99	99	97	99	98	93	...	...
MCV2	99	97	99	99	99	99	99	95	98	92	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	131	121
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0</li> <li>Between 50-79% 0</li> <li>at 80% or above 92</li> </ul>	100
MCV1: proportion of districts with coverage at 95% or above (%)	92	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	3-5 days	HepB	1 day; 1, 5 months
DT	6 years	IPV	3, 4, 5 months
DTaPHibIPV	3, 4, 5, 18 months (subnational)	MMR	12 months; 6 years
DTaPIPV	3, 4, 5, 18 months (subnational)	OPV	18, 24 months; 7 years
DTwP	3, 4, 5, 18 months	Td	16, 26, 36, 46, 56, 66 years
		TT	(outbreaks)

2013

Births.....	129,000
Surviving infants.....	129,000
Total population.....	11,104,000
Infant mortality rate (per 1,000 live births).....	4
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	45,210
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	92 (2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	99	99	99	99	99	99	99	99	98	97	97	97	98
DTP3	99	99	98	99	99	99	99	99	97	95	94	93	95
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	98	97	97	97	98	94	94	77	60	0	0	...
Hib3	92	98	98	98	98	98	98	98	95	86	13	0	...
rota (last)	86	86	0	0	0	0	0	0	...	...	...	...	...
PcV3	93	93	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	98	99	99	99	99	99	97	96	92	95	99
MCV1	92	96	95	95	95	93	92	92	88	82	85	85	0
MCV2	93	93	83	83	83	81	78	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	43	43
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 ... 0 ... 0 0
MCV1: proportion of districts with coverage at 95% or above (%)	0	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DTaPHibHepIPV	8, 12, 16 weeks; 15	MMR	12 months; 10 years
DTaPIPV	6 years	Pneumo_conj	8, 16 weeks; 12 months
HPV	12 years; +1-2, +6 months	Rotavirus	8, 12, 16 weeks
Influenza	(subnational)	Td	(subnational)
IPV	8, 16 weeks; 15 months	Tdap	14 years
MenC_conj	15 months		

## 2013

Births.....	8,000
Surviving infants.....	8,000
Total population.....	332,000
Infant mortality rate (per 1,000 live births).....	14
Under-five mortality rate (per 1,000 live births).....	17
Gross national income per capita (PPP, US\$).....	4,660
Percentage of routine EPI vaccines financed by government.....	98
Home-based vaccination records (percent).....	75 (2011, MICS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	98	98	98	99	98	99	97	96	96	92	93	71
DTP1	96	99	98	99	99	98	98	98	98	96	94	97	72
DTP3	95	98	95	96	97	94	96	98	96	91	83	91	47
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	95	98	95	96	97	94	96	98	96	76	0	0	...
Hib3	95	98	95	96	97	94	96	98	96	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	95	98	95	96	98	94	97	98	96	91	83	86	44
MCV1	99	96	98	98	97	96	96	99	95	96	83	86	21
MCV2	92	93	98	89	92	90	89	92	87	0	...	...	...
PAB	88	88	88	88	88	88	87	85	87	85	87	88	0

### District coverage (as reported)

	2013	2012
Number of districts in country	6	6
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 0 0</li> <li>at 80% or above 100 100</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	83	67
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

BCG	birth	IPV	2, 4, 6 months; 4-5 years
DT	2, 4, 6 months	MMR	12, 24 months
DTwP	4-5 years	OPV	2, 4, 6 months; 4-5 years
DTwPHibHep	2, 4, 6 months	Td	10 years
HepB	> 12 years	Vitamin A	6, 12, 18, 24, 30, 36 months
Influenza	6-24 months; > 65 years		

2013

Births.....	376,000
Surviving infants.....	351,000
Total population.....	10,323,000
Infant mortality rate (per 1,000 live births).....	56
Under-five mortality rate (per 1,000 live births).....	85
Gross national income per capita (PPP, US\$).....	790
Percentage of routine EPI vaccines financed by government.....	33
Home-based vaccination records (percent).....	54 (2012, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	88	88	88	90	93	95	97	93	88	92	85	92	0
DTP1	85	85	85	87	90	92	94	89	84	89	82	86	0
DTP3	69	76	75	76	79	75	82	74	70	78	67	74	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	78	85	85	83	83	78	82	74	70	0	0	0	...
Hib3	78	85	84	83	83	78	82	74	35	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	69	76	36	0	0	0	...	...	...	...	...	...	...
Pol3	71	78	77	77	80	77	82	76	73	78	68	74	0
MCV1	63	70	70	68	71	66	70	66	61	70	65	79	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	93	93	92	92	92	92	93	95	95	87	82	48	0

## District coverage (as reported)

	2013	2012
Number of districts in country	77	77
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 16 5 84 95
MCV1: proportion of districts with coverage at 95% or above (%)	19	47
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	92	71

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
Measles	9 months	YF	9 months
OPV	birth; 6, 10, 14 weeks		

2013

Births.....	15,000
Surviving infants.....	14,000
Total population.....	754,000
Infant mortality rate (per 1,000 live births).....	30
Under-five mortality rate (per 1,000 live births).....	36
Gross national income per capita (PPP, US\$).....	2,460
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	95	95	96	94	99	94	92	92	97	98	99	43
DTP1	97	97	98	94	97	97	98	97	97	96	95	98	25
DTP3	97	97	95	91	93	96	95	95	95	92	87	96	6
HepBB	64	60	29	0	0	0	0	0	0	0	...	...	...
HepB3	97	97	95	91	93	96	95	95	95	98	0	0	...
Hib3	97	97	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	97	97	95	92	93	96	93	96	95	98	86	96	4
MCV1	94	95	95	95	94	99	95	90	93	78	85	93	21
MCV2	89	90	95	85	79	72	0	0	0	0	...	...	...
PAB	83	89	89	89	89	89	84	85	85	85	78	63	0

## District coverage (as reported)

	2013	2012
Number of districts in country	20	20
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0</li> <li>Between 50-79% 5</li> <li>at 80% or above 95</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	45	40
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	95

## Immunization schedule

BCG	birth	MR	9, 24 months;
DTwP	24 months	OPV	birth; 6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Td	6, 12 years
HepB	birth	Vitamin A	6, 12, 18, 24, 30, 36 months
HPV	12 years; +2, +6 months		

2013

Births.....	275,000
Surviving infants.....	264,000
Total population.....	10,671,000
Infant mortality rate (per 1,000 live births).....	31
Under-five mortality rate (per 1,000 live births).....	39
Gross national income per capita (PPP, US\$).....	2,550
Percentage of routine EPI vaccines financed by government.....	99
Home-based vaccination records (percent).....	NA (2013, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	98	94	90	88	87	88	92	87	65	30
DTP1	98	97	98	97	97	96	85	87	93	92	84	66	32
DTP3	94	93	95	91	93	88	84	83	85	75	64	41	11
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	94	93	95	91	93	88	84	83	85	77	0	0	...
Hib3	94	93	95	91	93	88	84	83	85	77	0	0	...
rota (last)	93	91	91	87	76	51	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	95	93	95	90	92	87	85	82	84	74	64	50	14
MCV1	95	96	96	88	93	92	86	88	89	84	58	53	13
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	76	76	74	74	74	74	71	71	70	67	57	23	0

## District coverage (as reported)

	2013	2012
Number of districts in country	337	337
Percentage of districts reporting	100	1200
DTP3: proportion of districts with coverage (%)	below 50%	17
	Between 50-79%	42
	at 80% or above	41
MCV1: proportion of districts with coverage at 95% or above (%)	26	31
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	80	82

## Immunization schedule

BCG	birth	Rotavirus	2, 4 months;
DTwPHibHep	2, 4, 6, 18 months; 4 years	Td	1st contact; +1, +6 months;
Influenza	6-24 months; >= 65 years		+1, +1 year
MMR	12-23 months;	Vitamin A	6-11, 12-59 months
OPV	2, 4, 6, 18 months; 4 years	YF	12-23 months

2013

Births.....	34,000
Surviving infants.....	34,000
Total population.....	3,829,000
Infant mortality rate (per 1,000 live births).....	6
Under-five mortality rate (per 1,000 live births).....	7
Gross national income per capita (PPP, US\$).....	4,740
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	91 (2012, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	96	96	94	96	97	96	98	97	95	93	64	...	...
DTP1	95	95	94	95	95	95	96	94	95	90	78	...	...
DTP3	92	92	88	89	90	91	95	87	93	85	55	...	...
HepBB	96	96	95	95	97	96	99	97	97	0	...	...	...
HepB3	92	92	88	89	90	88	94	90	93	0	0	...	...
Hib3	87	87	85	83	80	83	83	82	50	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	87	87	89	90	90	92	95	91	95	87	69	...	...
MCV1	94	94	89	91	93	84	96	85	90	80	53	...	...
MCV2	94	94	88	91	88	92	95	93	90	74	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	100
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%

Between 50-79%

at 80% or above

## Immunization schedule

BCG	birth	Hib	2-3, 3-5, 6-18, 18 months
DT	6 years	IPV	3, 4, 5 months; 5 years
DTaPIPv	2, 4, 6 months; 5 years (subnational)	MMR	12 or 13 or 18 months; 6 years (subnational)
DTP	3, 4, 6, 18 months	OPV	18 months; 14 years
DTPHibIPV	3, 4, 5 months	Td	14 years (subnational)
HepB	birth; 1-2, 6 months	TT	18 years (subnational)

2013

Births.....	48,000
Surviving infants.....	46,000
Total population.....	2,021,000
Infant mortality rate (per 1,000 live births).....	36
Under-five mortality rate (per 1,000 live births).....	47
Gross national income per capita (PPP, US\$).....	7,730
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	98 (2007, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	99	96	93	92
DTP1	98	98	98	98	98	98	98	98	98	98	98	99	89
DTP3	96	96	96	96	96	96	96	96	96	97	95	92	71
HepBB	99	99	99	99	99	99	99	99	99	99	...	...	...
HepB3	96	96	96	95	95	94	94	93	92	86	73	0	...
Hib3	96	96	96	0	0	0	0	0	0	0	0	0	...
rota (last)	78	74	0	0	0	0	0	0	...	...	...	...	...
PcV3	65	52	0	0	0	0	...	...	...	...	...	...	...
Pol3	96	96	96	96	96	96	96	96	96	97	94	90	46
MCV1	94	94	94	94	94	94	94	94	93	91	89	87	63
MCV2	83	0	0	0	0	0	0	0	0	0	...	...	...
PAB	92	92	92	92	92	85	84	84	83	80	72	59	0

## District coverage (as reported)

	2013	2012
Number of districts in country	24	24
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)		
below 50%	0	0
Between 50-79%	42	25
at 80% or above	58	75
MCV1: proportion of districts with coverage at 95% or above (%)	50	67
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	8	29

## Immunization schedule

BCG	birth	Pneumo_conj	2, 3, 4 months
DT	18 months; 7 years	Rotavirus	2, 3 months
DTwPHibHepB	2, 3, 4 months	TT	1st contact pregnancy; +4 weeks; +6 months; +1, +1 year
HepB	birth		
Measles	9, 18 months		
OPV	2, 3, 4, 18 months; 7 years	Vitamin A	6-11, 12-59 months

Births.....	2,995,000
Surviving infants.....	2,937,000
Total population.....	200,362,000
Infant mortality rate (per 1,000 live births).....	12
Under-five mortality rate (per 1,000 live births).....	14
Gross national income per capita (PPP, US\$).....	11,690
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	99	99	79	56
DTP1	99	99	99	99	99	99	98	98	97	99	85	86	62
DTP3	95	97	99	98	98	98	97	97	96	98	81	66	37
HepBB	95	95	95	95	95	95	95	95	94	99	...	...	...
HepB3	95	97	98	96	99	96	99	99	92	94	10	0	...
Hib3	95	97	97	96	98	99	98	97	96	90	0	0	...
rota (last)	89	86	87	83	86	81	80	47	...	...	...	...	...
PcV3	93	89	82	24	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	99	99	99	98	99	79	58	69
MCV1	99	99	99	99	99	99	99	99	99	99	87	78	57
MCV2	74	74	71	53	55	56	49	55	61	95	...	...	...
PAB	93	93	92	92	92	92	92	92	67	92	78	63	0

## District coverage (as reported)

	2013	2012									
Number of districts in country	5565	5565									
Percentage of districts reporting	...	100									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>1</td> <td>1</td> </tr> <tr> <td>Between 50-79%</td> <td>15</td> <td>16</td> </tr> <tr> <td>at 80% or above</td> <td>84</td> <td>83</td> </tr> </table>	below 50%	1	1	Between 50-79%	15	16	at 80% or above	84	83	
below 50%	1	1									
Between 50-79%	15	16									
at 80% or above	84	83									
MCV1: proportion of districts with coverage at 95% or above (%)	75	61									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	83									

## Immunization schedule

BCG	birth	MenC_conj	3, 5, 15 months
CHOLERA	>= 2 years (x2 doses)	MMR	12, 15 months
DT	2, 4, 6, 15 months	OPV	6, 15 months; 4 years
DTaP	2, 4, 6, 15 months	Pneumo_conj	2, 4, 6, 12 months
DTwP	15 months; 4 years	Pneumo_ps	>2 years
DTwPHibHep	2, 4, 6 months	Rabies	x5 doses
HepA	12 months	Rotavirus	2, 4 months
HepB	birth	Td	>7 years (x3); 14 years
Hib	2, 4, 6, 15 months	Typhoid	>=2 years (x2 doses)
Influenza	6, 7 months	Varicella	15 months
IPV	2, 4 months	YF	9 months; 10 years
MenAC	>= 2 years		

## 2013

Births.....	6,000
Surviving infants.....	6,000
Total population.....	418,000
Infant mortality rate (per 1,000 live births).....	8
Under-five mortality rate (per 1,000 live births).....	10
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	96	95	99	99	96	99	94	99	99	91	99
DTP1	96	96	99	98	99	99	99	99	99	99	99	97	96
DTP3	90	90	97	95	99	98	99	97	94	99	99	93	89
HepBB	95	95	95	96	99	99	99	97	96	99	...	...	...
HepB3	99	99	93	96	96	96	97	99	99	99	99	96	...
Hib3	90	90	97	95	99	98	99	97	94	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	90	90	95	99	99	97	95	94	93	99	99	92	89
MCV1	99	99	91	94	99	99	97	97	98	99	99	99	73
MCV2	96	96	93	93	99	89	92	94	97	95	...	...	...
PAB	95	95	95	95	65	65	64	64	64	77	69	40	0

### District coverage (as reported)

	2013	2012
Number of districts in country	...	4
Percentage of districts reporting	...	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

### Immunization schedule

BCG	birth	Hib	1 year
DTaPHibHepIPV	2, 4, 6 months	HPV	12-13 years; +1, +6 months
DTaPIPv	5 years	MMR	1, 3 years
HepB	birth		

2013

Births.....	69,000
Surviving infants.....	69,000
Total population.....	7,223,000
Infant mortality rate (per 1,000 live births).....	10
Under-five mortality rate (per 1,000 live births).....	12
Gross national income per capita (PPP, US\$).....	7,030
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	97	98	98	98	98	98	98	98	98	99	99	99
DTP1	96	96	96	96	96	97	96	97	97	95	98	99	98
DTP3	95	95	95	94	94	95	95	95	96	93	96	99	98
HepBB	98	98	99	98	98	98	98	99	99	98	...	...	...
HepB3	95	95	96	95	96	96	95	96	96	94	95	0	...
Hib3	95	95	95	91	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	94	94	94	69	0	0	...	...	...	...	...	...	...
Pol3	95	95	95	94	94	96	95	96	97	94	97	99	99
MCV1	94	94	95	97	96	96	96	96	96	89	94	99	98
MCV2	94	94	94	96	93	94	94	93	92	83	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	28
Percentage of districts reporting	...	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% ... 0</li> <li>Between 50-79% ... 0</li> <li>at 80% or above ... 100</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	...	46
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

## Immunization schedule

BCG	birth; 7 months; 7, 11, 17 years	MMR	13 months; 12 years
DTaPIPV	6 years	Pneumo_conj	2, 3, 4, 12 months
HepB	birth; 1, 6 months	Td	12, 17, 25, 35, 45, 55 years

2013

Births.....	693,000
Surviving infants.....	645,000
Total population.....	16,935,000
Infant mortality rate (per 1,000 live births).....	64
Under-five mortality rate (per 1,000 live births).....	98
Gross national income per capita (PPP, US\$).....	670
Percentage of routine EPI vaccines financed by government.....	22
Home-based vaccination records (percent).....	83 (2010, DHS-MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	96	96	99	99	99	99	99	99	99	81	72	95	0
DTP1	94	94	93	93	93	97	92	91	91	97	79	92	0
DTP3	88	90	91	91	92	93	89	86	82	45	34	66	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	88	90	91	91	92	93	89	76	0	0	0	0	...
Hib3	88	90	91	91	92	93	89	76	0	0	0	0	...
rota (last)	9	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	89	90	90	90	91	92	93	94	94	45	35	66	0
MCV1	82	87	89	92	94	94	94	88	84	48	43	79	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	88	88	88	85	85	79	80	76	72	57	64	55	0

## District coverage (as reported)

	2013	2012
Number of districts in country	63	63
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	76	73
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	94	100

## Immunization schedule

BCG	birth	Rotavirus	8, 12, 16 weeks
DTwPHibHepB	8, 12, 16 weeks	TT	1st contact pregnancy; +1 month; +1, +2, +3 years
Measles	9 months		
OPV	birth; 8, 12, 16 weeks	YF	9 months
Pneumo_conj	8, 12, 16 weeks		

Births.....	455,000
Surviving infants.....	416,000
Total population.....	10,163,000
Infant mortality rate (per 1,000 live births).....	55
Under-five mortality rate (per 1,000 live births).....	83
Gross national income per capita (PPP, US\$).....	280
Percentage of routine EPI vaccines financed by government.....	5
Home-based vaccination records (percent).....	51 (2012, EPI)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	98	90	93	98	99	97	98	89	85	92	97	0
DTP1	98	98	99	99	99	98	99	99	96	88	86	95	0
DTP3	96	96	96	96	94	92	99	92	87	80	73	86	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	96	96	96	96	94	92	99	92	87	0	0	0	...
Hib3	96	96	96	96	94	92	99	92	87	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	96	96	14	0	0	0	...	...	...	...	...	...	...
Pol3	96	96	95	94	96	89	93	88	82	71	73	97	0
MCV1	98	93	93	92	91	84	88	92	87	72	80	74	0
MCV2	51	0	0	0	0	0	0	0	0	0	...	...	...
PAB	85	85	80	94	94	78	76	66	65	51	61	67	0

### District coverage (as reported)

	2013	2012
Number of districts in country	45	45
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 7 7</li> <li>at 80% or above 93 93</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	60	69
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	91	96

### Immunization schedule

BCG	birth	OPV	birth; 6, 10, 14 weeks
DTwP	18 months	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Rotavirus	6, 10 weeks
HPV	1st contact; +1, +6 months (subnational)	Td	st contact; +1,+6 months; +1, +1 year
Measles	9, 18 months	Vitamin A	9 months

2013

Births.....	10,000
Surviving infants.....	10,000
Total population.....	499,000
Infant mortality rate (per 1,000 live births).....	22
Under-five mortality rate (per 1,000 live births).....	26
Gross national income per capita (PPP, US\$).....	3,630
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	98 (2011, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	94	99	99	99	99	99	99	99	99	96	94	97	0
DTP1	93	98	99	99	99	99	99	98	97	94	90	96	0
DTP3	93	94	90	99	99	99	98	96	95	90	88	88	0
HepBB	94	99	99	99	91	81	84	68	68	0	...	...	...
HepB3	93	94	90	98	98	98	96	95	93	0	0	0	...
Hib3	93	94	90	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	93	94	90	99	99	99	98	97	95	90	89	87	0
MCV1	91	91	96	97	97	96	95	94	92	86	85	79	0
MCV2	89	94	99	0	0	0	0	0	0	0	...	...	...
PAB	92	92	92	92	78	78	77	74	70	60	30	75	0

## District coverage (as reported)

	2013	2012
Number of districts in country	22	22
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 18 5 82 95
MCV1: proportion of districts with coverage at 95% or above (%)	50	41
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	91	100

## Immunization schedule

BCG	birth	MMR	15 months
DTwPHibHepB	2, 4, 6 months	OPV	birth; 2, 4, 6, 18 months
HepB	birth	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
Measles	9 months		

## 2013

Births.....	389,000
Surviving infants.....	373,000
Total population.....	15,135,000
Infant mortality rate (per 1,000 live births).....	33
Under-five mortality rate (per 1,000 live births).....	38
Gross national income per capita (PPP, US\$).....	950
Percentage of routine EPI vaccines financed by government.....	25
Home-based vaccination records (percent).....	77 (2011, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	93	99	97	94	96	98	90	87	87	81	69	52	0
DTP1	95	97	96	93	99	95	87	85	85	78	55	63	0
DTP3	92	95	94	92	94	91	82	80	82	59	39	38	0
HepBB	58	65	68	57	55	46	25	0	0	0	...	...	...
HepB3	92	95	94	92	92	91	82	80	0	0	0	0	...
Hib3	92	95	94	92	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	77	95	94	92	95	91	82	80	82	62	39	38	0
MCV1	90	93	93	93	92	89	79	78	79	65	62	34	0
MCV2	63	41	0	0	0	0	0	0	0	0	...	...	...
PAB	91	91	91	91	91	87	87	84	81	58	45	11	0

### District coverage (as reported)

	2013	2012	
Number of districts in country	80	79	
Percentage of districts reporting	100	100	
DTP3: proportion of districts with coverage (%)	below 50%	1	3
	Between 50-79%	21	13
	at 80% or above	78	85
MCV1: proportion of districts with coverage at 95% or above (%)	33	47	
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	86	92	

### Immunization schedule

BCG	birth	MR	9 months
DTwPHibHepB	6, 10, 14 weeks	OPV	6, 10, 14 weeks
HepB	birth	TT	1st contact pregnancy; +1, +6 month; +1, +1 year
JapEnc	9 months (subnational)		
Measles	9, 18 months	Vitamin A	6-59 months (x2)

2013

Births.....	831,000
Surviving infants.....	770,000
Total population.....	22,254,000
Infant mortality rate (per 1,000 live births).....	61
Under-five mortality rate (per 1,000 live births).....	95
Gross national income per capita (PPP, US\$).....	1,270
Percentage of routine EPI vaccines financed by government.....	16
Home-based vaccination records (percent).....	57 (2011, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	82	81	80	83	81	91	89	96	90	78	62	76	0
DTP1	95	94	90	92	88	93	90	87	85	66	71	70	0
DTP3	89	85	82	84	80	84	82	81	80	62	46	48	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	89	85	82	84	80	84	82	81	79	0	0	0	...
Hib3	89	85	82	84	80	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	88	84	23	0	0	0	...	...	...	...	...	...	...
Pol3	88	85	80	83	79	82	81	78	79	57	46	54	0
MCV1	83	82	76	79	74	80	74	73	68	49	46	56	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	85	85	75	91	91	86	83	81	76	54	20	19	0

## District coverage (as reported)

	2013	2012
Number of districts in country	181	181
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 1 22 25 78 75
MCV1: proportion of districts with coverage at 95% or above (%)	24	28
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	73	61

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact; +1, +6 months; +1, +2 years
HPV	(subnational)		
Measles	9 months	Vitamin A	6, 12, 18, 24, 30, 36 months
OPV	birth; 6, 10, 14 weeks	YF	9 months

Births.....	396,000
Surviving infants.....	394,000
Total population.....	35,182,000
Infant mortality rate (per 1,000 live births).....	5
Under-five mortality rate (per 1,000 live births).....	5
Gross national income per capita (PPP, US\$).....	52,200
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	98	95	95	95	95	95	95	95	95	95	97	96	0
DTP3	96	95	95	95	95	94	94	94	94	92	87	88	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	75	70	70	56	42	28	14	14	14	0	0	0	...
Hib3	96	95	95	95	95	94	94	94	90	86	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	77	97	97	97	97	97	...	...	...	...	...	...	...
Pol3	96	99	99	97	95	92	90	94	92	88	89	88	0
MCV1	95	98	98	97	96	95	94	94	94	96	96	89	0
MCV2	94	94	0	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%

Between 50-79%

at 80% or above

## Immunization schedule

DTaPHibHepIPV	2, 4, 6 months	Pneumo_conj	2, 4, 6, 12-16 months
DTaPHibIPV	2, 4, 6, 18 months	Pneumo_ps	>=65 years
DTaPIPv	4-6 years	Rotavirus	2, 4, 6 months
HPV	1st contact; +2, +6 months	Tdap	14-16 years
Influenza	> 6 months; > 18 years	Varicella	12 months; 18 months or 4-6 years
MMR	12, 18 months; or 4-6 years		

2013

Births.....	158,000
Surviving infants.....	143,000
Total population.....	4,616,000
Infant mortality rate (per 1,000 live births).....	96
Under-five mortality rate (per 1,000 live births).....	139
Gross national income per capita (PPP, US\$).....	320
Percentage of routine EPI vaccines financed by government.....	5
Home-based vaccination records (percent).....	50 (2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	37	74	74	74	74	74	74	74	74	66	94	96	17
DTP1	35	69	69	67	65	65	65	64	64	60	77	95	35
DTP3	23	47	47	45	42	45	48	51	54	37	53	82	13
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	23	47	47	45	42	0	0	0	0	0	0	0	...
Hib3	23	47	47	45	42	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	23	47	8	0	0	0	...	...	...	...	...	...	...
Pol3	23	47	47	46	45	46	46	47	47	38	51	82	13
MCV1	25	49	49	53	56	58	59	61	62	36	46	82	12
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	66	66	80	86	86	86	54	52	48	36	34	69	8

## District coverage (as reported)

	2013	2012
Number of districts in country	24	24
Percentage of districts reporting	86	95
DTP3: proportion of districts with coverage (%)	75	33
	below 50%	
	Between 50-79%	21
	at 80% or above	4
MCV1: proportion of districts with coverage at 95% or above (%)	4	4
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	0	0

## Immunization schedule

BCG	birth	TT	1st contact; +1, +6 months;
DTwPHibHepB	6, 10, 14 weeks		+1, +1 year
Measles	9 months	Vitamin A	6, 12 months
OPV	birth; 6, 10, 14 weeks	YF	9 months
Pneumo_conj	6, 10, 14 weeks		

2013

Births.....	590,000
Surviving infants.....	534,000
Total population.....	12,825,000
Infant mortality rate (per 1,000 live births).....	89
Under-five mortality rate (per 1,000 live births).....	148
Gross national income per capita (PPP, US\$).....	1,020
Percentage of routine EPI vaccines financed by government.....	35
Home-based vaccination records (percent).....	21; 41 (2010, MICS; 2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	62	63	53	58	46	30	44	56	41	49	43	59	0
DTP1	55	55	55	55	45	47	50	58	46	45	41	44	0
DTP3	48	45	33	39	24	19	28	40	25	36	18	20	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	48	45	33	39	24	17	0	0	0	0	0	0	...
Hib3	48	45	33	39	24	17	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	56	56	40	43	32	30	38	49	37	30	18	20	0
MCV1	59	64	54	46	36	27	31	39	27	28	26	32	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	50	43	60	60	60	58	60	60	61	39	65	14	0

## District coverage (as reported)

	2013	2012
Number of districts in country	70	61
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	16
	Between 50-79%	23
	at 80% or above	60
MCV1: proportion of districts with coverage at 95% or above (%)	30	39
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	24	18

## Immunization schedule

BCG	birth	TT	1st contact pregnancy; +1,
DTwPHibHepB	6, 10, 14 weeks		+6 months; +1, +1 year
Measles	9 months	YF	9 months
OPV	birth; 6, 10, 14 weeks		

2013

Births.....	245,000
Surviving infants.....	244,000
Total population.....	17,620,000
Infant mortality rate (per 1,000 live births).....	7
Under-five mortality rate (per 1,000 live births).....	8
Gross national income per capita (PPP, US\$).....	15,230
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	92	91	95	95	99	98	98	95	93	97	94	96
DTP1	92	90	98	93	94	96	98	95	92	98	97	98	97
DTP3	91	90	94	92	94	95	96	94	91	91	94	95	93
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	90	90	94	92	94	95	92	95	0	0	0	0	...
Hib3	90	90	94	92	94	95	96	94	91	91	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	79	82	54	0	0	0	...	...	...	...	...	...	...
Pol3	90	90	93	92	94	95	95	94	92	91	94	95	93
MCV1	90	90	91	93	93	96	92	91	90	97	97	97	94
MCV2	78	74	77	84	89	89	95	95	96	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	345	346
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 8 0 36 0 49
MCV1: proportion of districts with coverage at 95% or above (%)	0	24
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	96

## Immunization schedule

BCG	birth	MMR	1, 6 years
DTwPHibHepB	2, 4, 6, 18 months	OPV	2, 4, 6, 18 months
HepA	18 months (subnational)	Pneumo_conj	2, 4, 12 months
Influenza	6-23 months; > 65 years	Pneumo_ps	65 years
MenACWY	9 months; 1 year	Tdap	6, 13 years

Births.....	18,440,000
Surviving infants.....	18,203,000
Total population.....	1,385,567,000
Infant mortality rate (per 1,000 live births).....	11
Under-five mortality rate (per 1,000 live births).....	13
Gross national income per capita (PPP, US\$).....	6,560
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	97	94	92	86	84	79	99	0
DTP1	99	99	99	99	99	99	99	99	95	94	93	98	0
DTP3	99	99	99	99	99	97	93	93	87	85	80	97	0
HepBB	96	96	95	92	93	91	86	88	86	0	...	...	...
HepB3	99	99	99	99	99	95	92	91	84	60	0	0	...
Hib3	0	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	99	94	94	87	86	82	98	0
MCV1	99	99	99	99	99	97	94	93	86	84	80	98	0
MCV2	99	99	99	99	98	95	92	94	84	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	2959	2956
Percentage of districts reporting	98	98
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 0 0</li> <li>at 80% or above 100 100</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	99	99
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	92	92

## Immunization schedule

BCG	birth	MenA	6-18 months; +3 months
DT	6 years	MenAC	3, 6 years
DTaP	3, 4, 5, 18 months	MMR	18 months
HepA	18 months	MR	8 months
HepB	birth; 1, 6 months	OPV	2, 3, 4 months; 4 years
JapEnc	8 months; 2 years (subnational)		

2013

Births.....	907,000
Surviving infants.....	893,000
Total population.....	48,321,000
Infant mortality rate (per 1,000 live births).....	15
Under-five mortality rate (per 1,000 live births).....	17
Gross national income per capita (PPP, US\$).....	7,560
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	83 (2010, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	85	89	83	84	90	93	93	96	94	91	99	95	45
DTP1	97	91	95	96	97	97	97	97	97	91	95	96	39
DTP3	91	91	85	88	92	92	93	93	93	79	85	88	16
HepBB	82	89	85	87	89	92	93	80	87	82	...	...	...
HepB3	91	92	85	88	92	92	93	93	93	78	71	0	...
Hib3	91	91	85	88	92	92	93	93	93	65	0	0	...
rota (last)	87	87	78	74	55	0	0	0	...	...	...	...	...
PcV3	87	84	46	22	0	0	...	...	...	...	...	...	...
Pol3	91	91	85	88	92	92	93	94	93	82	87	93	16
MCV1	92	94	88	88	89	95	93	95	96	88	95	82	13
MCV2	67	80	76	74	71	70	93	85	73	84	...	...	...
PAB	79	79	79	79	78	78	78	77	77	70	64	45	3

## District coverage (as reported)

	2013	2012
Number of districts in country	1122	1122
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	6 31 63
MCV1: proportion of districts with coverage at 95% or above (%)	35	43
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	89	86

## Immunization schedule

BCG	birth	IPV	2, 4, 6, 18 months; 5 years
DT	2, 4, 6, 18 months; 5 years	MMR	1, 5 years
DTwP	18 months; 5 years	MR	10-20 years (subnational)
DTwPHibHepB	2, 4, 6 months	OPV	2, 4, 6, 18 months; 5 years
HepA	1 year	Pneumo_conj	2, 4, 12 months
HepB	birth	Rotavirus	2, 4 months
HPV	9-17 years; +11 months and 29 days	Td	1st contact; +1, +6 months; +1, +1 years
Influenza	6-23 months; +4 weeks; 18-23 months; >60 years	Tdap	(subnational)
		YF	1 year

## 2013

Births.....	26,000
Surviving infants.....	24,000
Total population.....	735,000
Infant mortality rate (per 1,000 live births).....	58
Under-five mortality rate (per 1,000 live births).....	78
Gross national income per capita (PPP, US\$).....	880
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	75 (2013, EPI)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	78	79	78	76	80	81	77	84	80	90	95	99	0
DTP1	85	91	92	81	89	85	79	78	77	85	91	97	0
DTP3	83	86	83	74	83	81	75	69	68	70	75	94	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	83	86	83	74	83	81	75	69	68	0	0	0	...
Hib3	83	86	83	74	38	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	82	85	85	82	84	81	75	69	67	70	78	94	0
MCV1	82	85	87	72	79	76	65	66	67	70	69	87	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	85	85	85	85	83	83	89	88	91	57	67	78	0

### District coverage (as reported)

	2013	2012
Number of districts in country	17	17
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	35
	at 80% or above	65
MCV1: proportion of districts with coverage at 95% or above (%)	35	35
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	71

### Immunization schedule

BCG	birth	TT	15 years +1, +6 months; +1,
Measles	9 months		+1 year
OPV	birth; 6, 10, 14 weeks	Vitamin A	6, 12, 18, 24, 30, 36 months

2013

Births.....	167,000
Surviving infants.....	156,000
Total population.....	4,448,000
Infant mortality rate (per 1,000 live births).....	36
Under-five mortality rate (per 1,000 live births).....	49
Gross national income per capita (PPP, US\$).....	2,660
Percentage of routine EPI vaccines financed by government.....	24
Home-based vaccination records (percent).....	57 (2011, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	92	92	95	95	90	93	86	84	73	50	58	90	92
DTP1	90	90	90	90	92	93	80	81	73	45	74	92	67
DTP3	69	69	74	74	78	79	72	73	62	33	50	79	42
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	69	69	74	74	75	73	64	0	0	0	0	0	...
Hib3	69	69	74	74	72	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	69	10	0	0	0	0	...	...	...	...	...	...	...
Pol3	67	67	72	72	76	77	71	73	62	31	50	80	42
MCV1	65	65	75	75	63	69	59	61	54	34	38	75	49
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	83	83	83	83	82	82	82	81	75	67	73	60	0

## District coverage (as reported)

	2013	2012
Number of districts in country	30	30
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 3 27 27 73 70
MCV1: proportion of districts with coverage at 95% or above (%)	10	13
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	80	73

## Immunization schedule

BCG	birth	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
DTwPHibHepB	8, 12, 16 weeks		
Measles	36 weeks	Vitamin A	36 weeks
OPV	birth; 8, 12, 16 weeks	YF	36 weeks
Pneumo_conj	8, 12, 16 weeks		

# Congo, Democratic Republic of the

2013

Births.....	2,889,000
Surviving infants.....	2,577,000
Total population.....	67,514,000
Infant mortality rate (per 1,000 live births).....	86
Under-five mortality rate (per 1,000 live births).....	119
Gross national income per capita (PPP, US\$).....	400
Percentage of routine EPI vaccines financed by government.....	7
Home-based vaccination records (percent).....	35 (2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	78	78	67	86	85	78	80	72	72	57	34	65	57
DTP1	86	86	85	71	82	73	78	71	68	49	47	60	0
DTP3	72	72	74	60	72	65	70	62	60	40	23	35	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	72	72	74	60	72	65	70	0	0	0	0	0	...
Hib3	72	72	74	60	72	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	26	26	9	0	0	0	...	...	...	...	...	...	...
Pol3	76	76	77	76	78	64	72	62	60	42	24	34	15
MCV1	73	73	74	74	72	64	68	63	61	46	27	38	18
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	75	70	70	77	85	75	70	66	67	45	42	53	0

## District coverage (as reported)

	2013	2012	
Number of districts in country	516	513	
Percentage of districts reporting	100	100	
DTP3: proportion of districts with coverage (%)	below 50%	1	4
	Between 50-79%	18	18
	at 80% or above	80	78
MCV1: proportion of districts with coverage at 95% or above (%)	28	38	
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	79	71	

## Immunization schedule

BCG	birth	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
DTwPHibHepB	6, 10, 14 weeks		
Measles	9 months	Vitamin A	6, +6 months
OPV	birth; 6, 10, 14 weeks	YF	9 months
Pneumo_conj	6, 10, 14 weeks		

2013

Births.....	<1,000
Surviving infants.....	<1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	8
Under-five mortality rate (per 1,000 live births).....	9
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	98	98	99	99	99	99	99	99	99	96	99	29
DTP1	98	98	98	99	99	99	99	99	99	99	97	97	65
DTP3	98	98	93	99	82	99	99	99	99	92	93	93	40
HepBB	98	97	97	99	99	99	99	99	99	76	...	...	...
HepB3	98	98	93	99	82	99	99	99	99	98	85	71	...
Hib3	98	98	93	99	82	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	93	99	82	99	99	99	99	92	93	83	39
MCV1	97	97	89	99	78	95	98	99	99	76	96	67	0
MCV2	95	98	96	98	61	95	98	99	97	70	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	13	13
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	birth	MMR	15 months; 4 years
DTaPHibHepB	6 weeks; 3, 5 months	OPV	6 weeks; 3, 5, months; 4 years
DTwP	4 years		
HepB	birth	TT	11 years
HPV	9 years		

2013

Births.....	74,000
Surviving infants.....	73,000
Total population.....	4,872,000
Infant mortality rate (per 1,000 live births).....	8
Under-five mortality rate (per 1,000 live births).....	10
Gross national income per capita (PPP, US\$).....	9,550
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	94 (2011, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	79	78	78	77	81	90	91	87	88	92	99	92	80
DTP1	98	92	87	96	91	90	90	89	97	90	95	98	95
DTP3	95	91	85	88	86	90	89	89	91	88	85	95	86
HepBB	90	90	88	86	87	87	88	88	89	0	...	...	...
HepB3	94	91	84	89	87	89	89	88	90	89	0	0	...
Hib3	95	90	81	90	87	87	88	88	89	92	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	94	89	68	94	48	0	...	...	...	...	...	...	...
Pol3	95	90	82	93	80	89	89	89	91	80	86	95	86
MCV1	91	90	83	83	81	89	90	90	89	82	91	90	60
MCV2	92	95	80	79	84	89	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012									
Number of districts in country	81	81									
Percentage of districts reporting	...	100									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>0</td> <td>0</td> </tr> <tr> <td>Between 50-79%</td> <td>5</td> <td>15</td> </tr> <tr> <td>at 80% or above</td> <td>95</td> <td>85</td> </tr> </table>	below 50%	0	0	Between 50-79%	5	15	at 80% or above	95	85	
below 50%	0	0									
Between 50-79%	5	15									
at 80% or above	95	85									
MCV1: proportion of districts with coverage at 95% or above (%)	46	46									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	96	100									

## Immunization schedule

BCG	birth	MMR	15 months; 6 years
DTaPHibIPV	2, 4, 6, 15 months	Pneumo_conj	2, 4, 15 months
DTaPIPV	4 years	Pneumo_ps	65 years
HepB	birth; 2, 6 months	Td	10 years
Influenza	> 65 years	Varicella	15 months

2013

Births.....	745,000
Surviving infants.....	690,000
Total population.....	20,316,000
Infant mortality rate (per 1,000 live births).....	71
Under-five mortality rate (per 1,000 live births).....	100
Gross national income per capita (PPP, US\$).....	1,380
Percentage of routine EPI vaccines financed by government.....	83
Home-based vaccination records (percent).....	74; 91 (2012, DHS; 2013, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	84	93	74	91	95	91	94	77	85	80	69	62	0
DTP1	93	93	75	95	95	89	93	95	83	85	64	77	0
DTP3	88	82	62	85	81	74	76	77	76	65	52	54	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	88	82	62	85	81	74	76	77	76	0	0	0	...
Hib3	88	82	62	85	81	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	87	83	58	81	77	58	75	76	87	66	46	56	0
MCV1	74	74	49	70	67	63	67	73	84	68	57	56	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	82	82	82	82	92	92	74	75	75	76	36	36	0

## District coverage (as reported)

	2013	2012
Number of districts in country	82	...
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	0	...
	below 50%	...
	Between 50-79%	1
	at 80% or above	99
MCV1: proportion of districts with coverage at 95% or above (%)	23	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	85	...

## Immunization schedule

BCG	birth	TT	pregnant women 1st contact; +1, +6 months; +1, +1 year
DTwPHibHepB	6, 10, 14 weeks		
HPV	(subnational)		
Measles	9 months	Vitamin A	6, 12, 18, 24, 30, 36 months
OPV	birth; 6, 10, 14 weeks	YF	9 months

2013

Births.....	41,000
Surviving infants.....	41,000
Total population.....	4,290,000
Infant mortality rate (per 1,000 live births).....	4
Under-five mortality rate (per 1,000 live births).....	5
Gross national income per capita (PPP, US\$).....	13,330
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	98	99	99	99	99	98	98	99	...	...
DTP1	98	98	97	97	97	97	96	96	96	95	96	...	...
DTP3	96	96	96	97	96	96	96	96	96	93	90	...	...
HepBB	98	96	98	0	0	0	0	0	0	0	...	...	...
HepB3	96	98	97	97	97	97	95	0	0	0	0	...	...
Hib3	96	96	96	97	96	96	96	96	96	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	96	96	96	97	96	96	96	96	96	94	90	...	...
MCV1	94	95	96	96	95	98	96	95	96	93	92	...	...
MCV2	97	97	98	98	98	98	98	98	98	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012									
Number of districts in country	113	21									
Percentage of districts reporting	...	...									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>0</td> <td>0</td> </tr> <tr> <td>Between 50-79%</td> <td>0</td> <td>0</td> </tr> <tr> <td>at 80% or above</td> <td>0</td> <td>110</td> </tr> </table>	below 50%	0	0	Between 50-79%	0	0	at 80% or above	0	110	
below 50%	0	0									
Between 50-79%	0	0									
at 80% or above	0	110									
MCV1: proportion of districts with coverage at 95% or above (%)	69	76									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...									

## Immunization schedule

BCG	birth	IPV	7, 14 years
DTaP	3 years	MMR	1, 6 years
DTaPHibIPV	2, 4, 6 months; 1 year	Td	7, 14, 19 years
HepB	birth; 2, 6 months	TT	60 years

2013

Births.....	107,000
Surviving infants.....	107,000
Total population.....	11,266,000
Infant mortality rate (per 1,000 live births).....	5
Under-five mortality rate (per 1,000 live births).....	6
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	99
Home-based vaccination records (percent).....	95 (2011, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	99	99	98	99
DTP1	98	98	96	96	98	96	97	98	99	98	99	97	86
DTP3	96	96	96	96	96	95	93	89	89	95	99	92	67
HepBB	99	99	99	99	99	99	99	99	98	99	...	...	...
HepB3	96	96	96	96	96	95	93	89	95	98	99	0	...
Hib3	96	96	96	96	96	97	97	97	94	99	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	99	99	99	99	99	99	99	98	95	94	99
MCV1	99	99	99	99	99	98	97	96	98	94	99	94	48
MCV2	95	95	95	98	95	98	99	97	53	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	168	168
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 4 0 96 100
MCV1: proportion of districts with coverage at 95% or above (%)	92	90
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	95	100

## Immunization schedule

BCG	birth	Influenza	>= 65 years
DT	6 years	MenBC	3, 5 months
DTwP	18 months	MMR	12 months; 6 years
DTwPHibHep	2, 4, 6 months	OPV	<1, 1, 2, 9 years
HepB	birth	TT	15 years
Hib	18 months	Typhoid	10, 13, 16 years

2013

Births.....	13,000
Surviving infants.....	13,000
Total population.....	1,141,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	25,210
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	99	99	99	99	99	98	98	98	98	98	98	97	59
DTP3	99	99	99	99	99	97	97	97	98	97	96	93	34
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	96	96	96	96	96	93	93	93	88	89	68	0	...
Hib3	96	96	96	96	96	90	90	90	58	32	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	97	97	97	98	97	96	94	35
MCV1	86	86	87	87	87	87	87	87	86	86	83	77	29
MCV2	88	88	88	88	88	89	93	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012									
Number of districts in country	5	6									
Percentage of districts reporting	...	...									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>0</td> <td>0</td> </tr> <tr> <td>Between 50-79%</td> <td>0</td> <td>0</td> </tr> <tr> <td>at 80% or above</td> <td>100</td> <td>83</td> </tr> </table>	below 50%	0	0	Between 50-79%	0	0	at 80% or above	100	83	
below 50%	0	0									
Between 50-79%	0	0									
at 80% or above	100	83									
MCV1: proportion of districts with coverage at 95% or above (%)	20	17									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100									

## Immunization schedule

DTaPHibHepIPV	2, 4, 6 months	IPV	2, 4, 6, 15-18 months; 4-6 years
DTaPHibIPV	2, 4, 6, 15-18 months		
DTaPIPV	2, 4, 6, 15-18 months; 4-6 years	MenC_conj	12-15 months
HepB	2, 4, 8-12 months	MMR	13-15 months; 4-6 years
Hib	2, 4, 6, 12-18 months	Pneumo_conj	2, 4, 12-15 months

2013

Births.....	118,000
Surviving infants.....	118,000
Total population.....	10,702,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	18,060
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	98	99	99	99	99	98	95	...	...
DTP1	99	99	99	99	99	99	99	99	99	99	98	...	...
DTP3	99	99	99	99	99	99	99	98	97	98	96	...	...
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	99	99	99	99	99	99	99	98	99	0	0	...	...
Hib3	99	99	99	99	99	99	99	97	97	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	99	99	98	96	98	98	...	...
MCV1	99	98	98	98	98	97	98	97	97	97	96	...	...
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	86	86
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	98	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DTaP	5 years	Influenza	> 65 years
DTaPHibHepIPV	9, 13, 17 weeks; 18	MMR	15, 21 months
DTaPIPv	10 years	Pneumo_conj	4, 5, 6, 11-18 months
HepB	12 years (x3)	TT	25 years
HPV	13 years		

2013

Births.....	64,000
Surviving infants.....	63,000
Total population.....	5,619,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	61,160
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	0
DTP1	97	97	94	93	90	89	87	93	93	98	97	98	97
DTP3	94	94	91	90	89	88	87	93	93	97	90	90	88
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	94	94	91	90	89	88	87	93	93	95	78	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	90	93	90	88	86	0	...	...	...	...	...	...	...
Pol3	94	94	91	90	89	88	87	93	93	97	97	99	99
MCV1	89	90	87	85	84	87	89	90	95	99	88	84	0
MCV2	86	87	86	85	85	87	88	91	91	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012									
Number of districts in country	11	11									
Percentage of districts reporting	...	...									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>0</td> <td>0</td> </tr> <tr> <td>Between 50-79%</td> <td>0</td> <td>0</td> </tr> <tr> <td>at 80% or above</td> <td>100</td> <td>100</td> </tr> </table>	below 50%	0	0	Between 50-79%	0	0	at 80% or above	100	100	
below 50%	0	0									
Between 50-79%	0	0									
at 80% or above	100	100									
MCV1: proportion of districts with coverage at 95% or above (%)	0	0									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...									

## Immunization schedule

DTaPHibIPV	3, 5, 12 months	HPV	12 years; +2, +6 months
DTaPIPv	5 years	MMR	15 months; 4 years
HepB	birth; 1, 2, 12 months	Pneumo_conj	3, 5, 12 months

2013

Births.....	24,000
Surviving infants.....	23,000
Total population.....	873,000
Infant mortality rate (per 1,000 live births).....	57
Under-five mortality rate (per 1,000 live births).....	70
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	15 (2012, OCS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	86	87	89	90	90	90	90	88	80	34	51	81	0
DTP1	87	85	89	90	90	90	92	76	73	66	66	95	0
DTP3	82	81	87	88	89	89	88	72	71	46	41	85	0
HepBB	86	87	0	0	0	0	0	0	0	0	...	...	...
HepB3	82	81	87	88	89	88	25	0	0	0	0	0	...
Hib3	82	81	87	88	89	89	25	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	82	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	82	81	87	88	89	89	88	72	71	46	41	85	0
MCV1	80	83	84	85	84	73	74	67	65	50	41	85	0
MCV2	82	82	0	0	0	0	0	0	0	0	...	...	...
PAB	79	79	79	79	77	79	79	77	71	46	62	80	0

## District coverage (as reported)

	2013	2012
Number of districts in country	6	6
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 50 67 50 33
MCV1: proportion of districts with coverage at 95% or above (%)	0	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwP	15 months	Rotavirus	6, 10 weeks
DTwPHibHepB	6, 10, 14 months	TT	1st contact; +1, +6 months; +1, +1 year
HepB	birth	Vitamin A	6, 12, 18, 24, 30, 36 months
Measles	9, 15 months		
OPV	birth; 6, 10, 14 weeks; 15 months		

## 2013

Births.....	1,000
Surviving infants.....	1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	10
Under-five mortality rate (per 1,000 live births).....	11
Gross national income per capita (PPP, US\$).....	6,760
Percentage of routine EPI vaccines financed by government.....	110
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	98	98	99	99	98	90	99	98	99	99	99	65
DTP1	98	98	99	99	99	96	98	98	99	99	99	97	84
DTP3	96	97	98	98	99	96	96	95	98	99	99	92	63
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	96	97	98	98	99	96	93	7	0	0	0	0	...
Hib3	96	97	98	98	99	96	93	7	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	96	97	98	99	99	95	93	96	98	99	99	94	53
MCV1	93	99	99	99	99	99	96	97	98	99	99	88	0
MCV2	91	94	94	95	95	95	95	99	99	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	7	7
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	43	71
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	71	100

### Immunization schedule

BCG	birth-1 year	Influenza	6 months to 5 years >= 65 years
DT	2, 4, 6 months	MMR	1, 3 years
DTwP	18 months; 3 years	OPV	2, 4, 6, 18 months; 3, 10-12 years
DTwPHibHep	2, 4, 6 months	Td	10-12 years
HepB	15 years +4 weeks; +6 months		

2013

Births.....	217,000
Surviving infants.....	211,000
Total population.....	10,404,000
Infant mortality rate (per 1,000 live births).....	24
Under-five mortality rate (per 1,000 live births).....	28
Gross national income per capita (PPP, US\$).....	5,620
Percentage of routine EPI vaccines financed by government.....	99
Home-based vaccination records (percent).....	NA (2010, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	99	99	98	96	92	92	95	96	90	90	70	29
DTP1	91	92	91	96	85	90	87	93	92	91	89	87	61
DTP3	83	85	84	88	82	85	87	89	87	78	72	69	36
HepBB	78	74	82	80	73	69	61	90	90	0	...	...	...
HepB3	80	74	80	84	85	88	81	84	87	68	0	0	...
Hib3	75	70	71	81	77	79	65	77	87	0	0	0	...
rota (last)	68	20	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	82	85	84	86	85	87	80	88	86	74	70	90	46
MCV1	79	79	79	79	79	79	79	79	79	85	78	70	30
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	90	90	90	87	86	86	85	85	75	48	82	60	23

## District coverage (as reported)

	2013	2012	
Number of districts in country	155	155	
Percentage of districts reporting	100	100	
DTP3: proportion of districts with coverage (%)	below 50%	11	6
	Between 50-79%	40	45
	at 80% or above	49	48
MCV1: proportion of districts with coverage at 95% or above (%)	18	30	
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	84	68	

## Immunization schedule

BCG	birth	OPV	2, 4, 6, 18 months; 5 years
DTwP	18 months; 5 years	Pneumo_conj	2, 4, 12 months
DTwPHibHepB	2, 4, 6 months	Pneumo_ps	>= 65 years
HepB	birth	Rotavirus	2, 4 months
Influenza	6-24 months; >= 65 years	Td	1st contact; +4-6 weeks; +6 months; +1, +1 year
MMR	12 months		

Births.....	328,000
Surviving infants.....	322,000
Total population.....	15,738,000
Infant mortality rate (per 1,000 live births).....	19
Under-five mortality rate (per 1,000 live births).....	23
Gross national income per capita (PPP, US\$).....	5,510
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	71 (2004, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	99	99	89	76
DTP1	99	99	99	99	99	99	99	99	98	93	94	87	31
DTP3	99	99	99	99	99	99	99	98	94	88	83	68	10
HepBB	69	16	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	98	98	98	98	98	98	98	94	38	0	0	...
Hib3	99	99	99	99	99	99	99	98	94	0	0	0	...
rota (last)	97	97	97	97	97	82	0	0	...	...	...	...	...
PcV3	90	94	71	17	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	99	99	97	93	84	82	67	19
MCV1	97	96	94	95	97	98	98	97	93	99	81	60	24
MCV2	92	92	92	91	99	0	0	0	0	0	...	...	...
PAB	85	85	85	74	73	73	72	72	65	42	33	82	2

## District coverage (as reported)

	2013	2012
Number of districts in country	223	220
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	1 ... 31 ... 68 0
MCV1: proportion of districts with coverage at 95% or above (%)	43	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	93	...

## Immunization schedule

BCG	birth	MR	6-12 months
DT	5 years	OPV	2, 4, 6, 18 months
DTwP	12-23 months	Pneumo_conj	2, 4, 12 months
DTwPHibHep	2, 4, 6 months	Pneumo_ps	65 years
HepB	birth	Rotavirus	2, 4 months
Influenza	6 months to 5 years	Varicella	12-23 months; 6, 10 years
	years > =65 years	Vitamin A	>1 year 12 to 50 months
MMR	1, 6 years	YF	12-23 months

2013

Births.....	1,901,000
Surviving infants.....	1,866,000
Total population.....	82,056,000
Infant mortality rate (per 1,000 live births).....	19
Under-five mortality rate (per 1,000 live births).....	22
Gross national income per capita (PPP, US\$).....	3,160
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	69 (2008, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	95	98	98	98	98	98	99	98	98	93	89	50
DTP1	97	94	97	97	97	98	98	98	98	98	96	95	80
DTP3	97	93	96	97	97	97	98	98	98	98	88	87	57
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	97	93	96	97	97	97	98	98	98	98	74	0	...
Hib3	0	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	97	93	96	97	97	97	98	98	98	98	90	87	67
MCV1	96	93	96	96	95	92	97	98	98	98	89	86	41
MCV2	96	92	97	97	96	96	97	97	97	97	...	...	...
PAB	86	86	86	86	85	85	85	86	85	80	76	74	0

## District coverage (as reported)

	2013	2012	
Number of districts in country	279	275	
Percentage of districts reporting	100	100	
DTP3: proportion of districts with coverage (%)	below 50%	3	1
	Between 50-79%	3	4
	at 80% or above	94	94
MCV1: proportion of districts with coverage at 95% or above (%)	78	88	
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...	

## Immunization schedule

BCG	1 week	MMR	12, 18 months
DT	2, 4, 6, 18 months	OPV	birth; +1 week; 2, 4, 6, 9, 12, 18 months
DTwP	18 months		
DTwPHep	2, 4, 6 months	Td	7, 9 years
HepB	2, 4, 6 months	TT	1st contact; +2, +6 months; +1, +1 year
MenAC	3, 6, 12, 15 years		

## 2013

Births.....	128,000
Surviving infants.....	125,000
Total population.....	6,340,000
Infant mortality rate (per 1,000 live births).....	14
Under-five mortality rate (per 1,000 live births).....	16
Gross national income per capita (PPP, US\$).....	3,720
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	77 (2008, OCS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	90	90	91	89	88	99	99	93	84	99	99	75	56
DTP1	97	92	90	90	97	99	99	98	96	99	99	93	69
DTP3	92	92	89	89	91	98	99	96	89	99	99	80	44
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	92	92	89	89	91	98	99	96	89	99	0	0	...
Hib3	92	92	89	89	91	98	99	96	89	0	0	0	...
rota (last)	92	93	90	90	62	83	78	25	...	...	...	...	...
PcV3	92	94	98	69	0	0	...	...	...	...	...	...	...
Pol3	92	93	90	89	91	98	99	96	89	98	94	80	42
MCV1	94	93	89	92	91	95	99	98	99	97	93	98	45
MCV2	85	95	81	78	82	79	86	89	85	0	...	...	...
PAB	90	90	88	88	87	87	87	91	92	83	67	37	23

### District coverage (as reported)

	2013	2012
Number of districts in country	262	262
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 1</li> <li>Between 50-79% 16</li> <li>at 80% or above 82</li> </ul>	<ul style="list-style-type: none"> <li>1</li> <li>14</li> <li>84</li> </ul>
MCV1: proportion of districts with coverage at 95% or above (%)	61	57
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	70	58

### Immunization schedule

BCG	birth	MMR	12 months; 4 years
DT	2, 4, 6, 15-18 months; 4 years	OPV	2, 4, 6, 15-18 months; 4 years
DTwP	4 years	Pneumo_conj	2, 4, 12 months
DTwPHibHep	2, 4, 6, 15 months	Pneumo_ps	>= 60 years
Influenza	6-59 months; >60 years	Rotavirus	2, 4 months
IPV	2, 4, 12 months	Vitamin A	< 5 years

2013

Births.....	27,000
Surviving infants.....	24,000
Total population.....	757,000
Infant mortality rate (per 1,000 live births).....	69
Under-five mortality rate (per 1,000 live births).....	96
Gross national income per capita (PPP, US\$).....	14,320
Percentage of routine EPI vaccines financed by government.....	80
Home-based vaccination records (percent).....	37 (2011, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	71	73	73	71	71	71	72	72	72	73	99	94	0
DTP1	55	62	65	59	60	60	61	61	62	64	94	96	0
DTP3	3	20	33	44	43	42	41	40	39	34	79	77	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	0	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	30	30	39	59	57	55	54	52	50	41	79	75	0
MCV1	42	35	51	51	51	51	51	51	51	51	81	88	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	75	75	75	75	75	69	62	59	59	61	75	58	0

## District coverage (as reported)

	2013	2012
Number of districts in country	18	18
Percentage of districts reporting	100	7
DTP3: proportion of districts with coverage (%)	83	83
	below 50%	
	Between 50-79%	11
	at 80% or above	6
MCV1: proportion of districts with coverage at 95% or above (%)	0	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	6	33

## Immunization schedule

BCG	birth	TT	+1, +2, +6 months; +1, +2 years
DTwPHibHepB	15 months		
Measles	9 months	Vitamin A	6, 12 months (subnational)
OPV	birth; 6, 10, 14 weeks; 15 months		

## 2013

Births.....	233,000
Surviving infants.....	223,000
Total population.....	6,333,000
Infant mortality rate (per 1,000 live births).....	36
Under-five mortality rate (per 1,000 live births).....	50
Gross national income per capita (PPP, US\$).....	490
Percentage of routine EPI vaccines financed by government.....	30
Home-based vaccination records (percent).....	94 (2013, EPI)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	97	98	94	95	98	99	99	99	89	68	...	...
DTP1	97	97	99	96	96	98	95	97	99	88	68	...	...
DTP3	94	94	96	90	92	94	91	94	96	81	58	...	...
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	94	94	96	90	92	94	91	94	96	0	0	...	...
Hib3	94	94	99	99	99	99	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	94	94	96	90	92	94	91	94	96	82	58	...	...
MCV1	96	98	99	99	99	97	97	95	95	76	58	...	...
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	94	94	93	93	86	86	85	85	84	80	17	0	0

### District coverage (as reported)

	2013	2012	
Number of districts in country	58	58	
Percentage of districts reporting	100	100	
DTP3: proportion of districts with coverage (%)	below 50%	14	16
	Between 50-79%	47	36
	at 80% or above	40	48
MCV1: proportion of districts with coverage at 95% or above (%)	28	29	
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	97	97	

### Immunization schedule

BCG	birth	Rotavirus	10, 14 weeks
DTwPHibHep	6, 10, 14 weeks	TT	1st contact pregnancy or > 14 years +1, +6 months; +1, +1 years
Hib	6, 10, 14 weeks		
IPV	weeks		
Measles	9, 18 months	Vitamin A	6, 12, 18, 24, 30, 36 months
OPV	6, 10, 14 weeks		

2013

Births.....	14,000
Surviving infants.....	14,000
Total population.....	1,287,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	3
Gross national income per capita (PPP, US\$).....	17,370
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	96	97	99	97	97	98	98	99	99	99	99	...	...
DTP1	96	96	96	96	97	97	98	98	99	96	94	...	...
DTP3	94	94	93	94	95	95	95	95	96	93	82	...	...
HepBB	96	96	96	96	96	96	96	96	96	0	...	...	...
HepB3	93	94	94	94	95	94	95	95	95	0	0	...	...
Hib3	94	94	93	94	95	95	95	88	37	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	94	94	93	94	95	95	95	95	96	93	80	...	...
MCV1	94	94	94	95	95	95	96	96	96	93	81	...	...
MCV2	92	94	95	95	96	97	96	98	98	89	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	15	15
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 100
MCV1: proportion of districts with coverage at 95% or above (%)	73	67
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	1-5 days	Hib	3, 4.5, 6 months; 2 years
DT	3, 4.5, 6 months; 2, 6-7	IPV	3, 4.5, 6 months; 2, 6-7
DTaPHibIPV	3, 4.5, 6 months; 2 years	MMR	1, 13 years
DTaPIPv	6-7 years	Td	25 years
HepB	birth; 1, 6 months	Tdap	15-17 years

Births.....	3,113,000
Surviving infants.....	2,962,000
Total population.....	94,101,000
Infant mortality rate (per 1,000 live births).....	44
Under-five mortality rate (per 1,000 live births).....	64
Gross national income per capita (PPP, US\$).....	470
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	29; 47 (2011, DHS; 2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	71	76	80	76	74	71	69	66	64	56	61	64	0
DTP1	84	82	80	77	74	71	67	64	61	47	80	73	0
DTP3	72	69	65	61	58	54	50	46	44	30	57	49	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	72	69	65	62	56	52	47	0	0	0	0	0	...
Hib3	72	69	65	62	56	52	47	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	63	38	12	0	0	0	...	...	...	...	...	...	...
Pol3	70	70	70	69	65	63	61	59	56	55	65	49	3
MCV1	62	65	68	64	59	54	49	44	40	36	38	38	4
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	72	68	88	88	88	84	83	82	80	54	34	24	0

## District coverage (as reported)

	2013	2012									
Number of districts in country	817	96									
Percentage of districts reporting	...	...									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>19</td> <td>14</td> </tr> <tr> <td>Between 50-79%</td> <td>31</td> <td>32</td> </tr> <tr> <td>at 80% or above</td> <td>50</td> <td>54</td> </tr> </table>	below 50%	19	14	Between 50-79%	31	32	at 80% or above	50	54	
below 50%	19	14									
Between 50-79%	31	32									
at 80% or above	50	54									
MCV1: proportion of districts with coverage at 95% or above (%)	14	22									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	58	71									

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Rotavirus	6, 10 weeks
Measles	9 months	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
OPV	birth; 6, 10, 14 weeks		

2013

Births.....	18,000
Surviving infants.....	18,000
Total population.....	881,000
Infant mortality rate (per 1,000 live births).....	20
Under-five mortality rate (per 1,000 live births).....	24
Gross national income per capita (PPP, US\$).....	4,430
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	78 (2008, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	98	96	99	99	95
DTP1	99	99	99	99	99	99	99	99	99	97	98	98	87
DTP3	99	99	99	99	99	99	99	98	96	90	97	97	68
HepBB	90	90	90	90	90	90	90	90	90	0	...	...	...
HepB3	99	99	99	99	99	99	99	99	99	98	82	0	...
Hib3	99	99	99	99	99	99	99	99	99	98	0	0	...
rota (last)	85	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	87	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	99	99	98	97	91	99	96	55
MCV1	94	94	94	94	94	94	94	92	90	81	94	84	32
MCV2	94	94	94	94	94	94	94	94	74	0	...	...	...
PAB	94	94	94	94	94	94	94	93	93	84	76	5	0

## District coverage (as reported)

	2013	2012
Number of districts in country	19	19
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 ... 0 ... 100 0
MCV1: proportion of districts with coverage at 95% or above (%)	0	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	0	...

## Immunization schedule

BCG	birth	OPV	6, 10, 14 weeks; 18 months
DTwPHibHepB	6, 10, 14 weeks	Pneumo_conj	6, 10, 14 weeks
HepB	birth	Rotavirus	6, 14 weeks
HPV	1st contact; +1, +6 months	TT	6, 12 years
MR	12 months; 6 years		

2013

Births.....	61,000
Surviving infants.....	61,000
Total population.....	5,426,000
Infant mortality rate (per 1,000 live births).....	2
Under-five mortality rate (per 1,000 live births).....	3
Gross national income per capita (PPP, US\$).....	47,110
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	98	98	99	99	91	90
DTP1	99	99	99	99	99	99	99	99	99	99	99	96	97
DTP3	98	99	99	99	99	99	99	97	97	99	99	90	92
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	98	99	99	99	98	98	97	98	98	96	94	0	...
rota (last)	93	93	93	93	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	99	99	99	99	97	97	97	97	96	99	90	90
MCV1	97	97	97	98	98	97	98	97	97	96	98	97	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%

Between 50-79%

at 80% or above

## Immunization schedule

BCG	< 7 years	Pneumo_conj	3, 5, 12 months
DTaPHibIPV	3, 5, 12 months	Pneumo_ps	<5 years
DTaPIPV	4 years	Rotavirus	2, 3, 5 months
Influenza	6-35 months; >=65 years	TBE	>3 years (subnational)
MMR	12-18 months; 6 years	Tdap	14-15 years

2013

Births.....	792,000
Surviving infants.....	789,000
Total population.....	64,291,000
Infant mortality rate (per 1,000 live births).....	4
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	42,250
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	78	83	81	83	83	74	80
DTP1	99	99	99	99	99	99	99	99	99	99	98	97	92
DTP3	99	99	99	99	98	98	98	99	98	97	96	94	79
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	74	74	74	65	51	47	42	39	35	26	0	0	...
Hib3	98	98	98	97	97	97	97	97	97	86	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	89	89	89	89	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	98	98	99	99	98	98	97	95	80
MCV1	89	89	89	89	89	89	90	89	87	84	83	71	0
MCV2	67	67	67	70	72	75	78	81	83	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	101	101
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 0 88
MCV1: proportion of districts with coverage at 95% or above (%)	0	4
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	MenC_conj	12 months
DTaPHibHepIPV	2, 4, 11 months	MMR	12, 16-18 months
DTaPIPv	6 years	Pneumo_conj	2, 4, 11 months
HepB	2, 4, 11 months	Pneumo_ps	> 5 years
HPV	11-14 years + 2 months, + 6 months	TdaPIPv	11-13 years
Influenza	> 65 years	Varicella	12-18 years
		YF	12 months (subnational)

2013

Births.....	53,000
Surviving infants.....	51,000
Total population.....	1,672,000
Infant mortality rate (per 1,000 live births).....	39
Under-five mortality rate (per 1,000 live births).....	56
Gross national income per capita (PPP, US\$).....	10,650
Percentage of routine EPI vaccines financed by government.....	95
Home-based vaccination records (percent).....	75; 83 (2012, DHS; 2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	92	97	94	94	93	93	92	92	92	89	90	96	0
DTP1	80	86	82	82	81	85	86	69	69	69	81	96	0
DTP3	79	82	75	67	76	82	81	45	45	45	70	78	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	79	82	75	67	79	82	75	52	28	0	0	0	...
Hib3	79	82	75	67	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	77	80	75	68	74	81	78	44	44	44	70	78	0
MCV1	70	71	72	62	63	67	62	55	55	55	57	76	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	85	75	75	75	75	73	67	63	58	39	53	84	0

## District coverage (as reported)

	2013	2012
Number of districts in country	51	51
Percentage of districts reporting	100	99
DTP3: proportion of districts with coverage (%)	below 50%	37
	Between 50-79%	29
	at 80% or above	33
MCV1: proportion of districts with coverage at 95% or above (%)	8	4
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	55	49

## Immunization schedule

BCG	birth	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
DTwPHibHepB	6, 10, 14 weeks		
Measles	9 months	YF	9 months
OPV	birth; 6, 10, 14 weeks		

2013

Births.....	79,000
Surviving infants.....	75,000
Total population.....	1,849,000
Infant mortality rate (per 1,000 live births).....	49
Under-five mortality rate (per 1,000 live births).....	74
Gross national income per capita (PPP, US\$).....	510
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	94; 99 (2010, MICS; 2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	98	90	92	94	95	97	97	99	99	99	98	85
DTP1	99	99	99	99	98	96	98	98	95	97	99	98	89
DTP3	97	98	96	97	98	96	95	95	95	80	96	92	63
HepBB	93	97	90	93	94	96	96	96	96	96	...	...	...
HepB3	97	98	96	97	97	98	97	95	95	91	87	0	...
Hib3	97	98	96	97	99	97	94	95	95	90	0	0	...
rota (last)	7	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	96	98	95	99	0	0	...	...	...	...	...	...	...
Pol3	96	98	95	97	97	96	94	94	94	84	98	94	53
MCV1	96	95	91	92	96	92	88	89	91	89	91	86	69
MCV2	53	56	0	0	0	0	0	0	0	0	...	...	...
PAB	82	92	91	91	91	91	90	94	89	92	92	85	0

## District coverage (as reported)

	2013	2012
Number of districts in country	6	6
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	0	0
	below 50%	
	Between 50-79%	
	at 80% or above	
MCV1: proportion of districts with coverage at 95% or above (%)	83	50
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	birth	Pneumo_conj	2, 3, 4 months
DTwP	18-24 months	Rotavirus	2, 3, 4 months
DTwPHibHepB	2, 3, 4 months	TT	1st contact; +1, +6 months;
HepB	birth		+1, +2 year
Measles	9, 18 months	YF	9 months
OPV	birth; 2, 3, 4, 9, 18 months		

2013

Births.....	58,000
Surviving infants.....	57,000
Total population.....	4,341,000
Infant mortality rate (per 1,000 live births).....	12
Under-five mortality rate (per 1,000 live births).....	13
Gross national income per capita (PPP, US\$).....	3,570
Percentage of routine EPI vaccines financed by government.....	49
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	95	96	96	95	95	96	95	95	95	70	...	...
DTP1	99	94	95	99	99	99	99	99	94	89	91	...	...
DTP3	98	92	94	91	88	92	98	87	84	80	79	...	...
HepBB	93	93	93	90	55	94	93	87	93	0	...	...	...
HepB3	93	92	92	95	54	89	94	83	74	55	0	...	...
Hib3	93	92	92	67	0	0	0	0	0	0	0	...	...
rota (last)	41	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	94	93	90	88	93	90	88	88	84	81	82	...	...
MCV1	96	93	94	94	83	96	97	95	92	73	61	...	...
MCV2	89	84	77	84	71	87	92	88	87	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	65	65
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 6 9</li> <li>at 80% or above 94 91</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	63	48
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	85	77

## Immunization schedule

BCG	0-5 days	MMR	12 months; 5 years
DT	5 years	OPV	2, 3, 4, 18 months; 5 years
DTwP	18 months	Pneumo_conj	2, 3, 4 months
DTwPHibHepB	2, 3, 4 months	Rotavirus	2, 3 months
HepB	birth	Td	14 years

2013

Births.....	702,000
Surviving infants.....	699,000
Total population.....	82,727,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	46,100
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	98	98	98	98	98	98	98	98	98	95	92	93	0
DTP3	96	96	96	96	96	96	96	96	96	90	78	80	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	87	87	87	87	87	87	86	87	90	84	45	0	...
Hib3	94	94	94	94	94	94	94	93	94	94	85	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	68	68	68	68	68	68	...	...	...	...	...	...	...
Pol3	95	95	95	95	95	95	95	94	95	94	95	80	80
MCV1	97	97	97	97	97	97	97	96	96	92	92	75	25
MCV2	92	92	92	92	92	92	92	90	91	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	402	402
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 ... 0 ... 0 0
MCV1: proportion of districts with coverage at 95% or above (%)	0	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DTaP	2, 3, 4, 11-14 months	MMRV	15-23 months
DTaPHibHepIPV	2, 3, 4, 11-14 months	Pneumo_conj	2, 3, 4, 11-14 months
DTaPHibIPV	2, 3, 4, 11-14 months	Pneumo_ps	>60 years
HepB	2, 4, 11-14 months	Rotavirus	6, 10, 14 weeks
HPV	12-17 years x3	Tdap	5-6 years
Influenza	> 60 years	TdaPIPv	9-17 years
MenC_conj	11-23 months	Varicella	11-14, 15-23 months
MMR	11-14, 15-23 months		

Births.....	800,000
Surviving infants.....	759,000
Total population.....	25,905,000
Infant mortality rate (per 1,000 live births).....	52
Under-five mortality rate (per 1,000 live births).....	78
Gross national income per capita (PPP, US\$).....	1,760
Percentage of routine EPI vaccines financed by government.....	16
Home-based vaccination records (percent).....	89; 98 (2011, MICS; 2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	98	98	99	99	99	99	99	99	99	87	71	0
DTP1	94	92	94	96	96	96	96	87	88	96	88	80	27
DTP3	90	92	91	94	94	93	94	84	84	88	70	58	7
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	90	92	91	94	94	93	94	84	84	0	0	0	...
Hib3	90	92	91	94	94	93	94	84	84	0	0	0	...
rota (last)	87	49	0	0	0	0	0	0	...	...	...	...	...
PcV3	89	43	0	0	0	0	...	...	...	...	...	...	...
Pol3	91	91	91	94	94	92	94	84	85	88	71	57	7
MCV1	89	88	91	93	93	86	95	85	83	90	70	61	16
MCV2	54	52	0	0	0	0	0	0	0	0	...	...	...
PAB	88	88	88	86	86	86	86	85	83	69	68	60	3

## District coverage (as reported)

	2013	2012
Number of districts in country	216	170
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%         </div> Between 50-79% at 80% or above	1 19 80
MCV1: proportion of districts with coverage at 95% or above (%)	5	56
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	87	83

## Immunization schedule

BCG	birth	Rotavirus	6, 10 weeks
DTwPHibHepB	6, 10, 14 weeks	Td	1st contact; +1, +6 months; +1 year
Measles	9, 18 months	Vitamin A	6, 12, 18, 24, 30, 36 months
MR	9 months	YF	9 months
OPV	birth; 6, 10, 14 weeks		
Pneumo_conj	6, 10, 14 weeks		

2013

Births.....	108,000
Surviving infants.....	108,000
Total population.....	11,128,000
Infant mortality rate (per 1,000 live births).....	4
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	22,530
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	86	95
DTP1	99	99	99	99	99	99	99	99	96	96	96	77	89
DTP3	99	99	99	99	99	99	99	98	96	89	90	54	72
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	98	95	95	95	95	95	94	93	89	12	0	...
Hib3	94	94	83	83	83	83	83	84	84	87	19	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	32	32	32	32	32	32	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	99	99	98	96	89	95	96	90
MCV1	99	99	99	99	99	99	99	98	96	89	70	76	0
MCV2	83	83	77	77	77	77	77	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	54	54
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 ... 0 ... 0 0
MCV1: proportion of districts with coverage at 95% or above (%)	0	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	6 years	MenACWY	11-18 years
DTaP	2, 4, 6, 15-18 months; 4-6 years	MenC_conj	2, 4, 6-71 months
HepA	> 12 months (x2); +6	MMR	12-15 months; 4-6 years
HepB	2, 4, 6 months	Pneumo_conj	2, 4, 6, 12-15 months; 2-3, 50 years
Hib	2, 4, 6, 12-15 months	Pneumo_ps	>= 50 years
HPV	11-18 years (x3)	Tdap	11-12 years
IPV	2, 4, 6-18 months; 4-6 years	Varicella	12-15 months; 4-6 years

## 2013

Births.....	2,000
Surviving infants.....	2,000
Total population.....	106,000
Infant mortality rate (per 1,000 live births).....	11
Under-five mortality rate (per 1,000 live births).....	12
Gross national income per capita (PPP, US\$).....	7,460
Percentage of routine EPI vaccines financed by government.....	92
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	99	99	98	99	99	99	98	97	99	99	98	93	50
DTP3	97	97	94	97	99	99	96	91	99	97	95	80	25
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	97	97	94	97	99	99	96	91	99	0	0	0	...
Hib3	97	97	94	97	99	99	96	91	99	33	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	95	94	99	99	96	91	99	97	77	69	32
MCV1	94	94	95	95	98	99	98	98	99	92	88	85	0
MCV2	85	75	85	86	78	86	86	87	81	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	7	7
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	14
	at 80% or above	86
MCV1: proportion of districts with coverage at 95% or above (%)	57	43
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

### Immunization schedule

DT	4-5 years	MMR	12, 18 months
DTwP	18 months (subnational)	OPV	6-8, 16-20, 24-28 weeks; 18 months; 4-5, >14 years
DTwPHibHep	6-8, 16-20, 24-28 weeks		
HepB	> 18 years (x3)	Td	>7 years (x2)
Influenza	>= 6 months; >=7 months		

2013

Births.....	480,000
Surviving infants.....	469,000
Total population.....	15,468,000
Infant mortality rate (per 1,000 live births).....	26
Under-five mortality rate (per 1,000 live births).....	31
Gross national income per capita (PPP, US\$).....	3,340
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	87 (2009, OCS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	88	94	91	99	93	99	88	96	96	95	79	62	36
DTP1	97	96	94	96	94	99	88	95	97	94	91	86	68
DTP3	85	96	88	94	92	95	85	89	87	81	77	66	43
HepBB	32	35	31	15	0	0	0	0	0	0	...	...	...
HepB3	85	96	88	94	92	95	85	89	87	0	0	0	...
Hib3	85	96	85	94	92	95	85	89	87	0	0	0	...
rota (last)	81	81	71	38	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	84	94	88	94	92	96	85	90	87	80	80	74	43
MCV1	85	93	89	93	92	96	86	95	93	86	83	68	23
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	85	85	85	85	71	71	71	70	70	67	55	44	1

## District coverage (as reported)

	2013	2012
Number of districts in country	334	334
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)		
below 50%	10	0
Between 50-79%	30	8
at 80% or above	60	91
MCV1: proportion of districts with coverage at 95% or above (%)	33	39
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	45	43

## Immunization schedule

BCG	birth	OPV	2, 4, 6, 18 months; 4 years
DTwP	18 months; 4 years	Pneumo_conj	2, 4 months; 1 year
DTwPHibHep	2, 4, 6 months	Rotavirus	2, 4 months
HepB	birth	Td	1st contact; +4 weeks; +6 months; +1, +1 year
Influenza	6 months to 5 years; > 18	Vitamin A	6-59, 12-59 months
MMR	12 months		
MR	> 14 years		

2013

Births.....	434,000
Surviving infants.....	402,000
Total population.....	11,745,000
Infant mortality rate (per 1,000 live births).....	65
Under-five mortality rate (per 1,000 live births).....	101
Gross national income per capita (PPP, US\$).....	460
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	75; 44 (2011, EPI; 2012, DHS-MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	66	66	82	93	91	87	84	81	80	81	78	50	0
DTP1	76	76	76	86	76	64	76	75	75	61	77	40	0
DTP3	63	63	63	64	57	60	63	57	59	46	54	17	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	63	63	63	64	57	57	57	0	0	0	0	0	...
Hib3	63	63	63	64	57	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	64	64	63	62	60	59	46	53	59	47	54	18	0
MCV1	62	62	62	58	53	55	57	51	51	42	61	35	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	80	80	80	90	96	96	95	95	90	79	68	27	0

## District coverage (as reported)

	2013	2012
Number of districts in country	38	38
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)		
below 50%	0	0
Between 50-79%	8	3
at 80% or above	92	97
MCV1: proportion of districts with coverage at 95% or above (%)	61	47
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	82

## Immunization schedule

BCG	birth	TT	1st contact; +1, +6 months;
DTwPHibHepB	6, 10, 14 weeks		+1, +1 year
Measles	9 months	Vitamin A	6, 12 months
OPV	birth; 6, 10, 14 weeks	YF	9 months

2013

Births.....	64,000
Surviving infants.....	58,000
Total population.....	1,704,000
Infant mortality rate (per 1,000 live births).....	78
Under-five mortality rate (per 1,000 live births).....	124
Gross national income per capita (PPP, US\$).....	520
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	83 (2010, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	94	94	94	94	94	93	92	90	89	77	92	90	0
DTP1	92	92	92	92	92	91	89	88	86	73	70	82	0
DTP3	80	80	80	80	80	77	74	71	68	49	45	61	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	76	76	76	76	76	0	0	0	0	0	0	0	...
Hib3	76	76	76	76	76	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	78	78	78	78	78	77	76	74	73	52	45	60	0
MCV1	69	69	69	69	69	71	73	74	76	71	45	53	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	80	80	80	78	94	94	92	69	65	49	68	40	0

## District coverage (as reported)

	2013	2012
Number of districts in country	11	11
Percentage of districts reporting	81	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 9 91
MCV1: proportion of districts with coverage at 95% or above (%)	55	27
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	36	36

## Immunization schedule

BCG	birth	TT	1st contact; +1, +6 months;
DTwPHibHepB	6, 10, 14 weeks		+1, +1 year
Measles	9 months	YF	9 months
OPV	birth; 6, 10, 14 weeks		

Births.....	16,000
Surviving infants.....	16,000
Total population.....	800,000
Infant mortality rate (per 1,000 live births).....	30
Under-five mortality rate (per 1,000 live births).....	37
Gross national income per capita (PPP, US\$).....	3,750
Percentage of routine EPI vaccines financed by government.....	79
Home-based vaccination records (percent).....	88 (2009, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	98	97	98	98	96	97	96	96	93	93	85	68
DTP1	98	99	97	99	99	94	96	95	93	97	95	94	60
DTP3	98	97	93	95	98	93	94	93	93	88	86	83	35
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	97	93	95	98	93	94	93	93	0	0	0	...
Hib3	98	97	93	95	98	93	94	93	93	0	0	0	...
rota (last)	94	91	77	39	0	0	0	0	...	...	...	...	...
PcV3	96	90	50	0	0	0	...	...	...	...	...	...	...
Pol3	98	97	93	95	97	93	94	92	93	79	87	79	42
MCV1	99	99	98	95	97	95	96	90	92	86	77	73	0
MCV2	95	90	84	82	84	84	90	74	72	0	...	...	...
PAB	90	90	90	97	90	90	91	92	91	82	71	56	0

## District coverage (as reported)

	2013	2012
Number of districts in country	13	13
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	8
MCV1: proportion of districts with coverage at 95% or above (%)	62	69
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	2 months	MMR	12 months; 3 years and 9 months
DTwPHibHep	2, 4, 6 months		
HepB	+1, +5 months	OPV	2, 4, 6, 18 months; 3 years
Hib	2, 4, 6 months	Pneumo_conj	2, 4, 6 months
HPV	1st contact; +1, +6 months	Pneumo_ps	(subnational)
IPV	2, 4, 6, 18 months; 3 years (subnational)	Rotavirus	2, 4, 6 months
		Td	15 years
		YF	12 months

2013

Births.....	265,000
Surviving infants.....	254,000
Total population.....	10,317,000
Infant mortality rate (per 1,000 live births).....	55
Under-five mortality rate (per 1,000 live births).....	73
Gross national income per capita (PPP, US\$).....	810
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	73 (2012, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	83	83	83	82	80	79	78	76	75	72	74	72	0
DTP1	86	86	86	85	84	84	83	82	81	73	75	66	21
DTP3	68	68	68	67	65	64	63	61	60	49	42	41	3
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	68	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	68	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	67	67	67	66	65	64	62	61	60	50	42	40	8
MCV1	65	65	65	64	63	62	60	59	58	55	49	31	0
MCV2	0	0	0	0	0	0	0	0	0	...	...	...	...
PAB	76	76	70	70	70	50	43	31	37	41	41	39	14

## District coverage (as reported)

	2013	2012
Number of districts in country	140	144
Percentage of districts reporting	86	85
DTP3: proportion of districts with coverage (%)	below 50%	19
	Between 50-79%	24
	at 80% or above	57
MCV1: proportion of districts with coverage at 95% or above (%)	35	18
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	55	35

## Immunization schedule

BCG	birth	OPV	birth; 6, 10, 14 weeks
DTwP	6, 10, 14 weeks	Td	1st contact; +4 weeks; +6 months; +1, +1 years
DTwPHibHep	6, 10, 14 weeks		
MR	9 months	Vitamin A	6,12 months

2013

Births.....	209,000
Surviving infants.....	204,000
Total population.....	8,098,000
Infant mortality rate (per 1,000 live births).....	19
Under-five mortality rate (per 1,000 live births).....	22
Gross national income per capita (PPP, US\$).....	2,180
Percentage of routine EPI vaccines financed by government.....	67
Home-based vaccination records (percent).....	90 (2012, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP3	...	...	...	...	...	...	...	...	...	...	...	...	...
HepBB	...	...	...	...	...	...	...	...	...	...	...	...	...
HepB3	...	...	...	...	...	...	...	...	...	...	...	...	...
Hib3	...	...	...	...	...	...	...	...	...	...	...	...	...
rota (last)	...	...	...	...	...	...	...	...	...	...	...	...	...
PcV3	...	...	...	...	...	...	...	...	...	...	...	...	...
Pol3	...	...	...	...	...	...	...	...	...	...	...	...	...
MCV1	...	...	...	...	...	...	...	...	...	...	...	...	...
MCV2	...	...	...	...	...	...	...	...	...	...	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	298	298
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	1
	Between 50-79%	35
	at 80% or above	63
MCV1: proportion of districts with coverage at 95% or above (%)	34	55
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	94	98

## Immunization schedule

BCG	birth	MMR	12 months
DT	2, 4, 6, 18 months; 4 years	OPV	2, 4, 6, 18 months
DTwP	18 months; 4 years	Pneumo_conj	2, 4, 6 months
DTwPHibHep	2, 4, 6 months	Pneumo_ps	= 60 years
HepB	birth	Rotavirus	2, 4 months
HPV	11 years	Td	11, 21 years
Influenza	6-35 months (x2); 3-9 years	Vitamin A	6 months to 4 years
IPV	2, 4, 6 months		

2013

Births.....	98,000
Surviving infants.....	98,000
Total population.....	9,955,000
Infant mortality rate (per 1,000 live births).....	5
Under-five mortality rate (per 1,000 live births).....	6
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	99	99	99	99
DTP1	99	99	99	99	99	99	99	99	99	99	99	99	99
DTP3	99	99	99	99	99	99	99	99	99	99	99	99	99
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	99	99	99	99	99	99	99	99	99	99	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	92	90	84	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	99	99	99	99	99	99	99	98
MCV1	99	99	99	99	99	99	99	99	99	99	99	99	99
MCV2	99	99	99	96	99	99	99	99	99	99	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	81	81
Percentage of districts reporting	100	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 0 100
MCV1: proportion of districts with coverage at 95% or above (%)	...	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	MMR	15 months; 11 years
DTaPHibIPV	2, 3, 4, 18 months	Pneumo_conj	2, 4, 15 months
HepB	13 years	Tdap	11 years

# Iceland

2013

Births.....	5,000
Surviving infants.....	5,000
Total population.....	330,000
Infant mortality rate (per 1,000 live births).....	2
Under-five mortality rate (per 1,000 live births).....	2
Gross national income per capita (PPP, US\$).....	43,930
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	97	97	99	98	99	99	97	97	95	99	99	99	99
DTP3	91	89	95	96	96	98	97	97	95	98	99	99	99
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	91	89	95	96	96	98	97	97	95	98	99	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	88	86	0	0	0	0	...	...	...	...	...	...	...
Pol3	91	89	95	96	96	98	97	97	95	98	99	99	99
MCV1	91	90	94	93	92	96	95	95	90	91	99	99	0
MCV2	94	97	90	92	93	94	95	93	90	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012									
Number of districts in country	59	59									
Percentage of districts reporting	...	...									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>0</td> <td>...</td> </tr> <tr> <td>Between 50-79%</td> <td>0</td> <td>...</td> </tr> <tr> <td>at 80% or above</td> <td>0</td> <td>0</td> </tr> </table>	below 50%	0	...	Between 50-79%	0	...	at 80% or above	0	0	...
below 50%	0	...									
Between 50-79%	0	...									
at 80% or above	0	0									
MCV1: proportion of districts with coverage at 95% or above (%)	0	...									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...									

## Immunization schedule

DTaPHibIPV	3, 5, 12 months	MMR	18 months; 12 years
DTaPIPV	14 years	Pneumo_conj	3, 5, 12 months
HPV	12 years; +2, +6 months	Tdap	4 years
MenC_conj	6, 8 months		

2013

Births.....	25,595,000
Surviving infants.....	24,492,000
Total population.....	1,252,140,000
Infant mortality rate (per 1,000 live births).....	41
Under-five mortality rate (per 1,000 live births).....	53
Gross national income per capita (PPP, US\$).....	1,570
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	51 (2010, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	87	87	87	87	87	87	87	87	78	74	81	66	0
DTP1	88	88	88	88	88	88	83	86	85	81	88	88	25
DTP3	72	72	72	72	72	72	63	68	67	60	71	70	6
HepBB	33	30	22	15	7	3	0	0	0	0	...	...	...
HepB3	67	70	47	37	34	21	6	6	8	0	0	0	...
Hib3	20	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	70	70	70	70	70	70	66	68	55	59	71	66	2
MCV1	74	74	74	74	74	74	69	71	59	59	72	56	0
MCV2	42	50	30	0	0	0	0	0	0	0	...	...	...
PAB	87	87	87	87	86	86	86	86	86	85	83	81	20

## District coverage (as reported)

	2013	2012
Number of districts in country	659	657
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 ...</li> <li>Between 50-79% 0 ...</li> <li>at 80% or above 0 0</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	Measles	9-12, 16-24 months
DTwP	6, 10, 14 weeks; 16-24 months; 5 years	OPV	birth; 6, 10, 14 weeks; 16-24 months
DTwPHibHepB	6, 10, 14 weeks	TT	10, 16 years
HepB	birth; 6, 10, 14 weeks	Vitamin A	9, 18, 24, 30, 36, 42 months
JapEnc	9-12, 16-24 months (subnational)		

Births.....	4,691,000
Surviving infants.....	4,572,000
Total population.....	249,866,000
Infant mortality rate (per 1,000 live births).....	25
Under-five mortality rate (per 1,000 live births).....	29
Gross national income per capita (PPP, US\$).....	3,580
Percentage of routine EPI vaccines financed by government.....	60
Home-based vaccination records (percent).....	41 (2012, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	99	98	88	78	80	83	88	86	81	77	74	61
DTP1	98	98	98	97	94	92	87	86	85	84	87	82	0
DTP3	85	83	81	81	78	77	73	72	72	75	69	60	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	85	83	81	83	82	82	76	66	65	65	50	0	...
Hib3	4	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	86	84	81	82	85	83	77	78	79	72	71	60	0
MCV1	84	85	80	78	74	76	76	79	77	76	63	58	0
MCV2	79	78	76	74	67	66	73	50	23	0	...	...	...
PAB	85	85	85	85	85	79	83	83	83	82	74	64	6

### District coverage (as reported)

	2013	2012
Number of districts in country	497	497
Percentage of districts reporting	99	99
DTP3: proportion of districts with coverage (%)	below 50%	5
	Between 50-79%	12
	at 80% or above	83
MCV1: proportion of districts with coverage at 95% or above (%)	45	54
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	90	89

### Immunization schedule

BCG	1 month	IPV	2, 3, 4 months (subnational)
DT	1st Grade	Measles	9, 24 months
DTwPHep	2, 3, 4 months	OPV	1, 2, 3, 4 months
DTwPHibHepB	2, 3, 4, 18 months (subnational)	Td	2nd & 3rd grade;
		TT	39 years
HepB	0-7 days		

2013

Births.....	1,455,000
Surviving infants.....	1,433,000
Total population.....	77,447,000
Infant mortality rate (per 1,000 live births).....	14
Under-five mortality rate (per 1,000 live births).....	17
Gross national income per capita (PPP, US\$).....	5,780
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	99	96	95	7
DTP1	98	99	99	99	99	99	99	98	97	99	98	97	57
DTP3	98	99	99	99	99	99	99	98	95	99	98	91	32
HepBB	99	96	99	99	99	99	99	99	96	99	...	...	...
HepB3	99	98	99	99	99	99	97	98	94	99	59	0	...
Hib3	0	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	99	99	99	99	99	98	99	95	99	97	90	38
MCV1	98	98	99	99	99	98	97	99	94	99	95	85	39
MCV2	97	97	99	99	99	96	97	98	92	99	...	...	...
PAB	95	95	95	95	83	83	83	83	83	82	66	71	1

## District coverage (as reported)

	2013	2012
Number of districts in country	411	405
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	birth	Influenza	> 65 years
DT	2, 4, 6, 18 months; 6 years	MMR	12, 18 months
DTwP	2, 4, 6, 18 months; 6 years	OPV	birth; 2, 4, 6, 18 months; 6 years
HepB	birth; 2, 6 months		

Births.....	1,052,000
Surviving infants.....	1,023,000
Total population.....	33,765,000
Infant mortality rate (per 1,000 live births).....	28
Under-five mortality rate (per 1,000 live births).....	34
Gross national income per capita (PPP, US\$).....	6,710
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	70 (2011, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	90	90	90	90	92	87	92	89	92	93	97	96	76
DTP1	82	87	90	86	88	81	68	76	84	92	86	93	36
DTP3	68	69	79	74	78	69	57	59	65	80	74	83	14
HepBB	43	37	32	27	60	92	90	88	93	0	...	...	...
HepB3	66	61	77	72	75	66	56	59	65	67	57	0	...
Hib3	68	36	0	0	0	0	0	0	0	0	0	0	...
rota (last)	52	31	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	70	70	80	74	78	71	74	63	69	83	73	83	16
MCV1	63	69	77	75	81	76	64	62	69	86	80	75	9
MCV2	57	68	77	77	87	76	64	52	58	0	...	...	...
PAB	72	85	85	80	69	69	69	70	71	75	81	70	4

## District coverage (as reported)

	2013	2012
Number of districts in country	133	130
Percentage of districts reporting	99	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	2 47 51
MCV1: proportion of districts with coverage at 95% or above (%)	11	18
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	48	23

## Immunization schedule

BCG	birth	Rotavirus	2, 4, 6 months
DT	2, 4, 6, 18 months; 4-6 years	Td	> 6 years
DTwPHib	4, 18 months; 4-6 years	TT	1st contact; +1, +6 months; +1, +1 years
DTwPHibHepB	2, 6 months	Typhoid	4 years (subnational; high risk areas)
HepB	birth	Vitamin A	9, 18 months
Measles	9 months		
MMR	15 months; 4-5 years		
OPV	birth; 2, 4, 6, 18 months		

2013

Births.....	71,000
Surviving infants.....	71,000
Total population.....	4,627,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	42	42	41	30	30	34	33	31	31	89	87	84	0
DTP1	98	98	98	98	98	97	97	97	96	95	90	85	59
DTP3	96	95	95	94	94	93	92	91	90	86	73	65	34
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	95	95	95	46	0	0	0	0	0	0	0	0	...
Hib3	95	95	95	94	94	93	92	91	90	85	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	91	91	90	43	0	0	...	...	...	...	...	...	...
Pol3	96	95	95	94	94	93	92	91	90	86	77	81	72
MCV1	93	92	92	90	90	89	87	86	84	79	77	78	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	8
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 100
MCV1: proportion of districts with coverage at 95% or above (%)	...	25
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth (subnational)	Influenza	> 50 years
DTaPHibHepIPV	2, 4, 6 months	MenC_conj	4, 6, 13 months
DTaPIPv	4-5 years	MMR	12 months; 4-5 years
HepB	+0, +1, +5 months	Pneumo_conj	2, 6, 12 months
Hib	13 months	Pneumo_ps	>=65 years
HPV	12-13 years; +2, +4 months	Tdap	11-14 years

## 2013

Births.....	157,000
Surviving infants.....	156,000
Total population.....	7,733,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	34,120
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	75
DTP1	95	95	95	95	98	98	98	98	95	98	98	97	94
DTP3	94	94	94	95	96	96	96	96	93	96	96	93	84
HepBB	99	99	99	99	99	99	99	99	99	99	...	...	...
HepB3	98	98	98	97	99	96	97	94	96	97	93	0	...
Hib3	94	94	94	95	96	94	95	94	93	94	93	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	92	92	92	0	0	0	...	...	...	...	...	...	...
Pol3	94	94	94	95	94	94	96	94	95	92	96	93	85
MCV1	97	97	97	96	98	98	97	96	94	97	93	91	81
MCV2	95	95	93	92	92	96	95	97	97	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	15	15
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

DT	2, 4, 6, 12 months	MMR	12 months; 6 years
DTaP	2, 4, 6, 12 months	MMRV	12 months; 6 years
DTaPHibIPV	2, 4, 6, 12 months	OPV	6, 18 months
HepA	18, 24 months	Pneumo_conj	2, 4, 12 months
HepB	birth; 1, 6 months	Pneumo_ps	>= 65 years
Hib	2, 4, 6, 12 months	Rotavirus	2, 4, 6 months
HPV	13 years; + 2, +6 months	Tdap	14 years
Influenza	> 6 months	TdaPIPV	7 years
JapEnc	0, 7, 28 days;	Varicella	12 months; 6 years

2013

Births.....	560,000
Surviving infants.....	558,000
Total population.....	60,990,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	34,400
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	0	0
DTP1	99	99	98	98	98	98	99	98	98	95	98	94	0
DTP3	97	97	96	96	96	96	97	96	95	87	95	83	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	97	97	96	96	96	96	97	96	96	94	95	0	...
Hib3	96	96	96	95	96	96	96	96	95	55	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	55	55	55	55	55	55	...	...	...	...	...	...	...
Pol3	97	97	96	96	96	96	97	97	97	97	98	98	0
MCV1	90	90	90	91	90	90	90	88	87	74	50	43	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	21
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	... 0 ... 0 ... 67
MCV1: proportion of districts with coverage at 95% or above (%)	...	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DTaP	3, 5-6, 11-13 months; 5-6, 11-18 years	Influenza	>= 65 years
DTaPHepIPV	3, 5-6, 11-13 months	IPV	3, 5-6, 11-13 months; 5-6 years
DTaPHib	3, 5-6, 11-13 months	MenC_conj	13-15 months
DTaPHibHepIPV	3, 5-6, 11-13 months	MMR	13-15 months, 5-6 years
DTaPHibIPV	3, 5-6, 11-13 months	Pneumo_conj	3, 5-6, 11-13 months
DTaPIPv	3, 5-6, 11-13 months; 5-6 years	Td	11-18 years
HepB	3, 5-6, 11-13 months	Tdap	11-18 years
Hib	3, 5-6, 11-13 months	TT	3, 5-6, 11-13 months; 5-6, 11-18 years
HPV	12 years; +1-2, +6 months	Varicella	13-15 months; 5-6 years

## 2013

Births.....	50,000
Surviving infants.....	49,000
Total population.....	2,784,000
Infant mortality rate (per 1,000 live births).....	14
Under-five mortality rate (per 1,000 live births).....	17
Gross national income per capita (PPP, US\$).....	5,220
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	78 (2011, MICS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	93	95	95	95	94	92	87	90	95	94	98	98	38
DTP1	97	98	94	98	91	97	97	96	99	97	96	95	48
DTP3	93	96	92	94	90	91	92	95	99	93	90	86	24
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	93	96	92	94	90	92	92	97	99	0	0	0	...
Hib3	93	96	91	94	90	91	91	97	99	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	86	96	93	94	90	91	94	99	99	95	91	87	34
MCV1	94	93	88	89	88	88	76	87	84	88	90	74	0
MCV2	71	76	60	56	78	80	84	88	91	0	...	...	...
PAB	80	80	80	80	62	58	54	53	51	51	0	0	0

### District coverage (as reported)

	2013	2012
Number of districts in country	13	13
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	54	69
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

BCG	birth	IPV	6 weeks; 3, 5-6, 18 months;
DT	6 weeks; 3, 5-6, 18 months;		4-6 years
	4-6 years	MMR	12-23 months; 4-6 years
DTwP	18 months; 4-6 years	OPV	6 weeks; 3, 5-6, 18 months;
DTwPHibHep	6 weeks; 3, 5-6 months		4-6 years
HepB	6 weeks; 3, 5-6 months	Pneumo_conj	2, 4, 6, 18 months
Hib	6 weeks; 3, 5-6 months	Td	4-6 years

2013

Births.....	1,062,000
Surviving infants.....	1,059,000
Total population.....	127,144,000
Infant mortality rate (per 1,000 live births).....	2
Under-five mortality rate (per 1,000 live births).....	3
Gross national income per capita (PPP, US\$).....	46,140
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	93	95	94	99	94	90	94	...	...	...	...	85	0
DTP1	99	99	99	99	99	99	99	99	99	88	90	96	82
DTP3	98	98	98	98	98	98	98	98	98	85	74	90	60
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	0	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	96	98	99	98	97	95	95	98	97	90	0
MCV1	95	96	94	94	94	95	96	97	98	96	93	73	69
MCV2	93	92	92	97	92	78	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	1748	1742
Percentage of districts reporting	...	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 ... 0 ... 0 0
MCV1: proportion of districts with coverage at 95% or above (%)	0	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	1 year	Influenza	>=65 years
DT	11 years	JapEnc	36, 37 months; 4, 9 years
DTaPIPv	3, 4.5, 6, 18 months	MR	1, 5 years
Hib	2, 3, 4 months; 1 year	Pneumo_conj	2, 3, 4 months; 1 year
HPV	13 years (x3)		

Births.....	193,000
Surviving infants.....	190,000
Total population.....	7,274,000
Infant mortality rate (per 1,000 live births).....	16
Under-five mortality rate (per 1,000 live births).....	19
Gross national income per capita (PPP, US\$).....	4,950
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	80 (2012, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	96	95	95	95	95	90	95	89	...	...	...	...
DTP1	99	98	98	98	98	98	99	99	98	91	99	97	55
DTP3	98	98	98	98	98	97	98	98	95	91	95	92	30
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	98	98	98	98	97	98	98	95	93	54	0	...
Hib3	98	98	98	98	98	97	98	98	95	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	98	98	98	98	98	98	95	94	95	92	32
MCV1	97	98	98	98	95	95	95	99	95	94	92	87	29
MCV2	98	96	95	95	90	90	97	88	92	83	...	...	...
PAB	90	90	90	87	87	87	87	86	67	44	47	49	0

### District coverage (as reported)

	2013	2012
Number of districts in country	12	12
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50%</li> <li>Between 50-79%</li> <li>at 80% or above</li> </ul>	<ul style="list-style-type: none"> <li>0</li> <li>0</li> <li>100</li> </ul>
MCV1: proportion of districts with coverage at 95% or above (%)	67	75
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

### Immunization schedule

BCG	0-6 years	Measles	9 months
DT	3, 4, 5, 18 months	MMR	12, 18 months
DTaPHibIPV	3, 4, 5 months	OPV	4, 5, 9, 18 months; 6 years
DTwP	18 months	Pneumo_conj	3, 5 months
HepB	3, 4, 5 months	Td	6, 16 years
Hib	3, 4, 5 months	TT	1st contact; +1, +6 months; +1, +1 year
IPV	3, 4, 5 months		

2013

Births.....	337,000
Surviving infants.....	329,000
Total population.....	16,441,000
Infant mortality rate (per 1,000 live births).....	15
Under-five mortality rate (per 1,000 live births).....	16
Gross national income per capita (PPP, US\$).....	11,380
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	66 (2011, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	95	96	96	96	97	99	99	69	98	90	...	...
DTP1	99	99	99	99	98	99	97	99	99	98	97	...	...
DTP3	98	99	99	99	98	99	93	99	98	97	93	...	...
HepBB	95	96	96	96	97	95	96	97	98	98	...	...	...
HepB3	99	95	99	99	99	99	94	99	94	99	0	...	...
Hib3	98	97	95	96	97	49	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	52	37	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	99	98	99	99	94	99	99	96	94	...	...
MCV1	99	96	99	99	99	99	99	99	99	99	95	...	...
MCV2	99	97	99	99	99	99	99	99	96	98	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	204	204
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 ... 0 ... 100 ...
MCV1: proportion of districts with coverage at 95% or above (%)	100	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	birth; 6 years	Influenza	6 months; 15 years
Dip	(subnational)		(subnational)
DT	6 years	MenACWY	15 years
DTaPHibHepIPV	2, 4 months	MMR	1, 6 year
DTaPHibIPV	3, 18 months	OPV	12 months
HepA	2 years (subnational)	Pneumo_conj	2, 4, 12 months
HepB	birth	Td	16 years
HPV	11 years	TT	(subnational)

Births.....	1,550,000
Surviving infants.....	1,471,000
Total population.....	44,354,000
Infant mortality rate (per 1,000 live births).....	48
Under-five mortality rate (per 1,000 live births).....	71
Gross national income per capita (PPP, US\$).....	930
Percentage of routine EPI vaccines financed by government.....	15
Home-based vaccination records (percent).....	74 (2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	79	84	92	99	97	95	92	92	85	91	97	92	0
DTP1	82	89	95	93	92	90	89	90	85	83	96	92	0
DTP3	76	83	88	83	84	85	81	80	76	82	94	84	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	83	83	88	83	84	85	81	80	76	0	0	0	...
Hib3	83	83	88	83	84	85	81	80	76	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	75	82	85	0	0	0	...	...	...	...	...	...	...
Pol3	82	82	88	83	84	85	76	77	70	80	94	84	0
MCV1	93	93	87	86	88	90	80	77	69	78	83	78	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	73	73	73	78	78	78	74	74	73	68	61	60	0

## District coverage (as reported)

	2013	2012	
Number of districts in country	285	203	
Percentage of districts reporting	97	91	
DTP3: proportion of districts with coverage (%)	below 50%	15	5
	Between 50-79%	40	42
	at 80% or above	45	53
MCV1: proportion of districts with coverage at 95% or above (%)	16	35	
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	69	81	

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6,10,14 weeks	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
HPV	(subnational)		
Measles	9 months	Vitamin A	6-11, 12-59 months
OPV	6, 10, 14 weeks	YF	9 months (subnational)

2013

Births.....	2,000
Surviving infants.....	2,000
Total population.....	102,000
Infant mortality rate (per 1,000 live births).....	45
Under-five mortality rate (per 1,000 live births).....	58
Gross national income per capita (PPP, US\$).....	2,620
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	86	95	86	87	76	83	90	91	93	80	47	93	66
DTP1	95	94	99	97	90	97	99	98	93	95	82	98	68
DTP3	95	94	99	91	86	82	94	86	79	90	60	97	43
HepBB	84	82	66	63	52	59	58	68	70	80	...	...	...
HepB3	95	94	95	91	86	83	96	88	50	90	36	73	...
Hib3	95	94	95	91	86	83	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	91	92	95	95	84	74	93	86	74	90	58	97	10
MCV1	91	91	90	89	82	72	93	61	85	80	47	75	0
MCV2	84	9	61	21	35	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	6	6
Percentage of districts reporting	93	...
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	0	50
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	...

## Immunization schedule

BCG	birth	OPV	6, 10, 14 weeks
DTwP	6 years	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	13 years
HepB	birth	Vitamin A	6-12 months; 13 months to 6 years
HPV	9-13 years (x3) (subnational)		
MR	12 months; 6 years		

## 2013

Births.....	358,000
Surviving infants.....	350,000
Total population.....	24,895,000
Infant mortality rate (per 1,000 live births).....	22
Under-five mortality rate (per 1,000 live births).....	27
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	48
Home-based vaccination records (percent).....	100 (2008, EPI)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	98	98	98	98	97	96	96	94	78	82	99	50
DTP1	94	97	95	94	94	93	93	91	83	61	84	98	74
DTP3	93	96	94	93	93	92	92	89	79	56	64	98	50
HepBB	99	99	99	99	98	97	96	94	94	0	...	...	...
HepB3	93	94	92	92	92	91	92	96	92	0	0	0	...
Hib3	0	32	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	98	98	99	98	97	93	88	99	50
MCV1	99	99	99	99	98	98	99	96	96	78	67	98	29
MCV2	99	99	99	99	98	98	0	0	0	0	...	...	...
PAB	93	93	93	91	91	91	91	90	90	81	90	90	0

### District coverage (as reported)

	2013	2012
Number of districts in country	209	208
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

BCG	birth	OPV	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Td	3, 4 months
HepB	birth	Vitamin A	6-11, 12-59 months
Measles	9, 15 months		

2013

Births.....	472,000
Surviving infants.....	471,000
Total population.....	49,263,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	25,920
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	96	96	96	96	98	97	73	93	72	0
DTP1	99	99	99	96	96	95	95	98	98	97	99	90	0
DTP3	99	99	99	94	94	94	91	98	96	97	99	74	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	99	99	99	94	94	94	91	99	99	93	99	0	...
Hib3	0	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	98	95	95	92	91	98	96	99	99	74	0
MCV1	99	99	99	98	93	92	92	99	99	95	93	93	4
MCV2	95	97	98	98	99	99	99	99	99	39	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	254	254
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 ... 0 ... 0 0
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	birth-1 month	IPV	2, 4, 6 months; 4-6 years
DTaP	2, 4, 6, 15-18 months; 4-6 years	JapEnc	12-23 months; +1-4 weeks; +1 year 6, 12 years
DTaPIPv	2, 4, 6 months; 4-6 years	MMR	12-15 months; 4-6 years
HepB	birth; 1, 6 months	Pneumo_conj	2, 4, 6, 12-15 months
HFRS	1st contact, +1 months; +1 year	Pneumo_ps	>=65 years
Hib	2, 4, 6, 12-15 months	Td	11-12 years
Influenza	>= 65 years	Tdap	11-12 years
		Varicella	12-15 months

Births.....	69,000
Surviving infants.....	68,000
Total population.....	3,369,000
Infant mortality rate (per 1,000 live births).....	8
Under-five mortality rate (per 1,000 live births).....	10
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	97	99	98	99	99	94	84	...	...	...	...	...
DTP1	99	99	99	98	99	99	99	99	99	98	99	88	86
DTP3	99	98	99	98	99	99	99	99	99	98	99	71	67
HepBB	98	97	98	99	99	99	99	99	99	94	...	...	...
HepB3	99	98	99	99	99	99	99	99	99	95	99	0	...
Hib3	99	98	99	98	99	99	99	99	99	98	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	99	99	99	98	99	99	...	...	...	...	...	...	...
Pol3	99	98	99	98	99	99	99	99	99	94	99	71	70
MCV1	99	99	99	98	99	99	99	99	99	99	98	66	48
MCV2	99	99	99	99	94	86	90	96	77	0	...	...	...
PAB	95	95	95	95	84	84	83	82	81	77	37	51	6

## District coverage (as reported)

	2013	2012
Number of districts in country	109	109
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 ...</li> <li>Between 50-79% 0 ...</li> <li>at 80% or above 0 ...</li> </ul>	...
MCV1: proportion of districts with coverage at 95% or above (%)	0	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	3 months	MenACWY	2 years
DT	(subnational; where pertussis contraindicated)	MMR	1, 2, 12 years
DTwP	3.6 years	OPV	4, 6, 12, 18 months
DTwPHibHepB	2, 4, 6, 18 months	Pneumo_conj	2, 4, 6, 18 months
HepB	birth	Pneumo_ps	(subnational)
Influenza	(subnational)	Td	10, 18 years
IPV	2 months	Typhoid	(food handlers)
MenAC	(subnational)	Varicella	(subnational; health workers at risk)

2013

Births.....	151,000
Surviving infants.....	146,000
Total population.....	5,548,000
Infant mortality rate (per 1,000 live births).....	22
Under-five mortality rate (per 1,000 live births).....	24
Gross national income per capita (PPP, US\$).....	1,200
Percentage of routine EPI vaccines financed by government.....	9
Home-based vaccination records (percent).....	86 (2012, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	98	98	98	98	99	98	99	96	96	96	...	...
DTP1	98	96	97	99	98	99	98	96	98	99	97	...	...
DTP3	97	96	96	96	95	95	94	92	98	99	93	...	...
HepBB	96	94	73	99	98	98	98	97	98	45	...	...	...
HepB3	97	96	96	96	96	97	94	90	97	44	0	...	...
Hib3	97	96	96	96	0	0	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	97	94	94	88	96	95	94	93	98	99	96	...	...
MCV1	99	98	97	99	99	99	99	97	99	98	97	...	...
MCV2	97	98	98	98	98	97	95	97	98	96	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	40	40
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	87	90

## Immunization schedule

BCG	birth	MMR	12 months
DT	6 years	MR	6 years
DTwP	2 years	OPV	birth; 2, 3.5, 5 months
DTwPHibHepB	2, 3.5, 5 months	Pneumo_conj	3.5, 5 months
HepB	birth	Td	11, 16, 26, 36, 46, 56 years
IPV	2 months		

2013

Births.....	181,000
Surviving infants.....	175,000
Total population.....	6,770,000
Infant mortality rate (per 1,000 live births).....	54
Under-five mortality rate (per 1,000 live births).....	71
Gross national income per capita (PPP, US\$).....	1,460
Percentage of routine EPI vaccines financed by government.....	6
Home-based vaccination records (percent).....	47 (2012, DHS-MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	82	81	77	72	67	68	56	61	65	69	62	26	0
DTP1	89	87	83	81	76	73	59	68	68	83	77	41	0
DTP3	87	79	78	74	67	61	50	57	49	51	54	18	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	87	79	78	74	67	61	50	57	49	0	0	0	...
Hib3	87	79	78	74	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	86	78	79	76	67	60	46	56	50	57	64	26	0
MCV1	82	72	69	64	59	52	40	48	41	42	68	32	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	90	80	80	80	47	47	47	52	50	58	44	12	0

## District coverage (as reported)

	2013	2012
Number of districts in country	145	144
Percentage of districts reporting	100	...
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 2 5</li> <li>Between 50-79% 23 45</li> <li>at 80% or above 74 48</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	20	12
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	80	64

## Immunization schedule

BCG	birth	MR	9 months
DTwPHibHepB	6, 10, 14 weeks	OPV	6, 10, 14 weeks
HepB	birth	Pneumo_conj	4, 10, 14 weeks
HPV	(subnational)	Td	15 years +1, +6 months; +1, +1 year
Influenza	>=50 years (subnational)	Vitamin A	6, 12, 18, 24, 30, 36 months
JapEnc	1-15 years (subnational)		

2013

Births.....	23,000
Surviving infants.....	22,000
Total population.....	2,050,000
Infant mortality rate (per 1,000 live births).....	7
Under-five mortality rate (per 1,000 live births).....	8
Gross national income per capita (PPP, US\$).....	15,280
Percentage of routine EPI vaccines financed by government.....	91
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	96	97	94	92	96	95	99	99	99	99	99	...	...
DTP1	96	95	95	96	98	99	98	99	99	99	99	...	...
DTP3	95	92	93	91	96	97	98	98	99	96	98	...	...
HepBB	0	0	0	0	97	98	97	97	98	98	...	...	...
HepB3	95	91	90	91	93	95	97	97	98	95	0	...	...
Hib3	95	91	92	90	95	97	97	99	94	79	58	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	88	78	82	0	0	0	...	...	...	...	...	...	...
Pol3	95	92	93	91	96	97	98	98	99	96	98	...	...
MCV1	96	90	88	92	94	98	97	95	95	97	81	...	...
MCV2	95	95	91	94	96	98	98	98	98	90	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	119	119
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 ... 0 ... 0 0
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	2-5 days	HPV	12 years (x3)
DTaPHibHepIPV	2, 4, 6, 12-15 months	MMR	12-15 months; 7 years
DTaPHibIPV	2, 4, 6 months	Pneumo_conj	2, 4, 12-15 months
DTaPIPv	7 years	TdIPV	14 years
HepB	birth; +1, +2, +12-15	Varicella	12-15 months

2013

Births.....	64,000
Surviving infants.....	63,000
Total population.....	4,822,000
Infant mortality rate (per 1,000 live births).....	8
Under-five mortality rate (per 1,000 live births).....	9
Gross national income per capita (PPP, US\$).....	9,870
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	55 (2009, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	84	84	84	84	84	84	84	84	83	90	97	94	17
DTP3	81	81	81	81	81	81	80	78	77	83	93	82	0
HepBB	94	94	94	94	94	94	94	94	94	90	...	...	...
HepB3	81	81	81	81	81	81	80	78	77	83	0	0	...
Hib3	81	81	81	81	81	81	80	78	77	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	75	75	75	75	75	75	75	75	74	83	93	82	0
MCV1	79	79	79	79	79	79	74	69	63	71	85	61	0
MCV2	75	75	75	75	75	65	55	45	34	56	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	26	26
Percentage of districts reporting	...	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	77	69
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DTwP	4-5 years	MMR	1, 4-5 years
DTwPHibHepB	2, 4, 6, 18 months	OPV	4, 6, 18 months; 4-5, 10-12 years
HepB	birth		
IPV	2 months	Td	10-12, 16-18 years
Measles	9 months		

2013

Births.....	57,000
Surviving infants.....	54,000
Total population.....	2,074,000
Infant mortality rate (per 1,000 live births).....	73
Under-five mortality rate (per 1,000 live births).....	98
Gross national income per capita (PPP, US\$).....	1,550
Percentage of routine EPI vaccines financed by government.....	54
Home-based vaccination records (percent).....	92 (2013, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	87	87	87	90	92	95	95	95	96	88	96	89	81
DTP1	97	97	97	97	96	96	96	96	95	87	95	91	75
DTP3	96	96	96	93	91	88	88	89	89	83	88	82	56
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	96	96	96	93	91	88	90	91	87	0	0	0	...
Hib3	96	96	96	94	91	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	95	95	95	92	89	86	87	88	88	82	88	82	56
MCV1	92	92	92	88	84	80	81	82	83	74	83	80	49
MCV2	82	82	82	81	81	80	80	80	68	0	...	...	...
PAB	83	83	83	83	83	83	82	80	79	73	61	0	0

## District coverage (as reported)

	2013	2012
Number of districts in country	10	10
Percentage of districts reporting	99	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	20 10 80 80 0 10
MCV1: proportion of districts with coverage at 95% or above (%)	0	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	80	100

## Immunization schedule

BCG	birth	Measles	9, 18 months
DT	18 months	OPV	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	pregnant women;
HPV	9-13 years	Vitamin A	6, 12, 18, 24, 30, 36 months

2013

Births.....	152,000
Surviving infants.....	143,000
Total population.....	4,294,000
Infant mortality rate (per 1,000 live births).....	54
Under-five mortality rate (per 1,000 live births).....	71
Gross national income per capita (PPP, US\$).....	410
Percentage of routine EPI vaccines financed by government.....	28
Home-based vaccination records (percent).....	77 (2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	87	85	85	73	87	85	77	77	76	78	0	0	0
DTP1	97	97	86	80	90	85	80	75	75	80	0	0	0
DTP3	89	93	77	70	81	75	65	60	60	46	0	0	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	89	93	77	47	64	64	0	0	0	0	0	0	...
Hib3	89	93	77	47	64	64	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	88	93	77	71	84	79	67	66	66	56	0	0	0
MCV1	74	80	71	65	83	76	71	63	62	63	0	0	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	91	91	91	91	91	91	90	73	60	51	55	33	0

## District coverage (as reported)

	2013	2012
Number of districts in country	15	15
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 13 7</li> <li>at 80% or above 87 93</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	0	13
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	33	60

## Immunization schedule

BCG	birth	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
DTwPHibHepB	6, 10, 14 weeks		
Measles	9 months	Vitamin A	6, 12 months
OPV	birth; 6, 10, 14 weeks	YF	9 months
Pneumo_conj	6, 10, 14 weeks		

2013

Births.....	129,000
Surviving infants.....	127,000
Total population.....	6,202,000
Infant mortality rate (per 1,000 live births).....	12
Under-five mortality rate (per 1,000 live births).....	15
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	81 (2007, OCS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	98	99	90	88
DTP1	99	99	99	98	98	98	98	98	98	97	98	94	82
DTP3	98	98	98	98	98	98	98	98	98	94	95	84	60
HepBB	99	99	99	99	99	99	99	99	99	0	...	...	...
HepB3	98	98	98	98	98	98	98	98	97	92	92	0	...
Hib3	98	98	98	98	98	98	56	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	98	98	98	98	98	98	98	94	95	84	60
MCV1	98	98	98	98	98	98	98	98	97	93	92	89	61
MCV2	97	97	97	97	97	97	97	96	95	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	30
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 100
MCV1: proportion of districts with coverage at 95% or above (%)	...	57
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	MMR	12, 18 months
DT	6 years	OPV	birth; 2, 4, 6, 18 months; 6 years
DTwP	18 months		
DTwPHibHep	2, 4, 6 months	Pneumo_conj	2, 4, 6 months
HepB	birth	Rotavirus	2, 4, 6 months
HPV	15 years (x3)	Td	15 years
MenACWY	6 years		

Births.....	34,000
Surviving infants.....	34,000
Total population.....	3,017,000
Infant mortality rate (per 1,000 live births).....	4
Under-five mortality rate (per 1,000 live births).....	5
Gross national income per capita (PPP, US\$).....	14,900
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	98	98	99	99	99	99	99	99	99	97	...	...
DTP1	97	97	95	98	98	96	99	98	98	99	96	...	...
DTP3	93	93	92	95	98	96	95	94	94	94	90	...	...
HepBB	98	96	96	98	98	92	99	99	99	99	...	...	...
HepB3	93	93	95	94	95	96	96	95	95	98	0	...	...
Hib3	93	93	92	95	98	96	95	94	61	2	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	93	93	92	95	98	96	95	94	93	92	89	...	...
MCV1	93	93	94	96	96	97	97	97	97	97	94	...	...
MCV2	92	93	94	95	94	96	96	94	95	97	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	53	52
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 2 0</li> <li>at 80% or above 98 100</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	42	42
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

## Immunization schedule

BCG	3 days	HepB	birth; 1, 6 months
DT	15-16 years	MMR	15-16 months; 6-7 years
DTaPHibIPV	2, 4, 6, 18 months	Pneumo_conj	2, 4, 12-15 months
DTaPIPV	6-7 years		

2013

Births.....	6,000
Surviving infants.....	6,000
Total population.....	530,000
Infant mortality rate (per 1,000 live births).....	2
Under-five mortality rate (per 1,000 live births).....	2
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	99 (2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	99	99	99	99	99	99	99	99	99	99	98	96	0
DTP3	99	99	99	99	99	99	99	99	99	99	97	90	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	94	94	95	94	95	94	87	95	95	77	0	0	...
Hib3	98	99	99	98	99	98	99	99	98	93	0	0	...
rota (last)	89	88	88	87	86	0	0	0	...	...	...	...	...
PcV3	95	95	86	86	86	86	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	99	99	99	99	98	96	90	0
MCV1	95	99	96	96	96	96	96	96	95	91	88	80	0
MCV2	82	0	0	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%  
Between 50-79%  
at 80% or above

## Immunization schedule

DTaPHibHepIPV	2, 3, 13 months	MenC_conj	13 months
DTaPHibIPV	4 months	MMRV	12, 15-23 months
DTaPIPv	5-6 years 15-16 years	Pneumo_conj	2, 4, 12 months
HPV	12-18 years	Pneumo_ps	60 years
Influenza	>=65 years	Rotavirus	2, 3 months

2013

Births.....	797,000
Surviving infants.....	768,000
Total population.....	22,925,000
Infant mortality rate (per 1,000 live births).....	40
Under-five mortality rate (per 1,000 live births).....	56
Gross national income per capita (PPP, US\$).....	440
Percentage of routine EPI vaccines financed by government.....	6
Home-based vaccination records (percent).....	46 (2013, OCS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	77	78	82	76	78	83	94	95	92	72	72	67	21
DTP1	80	80	80	78	80	84	92	93	88	74	80	71	0
DTP3	74	70	73	70	77	77	84	85	85	57	57	46	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	74	70	73	70	77	77	84	82	81	0	0	0	...
Hib3	74	70	73	71	77	52	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	92	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	73	71	73	70	76	77	83	83	80	58	56	46	0
MCV1	63	61	62	66	63	70	81	71	74	57	55	47	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	78	78	78	76	76	76	72	71	66	58	38	45	0

## District coverage (as reported)

	2013	2012	
Number of districts in country	112	112	
Percentage of districts reporting	100	100	
DTP3: proportion of districts with coverage (%)	below 50%	0	1
	Between 50-79%	24	31
	at 80% or above	76	68
MCV1: proportion of districts with coverage at 95% or above (%)	30	22	
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	62	49	

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Rotavirus	6, 10 weeks
HPV	9 years; +1, +5 months	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
Measles	9 months		
OPV	birth; 6, 10, 14 weeks		

2013

Births.....	652,000
Surviving infants.....	596,000
Total population.....	16,363,000
Infant mortality rate (per 1,000 live births).....	44
Under-five mortality rate (per 1,000 live births).....	68
Gross national income per capita (PPP, US\$).....	270
Percentage of routine EPI vaccines financed by government.....	53
Home-based vaccination records (percent).....	81 (2010, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	96	99	99	97	95	97	95	99	99	83	97	97	0
DTP1	96	99	98	97	97	97	96	99	99	98	96	95	80
DTP3	89	96	97	93	93	91	87	99	93	75	89	87	58
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	89	96	97	93	93	91	87	99	93	0	0	0	...
Hib3	89	96	97	93	93	91	87	99	93	0	0	0	...
rota (last)	81	7	0	0	0	0	0	0	...	...	...	...	...
PcV3	89	99	0	0	0	0	...	...	...	...	...	...	...
Pol3	89	95	97	86	93	92	88	99	94	73	90	93	28
MCV1	88	90	96	93	92	88	83	85	82	73	90	81	49
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	89	89	87	87	87	87	86	88	86	84	87	81	0

## District coverage (as reported)

	2013	2012
Number of districts in country	28	28
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 7 93
MCV1: proportion of districts with coverage at 95% or above (%)	29	39
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	75	82

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Rotavirus	6, 10 weeks
HPV	1st contact; +2, +4 months (subnational)	TT	1st contact; +1, +6 months; +1, +1 year
Measles	9 months	Vitamin A	6, 12, 18, 24, 30, 36 months
OPV	6, 10, 14 weeks		

Births.....	525,000
Surviving infants.....	523,000
Total population.....	29,717,000
Infant mortality rate (per 1,000 live births).....	7
Under-five mortality rate (per 1,000 live births).....	9
Gross national income per capita (PPP, US\$).....	10,400
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	98	98	99	98	99	94
DTP1	99	99	98	98	99	99	99	98	98	99	98	95	86
DTP3	97	97	96	96	97	97	97	95	96	98	98	90	67
HepBB	87	91	95	95	95	99	90	90	90	92	...	...	...
HepB3	96	97	96	96	96	97	96	95	96	97	96	86	...
Hib3	97	99	95	95	95	95	90	89	85	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	97	97	96	96	97	97	97	95	96	98	98	90	67
MCV1	95	95	95	95	95	95	95	95	96	96	97	70	0
MCV2	99	99	95	95	95	93	92	90	90	0	...	...	...
PAB	90	90	90	87	87	87	87	88	88	88	84	82	20

### District coverage (as reported)

	2013	2012
Number of districts in country	142	142
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)		
below 50%	0	0
Between 50-79%	9	8
at 80% or above	91	92
MCV1: proportion of districts with coverage at 95% or above (%)	47	66
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

### Immunization schedule

BCG	birth	Measles	6 months; 7 years
DT	7 years		(subnational)
DTaPHibIPV	2, 3, 5, 18 months	MenACWY	(subnational)
HepB	birth; 1, 6 months	MMR	1 year
HPV	13 years; +1, +6 months	OPV	7 years
JapEnc	9, 10, 18 months; 5, 8, 11 years (subnational)	TT	15 years
		Typhoid	(subnational; food handlers)
		YF	(travelers)

## 2013

Births.....	8,000
Surviving infants.....	8,000
Total population.....	345,000
Infant mortality rate (per 1,000 live births).....	8
Under-five mortality rate (per 1,000 live births).....	10
Gross national income per capita (PPP, US\$).....	5,600
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	89 (2009, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	98	97	99	98	98	99	97	99	99	99	7
DTP1	99	99	97	97	99	99	99	98	99	98	99	97	22
DTP3	99	99	96	96	98	98	98	98	98	98	94	94	4
HepBB	99	99	98	97	99	99	99	99	99	62	...	...	...
HepB3	99	99	96	97	98	98	98	98	98	96	80	0	...
Hib3	58	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	96	97	98	98	98	98	98	98	97	94	4
MCV1	99	98	96	97	98	97	97	97	97	99	96	96	0
MCV2	99	99	96	96	96	76	56	0	0	0	...	...	...
PAB	95	95	95	95	95	95	94	94	94	95	92	86	8

### District coverage (as reported)

	2013	2012	
Number of districts in country	20	20	
Percentage of districts reporting	100	...	
DTP3: proportion of districts with coverage (%)	below 50%	0	0
	Between 50-79%	0	0
	at 80% or above	105	100
MCV1: proportion of districts with coverage at 95% or above (%)	105	100	
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100	

### Immunization schedule

BCG	birth	MMR	18 months
DTwPHibHepB	2, 4, 6 months	OPV	birth; 2, 4, 6 months
HepB	birth	TT	1st contact; +1, +6 months; +1, +1 year
Influenza	> 15 years		
Measles	9 months	Vitamin A	9, 18, 24, 30, 36, 42 months
MenACWY	>= 15 years		

2013

Births.....	723,000
Surviving infants.....	661,000
Total population.....	15,302,000
Infant mortality rate (per 1,000 live births).....	78
Under-five mortality rate (per 1,000 live births).....	123
Gross national income per capita (PPP, US\$).....	670
Percentage of routine EPI vaccines financed by government.....	0
Home-based vaccination records (percent).....	65 (2010, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	87	87	87	84	84	86	86	86	83	69	76	82	0
DTP1	82	82	82	82	82	85	86	86	87	61	73	67	0
DTP3	74	74	72	76	73	74	74	78	77	43	49	42	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	74	74	72	76	73	74	74	90	83	0	0	0	...
Hib3	74	74	72	76	73	74	44	16	3	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	74	74	56	0	0	0	...	...	...	...	...	...	...
Pol3	81	81	78	80	77	74	76	79	78	53	49	42	0
MCV1	72	72	69	76	73	71	66	68	73	49	52	43	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	85	89	89	85	92	92	90	89	86	50	36	45	0

## District coverage (as reported)

	2013	2012
Number of districts in country	60	60
Percentage of districts reporting	97	86
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	13 13 7
MCV1: proportion of districts with coverage at 95% or above (%)	77	73
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	28	25
	45	48

## Immunization schedule

BCG	birth	Rotavirus	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
HPV	(subnational)	Vitamin A	6 months
Measles	9 months	YF	9 months
OPV	6, 10, 14 weeks		
Pneumo_conj	6, 10, 14 weeks		

2013

Births.....	4,000
Surviving infants.....	4,000
Total population.....	429,000
Infant mortality rate (per 1,000 live births).....	5
Under-five mortality rate (per 1,000 live births).....	6
Gross national income per capita (PPP, US\$).....	20,980
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	92	77	0
DTP1	99	99	99	97	91	88	84	85	94	97	97	84	0
DTP3	99	99	96	76	73	72	74	85	92	94	92	63	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	94	93	82	75	86	86	82	86	85	0	0	0	...
Hib3	99	99	96	76	73	72	72	83	83	93	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	96	76	73	72	76	83	94	94	92	86	0
MCV1	99	93	84	73	82	78	79	94	86	74	51	80	0
MCV2	88	91	85	85	85	83	77	86	60	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	1	1
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 0 100
MCV1: proportion of districts with coverage at 95% or above (%)	...	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

## Immunization schedule

BCG	birth	HPV	12 years; +1, +6 months
DTaPHibIPV	6 weeks; 3, 4, 18 months	MMR	13 months; 4 years
HepB	12, 13, 18 months	TdIPV	14-16 years

Births.....	1,000
Surviving infants.....	1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	31
Under-five mortality rate (per 1,000 live births).....	38
Gross national income per capita (PPP, US\$).....	4,200
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	49 (2006, OCS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	93	97	98	99	98	95	92	92	93	89	71	49	0
DTP1	73	97	99	99	99	99	99	90	89	64	88	97	0
DTP3	36	80	87	94	96	95	93	74	77	39	70	92	0
HepBB	70	85	92	99	98	94	90	90	99	99	...	...	...
HepB3	41	80	89	97	99	97	93	97	89	38	47	10	...
Hib3	21	67	80	92	99	92	83	60	69	45	0	0	...
rota (last)	45	60	43	25	71	0	0	0	...	...	...	...	...
PcV3	22	46	35	24	49	0	...	...	...	...	...	...	...
Pol3	36	80	88	95	99	96	91	95	88	36	64	89	0
MCV1	70	78	88	97	78	86	94	96	86	94	57	52	0
MCV2	42	58	74	90	66	79	91	60	71	6	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	3	3
Percentage of districts reporting	...	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 100
MCV1: proportion of districts with coverage at 95% or above (%)	0	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	...

### Immunization schedule

BCG	birth	MenC_conj	11-12 years
DTaP	2, 4, 6, 12 months; 4-6 years	MMR	12, 15 months
DTaPHepIPV	2, 4, 6 months	OPV	2, 4, 6 months; 4-6 years
DTaPHibIPV	2, 4, 6 months	Pneumo_conj	2, 4, 6, 12 months
HepB	birth; 2, 6 months	Rotavirus	2, 4, 6 months
Hib	2, 4, 12 months	Tdap	11-12 years
HPV	11-12 years; +2, +6 months	Vitamin A	6-59 months
IPV	2, 4, 6 months		

2013

Births.....	133,000
Surviving infants.....	123,000
Total population.....	3,890,000
Infant mortality rate (per 1,000 live births).....	67
Under-five mortality rate (per 1,000 live births).....	90
Gross national income per capita (PPP, US\$).....	1,060
Percentage of routine EPI vaccines financed by government.....	2
Home-based vaccination records (percent).....	32 (2011, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	95	86	85	81	89	92	86	91	78	80	79	0
DTP1	95	95	91	82	79	88	92	85	85	73	93	69	0
DTP3	80	80	75	64	64	74	75	68	71	51	55	33	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	80	80	75	64	64	74	74	68	42	0	0	0	...
Hib3	80	80	75	64	64	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	1	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	80	80	73	52	63	73	75	68	71	58	56	33	0
MCV1	80	75	67	67	59	65	67	62	65	46	67	38	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	80	80	80	87	87	77	77	62	59	44	43	24	0

## District coverage (as reported)

	2013	2012
Number of districts in country	53	53
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	8 13 51 47 42 40
MCV1: proportion of districts with coverage at 95% or above (%)	6	8
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	25	32

## Immunization schedule

BCG	birth	OPV	birth; 6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Pneumo_conj	, 10, 14 weeks
HepB	birth	Td	1st contact or pregnancy;
Measles	9 months		+1, +6 months; +1, +1 year

## 2013

Births.....	14,000
Surviving infants.....	14,000
Total population.....	1,244,000
Infant mortality rate (per 1,000 live births).....	13
Under-five mortality rate (per 1,000 live births).....	14
Gross national income per capita (PPP, US\$).....	9,300
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	95	96	98	97	99	88	86	87	89
DTP1	99	99	99	99	99	99	97	99	99	88	97	95	96
DTP3	98	98	98	99	99	99	97	97	97	88	93	85	89
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	98	98	99	99	99	97	97	97	88	0	0	...
Hib3	98	98	98	99	99	99	96	96	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	98	99	99	99	96	98	97	88	93	86	90
MCV1	99	99	99	99	99	98	98	99	98	84	89	76	0
MCV2	85	90	89	90	85	83	80	85	78	0	...	...	...
PAB	95	95	95	95	87	87	86	85	86	79	78	61	1

### District coverage (as reported)

	2013	2012
Number of districts in country	10	10
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	30	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

BCG	1 month	Influenza	6months to 2 years >= 60 years
DT	18 months; 5 years		
DTaPHib	6, 10, 14 weeks; 18 months	MMR	12 months; 5 years
HepB	6, 10, 14 weeks	OPV	6, 10, 14 weeks; 18 months

Births.....	2,252,000
Surviving infants.....	2,220,000
Total population.....	122,332,000
Infant mortality rate (per 1,000 live births).....	13
Under-five mortality rate (per 1,000 live births).....	15
Gross national income per capita (PPP, US\$).....	9,940
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	64 (2012, OCS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	91	99	99	98	99	99	99	99	99	99	98	67	48
DTP1	90	99	99	96	98	98	99	99	99	99	97	77	69
DTP3	83	99	97	95	95	96	98	98	98	97	91	53	44
HepBB	82	90	98	84	0	0	0	0	0	0	...	...	...
HepB3	82	99	98	93	95	97	98	98	98	97	0	0	...
Hib3	83	99	97	95	95	96	98	98	98	97	0	0	...
rota (last)	81	99	98	90	93	47	0	0	...	...	...	...	...
PcV3	84	99	98	92	46	14	...	...	...	...	...	...	...
Pol3	83	99	97	95	95	96	98	98	98	97	92	66	91
MCV1	89	99	98	95	96	96	96	96	96	96	90	75	35
MCV2	76	92	97	91	92	94	85	91	97	98	...	...	...
PAB	88	88	88	88	87	87	87	87	86	81	71	59	5

## District coverage (as reported)

	2013	2012
Number of districts in country	2440	2432
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
below 50%	0	2
Between 50-79%	0	9
at 80% or above	0	89
MCV1: proportion of districts with coverage at 95% or above (%)	...	84
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	MR	11-12 years
DTaPHibIPV	2, 4, 6, 18 months	OPV	> 6 months; < 5 years
DTwP	4 years	Pneumo_conj	2, 4, 12 months
HepA	1 year	Pneumo_ps	>=50 years
HepB	birth; 2, 6 months	Rotavirus	2, 4, 6 months
Hib	2, 4, 6, 18 months	Td	11-12 years (x2) >12 years (x4)
HPV	9 years	Tdap	pregnant women
Influenza	6-35 months; >50 years	Varicella	1 year
IPV	2, 4, 6, 18 months	Vitamin A	6-59 months (x6)
MMR	1, 6 years		

# Micronesia (Federated States of)

2013

Births.....	2,000
Surviving infants.....	2,000
Total population.....	104,000
Infant mortality rate (per 1,000 live births).....	30
Under-five mortality rate (per 1,000 live births).....	36
Gross national income per capita (PPP, US\$).....	3,430
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	70	78	75	70	75	79	82	55	70	24	50	12	...
DTP1	98	97	96	90	97	87	86	83	98	92	94	95	...
DTP3	81	81	84	85	91	85	79	67	94	85	83	85	...
HepBB	69	81	81	80	88	87	86	90	93	65	...	...	...
HepB3	83	82	83	88	89	89	90	84	91	87	82	56	...
Hib3	68	66	72	70	73	73	79	59	74	75	0	0	...
rota (last)	33	45	40	70	0	0	0	0	...	...	...	...	...
PcV3	61	60	63	70	0	0	...	...	...	...	...	...	...
Pol3	81	81	83	85	81	88	79	81	94	85	81	85	...
MCV1	91	91	92	80	86	86	92	83	96	85	90	81	...
MCV2	75	70	75	75	82	84	86	85	84	50	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	4	4
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 25 75
MCV1: proportion of districts with coverage at 95% or above (%)	25	50
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	IPV	4 years
DTaP	12 months; 4 years	MMR	12, >=13 months
DTaPHepIPV	2, 4, 6 months	Pneumo_conj	2, 4, 6, 13 months
DTaPHibIPV	2, 4, 6 months	Rotavirus	2, 4, 6 months
HepB	birth	Td	>=11 years
Hib	2, 4, 12 months	Tdap	>=11 years
HPV	9 years; +2, +6 months	Vitamin A	6, 12, 18, 24, 30, 36 months
Influenza	6 months		

2013

Births.....	42,000
Surviving infants.....	42,000
Total population.....	3,487,000
Infant mortality rate (per 1,000 live births).....	13
Under-five mortality rate (per 1,000 live births).....	15
Gross national income per capita (PPP, US\$).....	2,460
Percentage of routine EPI vaccines financed by government.....	24
Home-based vaccination records (percent).....	90 (2005, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	96	99	98	98	96	98	98	99	97	99	95	...	...
DTP1	96	97	96	93	88	96	95	97	98	98	98	...	...
DTP3	90	92	93	90	85	90	92	97	98	95	96	...	...
HepBB	95	99	99	98	98	99	99	99	99	93	...	...	...
HepB3	91	94	96	98	89	97	95	98	99	92	19	...	...
Hib3	89	90	78	63	47	0	0	0	0	0	0	...	...
rota (last)	65	21	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	92	92	96	97	87	96	93	98	99	97	97	...	...
MCV1	91	91	91	97	90	95	96	96	97	89	91	...	...
MCV2	94	95	96	98	98	97	95	99	98	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	44	44
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 7 93
MCV1: proportion of districts with coverage at 95% or above (%)	41	50
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	93	93

## Immunization schedule

BCG	2 days; 7 years	OPV	2, 4, 6, 22 months; 7, 15 years
DT	7 years		
DTwP	22 months	Pneumo_conj	2, 4, 12 months
DTwPHibHepB	2, 4, 6 months	Rotavirus	2, 4 months
HepB	birth;	Td	15, 20, 25, 30, 35, 40, 50, 60 years
MMR	12 months; 7, 15 years		

Births.....	<1,000
Surviving infants.....	<1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	89	89	89	89	89	89	89	89	89	97	90	99	0
DTP1	99	99	99	99	99	99	99	99	99	99	99	99	0
DTP3	99	99	99	99	99	99	99	99	99	99	99	99	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	99	99	99	99	99	99	99	99	99	99	0	0	...
Hib3	99	99	99	99	99	99	99	99	99	99	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	99	99	99	99	99	99	99	0
MCV1	99	99	99	99	99	99	99	99	99	99	99	99	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%

Between 50-79%

at 80% or above

### Immunization schedule

BCG	birth	HPV	14 years; +2, +6 months
DTaPHibHepIPV	4, 16-18 months (subnational)	IPV	26-28 years
DTaPHibIPV	3 months	MenC_conj	12 months
DTaPIPV	11-13, 26-28 years	MMR	12, 13-24 months
DTIPV	6 years	Pneumo_conj	2, 4, 12 months
		TdaPIPV	26-28 years

2013

Births.....	64,000
Surviving infants.....	63,000
Total population.....	2,839,000
Infant mortality rate (per 1,000 live births).....	26
Under-five mortality rate (per 1,000 live births).....	32
Gross national income per capita (PPP, US\$).....	3,770
Percentage of routine EPI vaccines financed by government.....	95
Home-based vaccination records (percent).....	85 (2010, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	98	98	99	98	99	97	94	81	51
DTP1	98	99	99	98	95	98	95	99	99	95	96	94	91
DTP3	98	99	99	96	95	96	95	99	99	94	88	84	76
HepBB	97	97	96	95	98	94	97	98	89	96	...	...	...
HepB3	98	99	99	96	97	96	98	98	98	93	88	0	...
Hib3	98	99	99	96	97	96	78	56	28	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	99	99	96	96	95	99	98	99	94	86	87	86
MCV1	97	99	98	97	94	97	98	99	97	92	85	92	17
MCV2	97	98	98	95	97	96	97	96	98	75	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	339	338
Percentage of districts reporting	91	100
DTP3: proportion of districts with coverage (%)		
below 50%	0	0
Between 50-79%	0	0
at 80% or above	100	100
MCV1: proportion of districts with coverage at 95% or above (%)	96	96
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	99	100

## Immunization schedule

BCG	birth	HepB	birth
DT	7, 15 years	MMR	9 months; 2 years
DTwPHibHepB	2, 3, 4 months	OPV	birth; 2, 3, 4 months
HepA	14 months; 2 years		

2013

Births.....	7,000
Surviving infants.....	7,000
Total population.....	621,000
Infant mortality rate (per 1,000 live births).....	5
Under-five mortality rate (per 1,000 live births).....	5
Gross national income per capita (PPP, US\$).....	7,260
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	71 (2006, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	93	95	97	95	95	98	98	98	...	...	...	...	...
DTP1	98	98	98	97	96	98	98	95	...	...	...	...	...
DTP3	94	94	95	94	92	95	92	90	...	...	...	...	...
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	90	90	91	90	87	93	90	90	...	...	...	...	...
Hib3	94	94	90	90	87	93	89	90	...	...	...	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	94	94	95	93	91	95	92	90	...	...	...	...	...
MCV1	88	90	91	90	86	89	90	90	...	...	...	...	...
MCV2	94	97	97	97	96	96	95	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	21	21
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 0 0</li> <li>at 80% or above 100 100</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	33	48
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

## Immunization schedule

BCG	birth	Hib	18 months
DT	6 years	MMR	12 months; 6 years
DTaP	18 months	OPV	18 months; 6, 14 years
DTaPHibIPV	9, 17, 23 weeks	Td	14 years
HepB	9, 13 weeks; 8 months		

2013

Births.....	750,000
Surviving infants.....	731,000
Total population.....	33,008,000
Infant mortality rate (per 1,000 live births).....	26
Under-five mortality rate (per 1,000 live births).....	30
Gross national income per capita (PPP, US\$).....	3,030
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	78 (2004, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	96	95	95	97	96	96	0
DTP1	99	99	99	99	99	99	98	99	99	98	94	93	0
DTP3	99	99	99	99	99	99	95	97	98	95	90	81	0
HepBB	14	9	4	20	0	0	0	0	0	0	...	...	...
HepB3	99	99	98	98	98	97	95	95	96	43	0	0	...
Hib3	99	99	99	99	99	99	91	0	0	0	0	0	...
rota (last)	90	88	80	2	0	0	0	0	...	...	...	...	...
PcV3	80	72	23	1	0	0	...	...	...	...	...	...	...
Pol3	99	99	98	99	99	99	95	97	98	95	90	81	0
MCV1	99	99	99	98	98	96	95	95	97	93	88	79	0
MCV2	0	0	0	0	0	0	92	92	92	0	...	...	...
PAB	89	89	89	89	87	90	88	87	89	86	80	66	0

## District coverage (as reported)

	2013	2012
Number of districts in country	81	81
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 1 100 99
MCV1: proportion of districts with coverage at 95% or above (%)	63	80
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	95	95

## Immunization schedule

BCG	1 month	Pneumo_conj	2, 4, 12 months
DTwP	18 months; 5 years	Rotavirus	2, 3 months
DTwPHibHepB	2, 3, 4 months	TT	1st contact; +1, +6 months; +1, +1 year
HepB	birth	Vitamin A	6, 12, 18 months
Measles	9 months		
OPV	1, 2, 3, 4, 18 months; 5		

Births.....	1,005,000
Surviving infants.....	932,000
Total population.....	25,834,000
Infant mortality rate (per 1,000 live births).....	62
Under-five mortality rate (per 1,000 live births).....	87
Gross national income per capita (PPP, US\$).....	590
Percentage of routine EPI vaccines financed by government.....	23
Home-based vaccination records (percent).....	83 (2011, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	93	91	91	90	90	90	90	90	90	84	78	59	0
DTP1	93	91	91	91	89	87	85	86	87	84	75	71	0
DTP3	78	76	76	74	74	75	75	78	80	70	57	46	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	78	76	76	74	74	75	75	75	75	0	0	0	...
Hib3	78	76	76	74	74	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	45	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	78	73	73	73	74	74	75	73	71	69	57	46	0
MCV1	85	82	82	82	80	77	75	76	78	71	71	59	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	83	83	83	83	83	83	82	81	77	75	53	37	0

### District coverage (as reported)

	2013	2012
Number of districts in country	148	148
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 3 0</li> <li>Between 50-79% 11 8</li> <li>at 80% or above 86 92</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	30	43
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	49	60

### Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact; +1, +6 months; +1, +1 year
HPV	10 years		
Measles	9 months	Vitamin A	6, 12, 18, 24, 30, 36 months
OPV	6, 10, 14 weeks		

2013

Births.....	917,000
Surviving infants.....	872,000
Total population.....	53,259,000
Infant mortality rate (per 1,000 live births).....	40
Under-five mortality rate (per 1,000 live births).....	51
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	96 (2010, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	86	87	93	93	93	88	89	85	76	88	90	95	9
DTP1	90	89	88	93	93	88	89	86	76	87	94	96	22
DTP3	75	84	84	90	90	85	86	82	73	82	84	88	4
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	72	55	38	90	90	84	85	75	62	0	0	0	...
Hib3	72	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	76	87	90	90	90	85	84	82	86	88	84	88	0
MCV1	86	84	88	88	87	82	81	78	84	84	82	68	0
MCV2	80	0	80	75	65	57	0	0	0	0	...	...	...
PAB	87	93	93	93	93	93	93	92	89	79	80	62	3

## District coverage (as reported)

	2013	2012
Number of districts in country	330	330
Percentage of districts reporting	99	96
DTP3: proportion of districts with coverage (%)	below 50%	8
	Between 50-79%	45
	at 80% or above	45
MCV1: proportion of districts with coverage at 95% or above (%)	26	22
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	22	76

## Immunization schedule

	birth	TT	1st contact pregnancy; +4 weeks
BCG			
DTwPHibHepB	2, 4, 6 months		
Measles	9, 18 months	Vitamin A	6-59, 13-59 months
OPV	2, 4, 6 months		

## 2013

Births.....	60,000
Surviving infants.....	58,000
Total population.....	2,303,000
Infant mortality rate (per 1,000 live births).....	35
Under-five mortality rate (per 1,000 live births).....	50
Gross national income per capita (PPP, US\$).....	5,840
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	88 (2012, EPI)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	94	90	89	88	85	88	95	88	95	77	92	...	...
DTP1	94	89	88	87	87	88	88	91	93	90	90	...	...
DTP3	89	84	82	83	83	83	86	86	86	79	74	...	...
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	89	84	82	83	0	0	0	0	0	0	0	...	...
Hib3	89	84	82	83	0	0	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	89	84	85	83	83	83	81	74	86	80	73	...	...
MCV1	82	76	74	75	76	73	69	63	73	69	68	...	...
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	83	83	83	83	82	82	82	81	80	74	40	0	0

### District coverage (as reported)

	2013	2012									
Number of districts in country	35	34									
Percentage of districts reporting	100	...									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>0</td> <td>0</td> </tr> <tr> <td>Between 50-79%</td> <td>9</td> <td>32</td> </tr> <tr> <td>at 80% or above</td> <td>89</td> <td>68</td> </tr> </table>	below 50%	0	0	Between 50-79%	9	32	at 80% or above	89	68	
below 50%	0	0									
Between 50-79%	9	32									
at 80% or above	89	68									
MCV1: proportion of districts with coverage at 95% or above (%)	20	12									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	86	88									

### Immunization schedule

BCG	birth	Measles	9 months
DT	5 years	OPV	birth; 6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Vitamin A	9 months

2013

Births.....	<1,000
Surviving infants.....	<1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	30
Under-five mortality rate (per 1,000 live births).....	37
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	95 (2007, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	90	93	78	93	0
DTP1	98	98	99	99	99	99	99	98	90	85	79	90	0
DTP3	79	79	99	99	99	99	99	72	80	44	56	74	0
HepBB	99	99	99	99	99	99	99	99	98	98	...	...	...
HepB3	79	79	99	99	99	99	99	99	80	58	57	0	...
Hib3	79	79	99	99	99	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	79	79	99	99	99	99	99	90	80	27	56	74	0
MCV1	96	96	99	99	99	99	99	99	80	8	0	0	0
MCV2	81	81	99	99	92	99	99	97	50	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	1
Percentage of districts reporting	...	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	... 0 ... 0 ... 100
MCV1: proportion of districts with coverage at 95% or above (%)	...	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	0

## Immunization schedule

BCG	birth	MR	12, 15 months
DTwPHibHepB	6, 10, 14 weeks	OPV	6, 10, 14 week; 18 months;
HepB	birth		4 years

Births.....	584,000
Surviving infants.....	564,000
Total population.....	27,797,000
Infant mortality rate (per 1,000 live births).....	32
Under-five mortality rate (per 1,000 live births).....	40
Gross national income per capita (PPP, US\$).....	730
Percentage of routine EPI vaccines financed by government.....	46
Home-based vaccination records (percent).....	34 (2011, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	96	97	94	94	87	89	93	87	84	76	74	22
DTP1	94	90	96	85	94	84	85	93	81	84	77	68	28
DTP3	92	90	92	82	89	82	82	89	75	74	54	43	8
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	92	90	92	82	89	82	82	69	41	0	0	0	...
Hib3	92	90	92	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	92	90	92	83	93	82	82	91	78	74	50	42	0
MCV1	88	86	88	86	90	79	81	85	74	71	56	57	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	82	82	82	81	81	81	84	86	88	67	48	35	1

## District coverage (as reported)

	2013	2012
Number of districts in country	75	75
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)		
below 50%	1	1
Between 50-79%	8	35
at 80% or above	91	64
MCV1: proportion of districts with coverage at 95% or above (%)	33	29
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	96	96

## Immunization schedule

BCG	birth	MR	9 months
DTwPHibHepB	6, 10, 14 weeks	OPV	6, 10, 14 weeks
JapEnc	12 months (subnational)	Vitamin A	6 months

2013

Births.....	179,000
Surviving infants.....	179,000
Total population.....	16,759,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	47,440
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	99	99	99	99	99	99	98	98	99	99	98	98	98
DTP3	97	97	97	97	97	97	96	96	98	97	97	97	96
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	95	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	97	97	97	97	97	97	96	96	97	96	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	96	96	96	96	96	0	...	...	...	...	...	...	...
Pol3	97	97	97	97	97	97	96	96	98	97	97	97	96
MCV1	96	96	96	96	96	96	96	95	96	96	94	94	91
MCV2	92	93	93	92	93	93	92	95	98	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	403	408
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 2 2 98 98
MCV1: proportion of districts with coverage at 95% or above (%)	79	81
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DTaPHibHepIPV	2, 3, 4, 11 months	HPV	12 years, + 1 month, + 6 month
DTaPIPv	4 years	MenC_conj	14 months
DTIPV	9 years	MMR	14 months; 9 years
HepB	<48 hrs after birth	Pneumo_conj	2, 3, 4, 11 months

2013

Births.....	62,000
Surviving infants.....	62,000
Total population.....	4,506,000
Infant mortality rate (per 1,000 live births).....	5
Under-five mortality rate (per 1,000 live births).....	6
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	93	94	95	95	94	91	91	92	92	96	96	96	91
DTP3	92	93	95	93	92	89	88	89	89	90	89	90	76
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	93	93	95	90	93	90	88	87	87	90	88	0	...
Hib3	92	93	94	89	98	86	78	80	80	90	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	93	92	92	89	87	0	...	...	...	...	...	...	...
Pol3	92	93	95	93	92	89	88	89	89	82	87	90	0
MCV1	92	92	93	91	89	86	79	82	82	85	84	90	80
MCV2	86	85	86	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	20	20
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 ...</li> <li>Between 50-79% 0 ...</li> <li>at 80% or above 0 0</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	0	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

DTaPHibHepIPV	6 weeks; 3, 5 months	MMR	15 months; 4 years
DTaPIPV	4 years	Pneumo_conj	6 weeks; 3, 5, 15 months
Hib	15 months	Rotavirus	6 weeks; 3, 5 months
HPV	12 years	Td	45, 65 years
Influenza	<18 years > 64 years	Tdap	11 years

2013

Births.....	138,000
Surviving infants.....	136,000
Total population.....	6,080,000
Infant mortality rate (per 1,000 live births).....	20
Under-five mortality rate (per 1,000 live births).....	24
Gross national income per capita (PPP, US\$).....	1,780
Percentage of routine EPI vaccines financed by government.....	74
Home-based vaccination records (percent).....	79 (2007, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	98	98	98	98	98	98	98	88	96	93	84	34
DTP1	99	99	99	99	99	99	94	94	92	97	93	88	39
DTP3	98	98	98	98	98	97	93	88	86	83	80	70	16
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	98	98	98	98	97	93	88	86	83	0	0	...
Hib3	98	98	98	98	98	97	93	88	86	83	0	0	...
rota (last)	98	98	98	98	94	89	66	0	...	...	...	...	...
PcV3	98	98	61	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	97	93	88	87	85	83	90	21
MCV1	99	99	99	99	99	99	99	99	96	86	85	82	15
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	81	81	81	81	80	80	80	85	87	83	68	39	0

## District coverage (as reported)

	2013	2012
Number of districts in country	153	153
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)		
below 50%	1	1
Between 50-79%	8	5
at 80% or above	91	93
MCV1: proportion of districts with coverage at 95% or above (%)	80	80
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	91	90

## Immunization schedule

BCG	birth	OPV	2, 4, 6 months
DTwP	18 months; 6 years	Pneumo_conj	2, 4, 6 months
DTwPHibHep	2, 4, 6 months	Rotavirus	2, 4, 6 months
HepB	1st contact; +1, +5 months	Td	10, 20 years
Influenza	6-23 months; >= 50 years	Vitamin A	6 months; 2, 3, 4 years
MMR	1 year		

Births.....	890,000
Surviving infants.....	843,000
Total population.....	17,831,000
Infant mortality rate (per 1,000 live births).....	60
Under-five mortality rate (per 1,000 live births).....	104
Gross national income per capita (PPP, US\$).....	410
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	65 (2012, DHS-MICS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	49	97	61	85	86	78	73	69	64	50	53	50	0
DTP1	85	85	86	83	81	76	68	63	58	46	42	46	0
DTP3	70	74	75	70	71	67	57	51	45	34	23	22	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	70	74	75	70	71	0	0	0	0	0	0	0	...
Hib3	70	74	75	70	71	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	63	78	44	75	71	68	57	52	46	41	23	22	0
MCV1	67	66	69	67	69	66	60	53	47	37	40	25	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	81	84	84	84	84	84	79	73	69	63	57	17	0

### District coverage (as reported)

	2013	2012									
Number of districts in country	42	42									
Percentage of districts reporting	100	...									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>0</td> <td>0</td> </tr> <tr> <td>Between 50-79%</td> <td>10</td> <td>2</td> </tr> <tr> <td>at 80% or above</td> <td>90</td> <td>98</td> </tr> </table>	below 50%	0	0	Between 50-79%	10	2	at 80% or above	90	98	
below 50%	0	0									
Between 50-79%	10	2									
at 80% or above	90	98									
MCV1: proportion of districts with coverage at 95% or above (%)	45	43									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	90	79									

### Immunization schedule

BCG	birth	Rotavirus	6, 10 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact or pregnancy, +4 weeks; +6 months; +1, +1 years
HPV	11 years +3, +7 months (subnational)	Vitamin A	6, 11 months
Measles	9, 16 months	YF	9 months
OPV	birth; 6, 10, 14 weeks		
Pneumo_conj	6, 10, 14 weeks		

2013

Births.....	7,173,000
Surviving infants.....	6,635,000
Total population.....	173,615,000
Infant mortality rate (per 1,000 live births).....	74
Under-five mortality rate (per 1,000 live births).....	117
Gross national income per capita (PPP, US\$).....	2,710
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	40; 24 (2010, EPI; 2011, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	80	73	46	62	76	65	53	52	49	44	42	80	0
DTP1	63	32	33	60	73	63	52	49	48	42	59	79	0
DTP3	58	26	30	54	63	53	42	40	36	29	34	56	0
HepBB	37	32	31	29	20	11	2	0	0	0	...	...	...
HepB3	63	47	31	49	63	41	42	27	18	0	0	0	...
Hib3	46	10	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	67	52	49	54	66	60	54	46	45	31	31	55	0
MCV1	59	37	52	56	64	53	41	44	41	33	44	54	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	60	60	60	69	67	64	63	63	62	57	44	32	0

## District coverage (as reported)

	2013	2012
Number of districts in country	774	774
Percentage of districts reporting	98	89
DTP3: proportion of districts with coverage (%)	below 50%	5
	Between 50-79%	24
	at 80% or above	72
MCV1: proportion of districts with coverage at 95% or above (%)	51	25
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	61	39

## Immunization schedule

BCG	birth	Measles	9 months
DTwP	6, 10, 14 weeks	OPV	birth; 6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	+1, +6 months
HepB	birth; 6, 14 weeks	YF	9 months

Births.....	<1,000
Surviving infants.....	<1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	21
Under-five mortality rate (per 1,000 live births).....	25
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	98	99	96	99	92	99	85
DTP1	99	99	99	99	99	99	98	99	94	99	99	99	27
DTP3	99	98	98	99	99	99	98	99	84	99	99	99	7
HepBB	99	99	99	55	99	99	99	70	9	99	...	...	...
HepB3	99	98	98	99	99	99	98	99	85	99	90	0	...
Hib3	99	99	99	99	99	99	99	99	99	99	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	99	99	99	99	99	0	...	...	...	...	...	...	...
Pol3	99	98	98	99	99	99	98	99	85	99	99	99	76
MCV1	99	99	99	99	99	99	98	99	99	99	34	99	77
MCV2	99	98	98	99	99	99	99	99	70	99	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012	
Number of districts in country	1	1	
Percentage of districts reporting	100	100	
DTP3: proportion of districts with coverage (%)	below 50%	0	0
	Between 50-79%	0	0
	at 80% or above	100	100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100	
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100	

### Immunization schedule

BCG	birth	Influenza	65 years
DTaPHibHepIPV	6 weeks; 3, 5 months	MMR	15 months; 4 years
DTwPIPV	4 years	Pneumo_conj	6 weeks; 3, 5, 15 months
HepB	birth; 6 weeks; 3, 5 months	Td	11 years
Hib	15 months		

2013

Births.....	63,000
Surviving infants.....	62,000
Total population.....	5,043,000
Infant mortality rate (per 1,000 live births).....	2
Under-five mortality rate (per 1,000 live births).....	3
Gross national income per capita (PPP, US\$).....	102,610
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	99	99	99	99	99	99	99	99	99	99	98	95	0
DTP3	94	95	94	93	94	94	93	94	91	90	97	86	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	95	95	95	94	95	94	95	95	93	93	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	93	93	92	91	91	86	...	...	...	...	...	...	...
Pol3	94	95	94	93	94	94	93	94	91	91	92	84	0
MCV1	93	94	93	93	93	93	92	92	90	88	92	87	0
MCV2	91	91	94	97	96	95	93	91	91	90	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	19	19
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 100
MCV1: proportion of districts with coverage at 95% or above (%)	11	42
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DTaPHibIPV	3, 5, 12 months	IPV	15 years
DTaPIPv	7 years	MMR	15 months; 11 years
HepB	birth; 1, 6 months; adults	Pneumo_conj	3, 5, 12 months
HPV	12 years (x3)	TdIPV	15 years

2013

Births.....	74,000
Surviving infants.....	74,000
Total population.....	3,632,000
Infant mortality rate (per 1,000 live births).....	10
Under-five mortality rate (per 1,000 live births).....	11
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	98	98	96	96	51
DTP1	99	99	99	99	99	99	99	98	99	99	99	98	41
DTP3	98	98	99	99	98	99	99	98	99	99	99	98	18
HepBB	99	99	99	99	99	99	99	99	99	99	...	...	...
HepB3	97	97	99	98	97	98	99	98	98	99	99	0	...
Hib3	98	98	99	99	98	99	99	98	99	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	99	99	99	99	96	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	96	97	97	98	99	99	99	98	18
MCV1	99	99	99	99	99	98	97	96	98	99	98	98	22
MCV2	99	99	99	99	99	98	95	97	97	99	...	...	...
PAB	91	91	91	91	91	91	95	94	94	94	80	93	35

## District coverage (as reported)

	2013	2012
Number of districts in country	61	61
Percentage of districts reporting	...	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

## Immunization schedule

BCG	birth	OPV	4, 6, 18 months; 6, 18 years
DT	6 years	Pneumo_conj	2, 4, 13 months
DTwP	18 months	Rubella	15-49 years
DTwPHibHepB	2, 4, 6 months	Td	12, 17 years
HepB	birth;	Varicella	12 months
IPV	9 weeks	Vitamin A	9, 18 months
MMR	12, 18 months		

2013

Births.....	4,599,000
Surviving infants.....	4,303,000
Total population.....	182,143,000
Infant mortality rate (per 1,000 live births).....	69
Under-five mortality rate (per 1,000 live births).....	86
Gross national income per capita (PPP, US\$).....	1,380
Percentage of routine EPI vaccines financed by government.....	14
Home-based vaccination records (percent).....	36 (2013, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	85	85	84	90	81	83	84	85	81	74	73	80	6
DTP1	79	79	84	88	88	84	89	89	81	72	73	77	20
DTP3	72	72	74	82	71	62	75	78	77	62	58	54	2
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	72	72	78	82	78	65	75	78	70	0	0	0	...
Hib3	72	72	75	86	76	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	66	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	72	72	75	82	70	70	75	77	78	65	58	54	2
MCV1	61	61	63	69	57	67	67	71	73	59	47	50	1
MCV2	58	53	53	51	30	0	0	0	0	0	...	...	...
PAB	75	75	75	84	84	80	78	80	78	71	63	50	0

## District coverage (as reported)

	2013	2012
Number of districts in country	147	146
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	10 10 16 16 74 74
MCV1: proportion of districts with coverage at 95% or above (%)	59	59
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	59	53

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
Measles	9, 15 months		
OPV	birth; 6, 10, 14 weeks		

## 2013

Births.....	<1,000
Surviving infants.....	<1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	15
Under-five mortality rate (per 1,000 live births).....	18
Gross national income per capita (PPP, US\$).....	10,970
Percentage of routine EPI vaccines financed by government.....	0
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	99	99	99	99	99	99	99	98	98	98	99	99	...
DTP3	99	89	84	69	49	92	94	98	98	96	99	99	...
HepBB	99	99	99	99	99	67	99	98	99	99	...	...	...
HepB3	99	89	91	80	69	92	91	98	98	96	99	0	...
Hib3	99	89	85	66	48	92	95	98	98	96	0	0	...
rota (last)	99	89	89	76	15	0	0	0	...	...	...	...	...
PcV3	93	82	61	45	18	7	...	...	...	...	...	...	...
Pol3	99	89	98	68	48	92	94	98	98	96	99	99	...
MCV1	99	91	85	39	75	97	91	98	98	83	99	98	...
MCV2	86	86	83	39	79	77	83	98	95	75	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	...	1
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

### Immunization schedule

DTaP	15 months; 4-5 years	MenC_conj	11-18 years
DTaPHepIPV	6 week; 4, 6 months	MMR	12, 15 months
HepB	birth; 6 weeks; 6 months	Pneumo_conj	3, 5, 7, 15 months
Hib	6 weeks; 4, 6, 12 months	Rotavirus	6 week; 4, 6 months
HPV	9-26 years; +2, +6 months	Td	5-10 years
IPV	4-5 years	Tdap	7-49 years

2013

Births.....	132,000
Surviving infants.....	129,000
Total population.....	4,326,000
Infant mortality rate (per 1,000 live births).....	19
Under-five mortality rate (per 1,000 live births).....	22
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	83 (2010, MICS)

National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	98	98	98	99	99	99	99	99	92	91	...	...
DTP1	99	98	99	99	99	99	99	99	99	95	99	...	...
DTP3	99	97	99	99	97	96	99	96	96	93	99	...	...
HepBB	97	97	96	96	95	95	99	99	98	95	...	...	...
HepB3	99	99	99	98	97	96	98	97	99	95	93	...	...
Hib3	...	...	...	...	...	...	...	...	...	...	...	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	97	25	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	98	99	99	98	97	99	97	99	93	96	...	...
MCV1	99	98	99	98	97	96	98	99	98	93	73	...	...
MCV2	96	96	95	94	97	99	87	92	97	95	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

District coverage (as reported)

	2013	2012										
Number of districts in country	17	17										
Percentage of districts reporting	100	100										
DTP3: proportion of districts with coverage (%)	<table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td>below 50%</td> <td>...</td> <td>0</td> </tr> <tr> <td>Between 50-79%</td> <td>...</td> <td>0</td> </tr> <tr> <td>at 80% or above</td> <td>71</td> <td>100</td> </tr> </table>	below 50%	...	0	Between 50-79%	...	0	at 80% or above	71	100	...	0
below 50%	...	0										
Between 50-79%	...	0										
at 80% or above	71	100										
MCV1: proportion of districts with coverage at 95% or above (%)	...	100										
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100										

Immunization schedule

BCG	birth	IPV	1, 2 months
DT	6 years	MMR	12, 18 months
DTP	2, 4, 6 months	OPV	2, 4, 6, 18 months; 6 years
DTwP	18 months	Pneumo_conj	2, 4, 12 months
HepB	birth	Td	15 years

2013

Births.....	75,000
Surviving infants.....	74,000
Total population.....	3,864,000
Infant mortality rate (per 1,000 live births).....	15
Under-five mortality rate (per 1,000 live births).....	18
Gross national income per capita (PPP, US\$).....	10,700
Percentage of routine EPI vaccines financed by government.....	87
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	98	99	99	99	98	97	98	99	99	99	97	99
DTP1	93	99	98	96	95	93	97	96	95	99	95	95	72
DTP3	80	85	87	94	85	86	85	88	92	98	86	86	47
HepBB	79	87	93	89	78	80	83	79	75	0	...	...	...
HepB3	80	85	87	94	85	86	85	88	92	0	0	0	...
Hib3	80	85	87	94	85	86	85	88	92	0	0	0	...
rota (last)	87	92	95	89	78	74	66	82	...	...	...	...	...
PcV3	48	48	48	48	0	0	...	...	...	...	...	...	...
Pol3	81	87	91	95	85	86	84	98	88	99	86	86	70
MCV1	92	98	97	97	96	96	95	95	99	97	84	73	71
MCV2	68	72	81	73	76	79	83	86	89	88	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	79	77
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	1 13 87
MCV1: proportion of districts with coverage at 95% or above (%)	43	51
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	48	55

## Immunization schedule

BCG	birth	MR	>19 years
DT	<5 years	OPV	2, 4, 6, 18 months; 4 years
DTwP	4 years	Pneumo_conj	2, 4, 12 months
DTwPHib	18 months	Pneumo_ps	> 60 years
DTwPHibHep	2, 4, 6 months	Rotavirus	2, 4 months
HepA	12, 18 months	Tdap	10 years
HepB	birth;	Varicella	15, 18 months
HPV	10 years; +1, +6 months	Vitamin A	1 year
Influenza	6, 8 months; >60 years	YF	1, 10 year (subnational; high risk areas)
IPV	2, 4, 6, 15 months; 4 years		
MMR	12 months; 4 years		

2013

Births.....	212,000
Surviving infants.....	202,000
Total population.....	7,321,000
Infant mortality rate (per 1,000 live births).....	47
Under-five mortality rate (per 1,000 live births).....	61
Gross national income per capita (PPP, US\$).....	2,010
Percentage of routine EPI vaccines financed by government.....	25
Home-based vaccination records (percent).....	93 (2006, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	88	84	83	79	79	68	67	75	73	81	91	92	62
DTP1	88	85	83	80	80	70	76	85	80	84	97	97	57
DTP3	68	63	61	56	62	52	60	61	61	59	62	68	32
HepBB	37	35	31	31	26	27	29	35	0	0	...	...	...
HepB3	68	63	61	56	62	56	59	70	63	57	23	20	...
Hib3	68	63	61	56	62	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	69	70	58	61	68	65	61	56	50	47	68	68	29
MCV1	70	67	60	55	55	54	58	65	63	62	42	67	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	65	70	61	61	61	61	60	57	53	24	60	78	45

## District coverage (as reported)

	2013	2012
Number of districts in country	89	89
Percentage of districts reporting	70	81
DTP3: proportion of districts with coverage (%)	46	36
	below 50%	
	Between 50-79%	20
	at 80% or above	25
MCV1: proportion of districts with coverage at 95% or above (%)	31	39
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	26	30
	19	21

## Immunization schedule

BCG	birth	MR	9, 18 months
DTwPHibHepB	1, 2, 3 months	OPV	1, 2, 3 months
HepB	birth;	Pneumo_conj	1, 2, 3 months
IPV	3 months	TT	7, 13 years
Measles	6, 9 months	Vitamin A	6, 12 months

Births.....	162,000
Surviving infants.....	157,000
Total population.....	6,802,000
Infant mortality rate (per 1,000 live births).....	19
Under-five mortality rate (per 1,000 live births).....	22
Gross national income per capita (PPP, US\$).....	4,040
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	66 (2009, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	90	93	94	92	91	94	98	99	98	85	82	75	31
DTP1	93	96	97	96	94	96	99	99	97	95	87	86	40
DTP3	86	87	89	89	85	89	95	98	96	86	68	67	17
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	86	87	89	89	85	87	86	92	92	0	0	0	...
Hib3	86	87	89	89	85	87	88	92	93	0	0	0	...
rota (last)	83	85	85	56	0	0	0	0	...	...	...	...	...
PcV3	73	82	0	0	0	0	...	...	...	...	...	...	...
Pol3	80	83	84	85	80	85	95	98	96	86	68	64	14
MCV1	92	91	93	94	91	91	91	91	91	92	75	69	19
MCV2	81	79	82	81	80	84	74	61	31	0	...	...	...
PAB	85	85	85	85	74	74	74	81	78	47	75	66	26

### District coverage (as reported)

	2013	2012
Number of districts in country	241	240
Percentage of districts reporting	74	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	13 13 54 32
MCV1: proportion of districts with coverage at 95% or above (%)	14	11
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	94	86

### Immunization schedule

BCG	birth	OPV	2, 4, 6, 18 months; 4 years
DTwP	18 months; 4 years	Pneumo_conj	2, 4, 12 months
DTwPHibHep	2, 4, 6 months	Pneumo_ps	>= 60 years
HepA	1st contact;	Rotavirus	2, 4 months
HepB	1st contact; +1, +6 months	Td	1st contact; +1 month; +1, +1, +1 year
Hib	1st contact;	Tdap	10 years
Influenza	6-35 (x2) and >60 years	Typhoid	1st contact;
IPV	2, 4, 6, 18 months; 4 years	Varicella	15 months
MMR	1, 4 years	YF	12 months
MR	>5 years		

2013

Births.....	599,000
Surviving infants.....	589,000
Total population.....	30,376,000
Infant mortality rate (per 1,000 live births).....	13
Under-five mortality rate (per 1,000 live births).....	17
Gross national income per capita (PPP, US\$).....	6,390
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	79 (2013, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	95	91	95	97	97	96	96	95	93	94	83	57
DTP1	97	99	94	97	97	97	93	96	94	99	96	89	39
DTP3	88	95	91	93	93	93	93	94	77	98	90	72	16
HepBB	82	81	76	74	71	79	73	66	67	0	...	...	...
HepB3	88	95	91	93	93	93	93	94	94	0	0	0	...
Hib3	88	95	91	93	93	93	93	94	94	43	0	0	...
rota (last)	86	91	84	75	41	3	0	0	...	...	...	...	...
PcV3	85	89	82	83	9	0	...	...	...	...	...	...	...
Pol3	71	94	91	92	92	93	93	94	66	93	89	73	16
MCV1	85	94	96	94	91	92	92	93	77	97	98	64	23
MCV2	54	63	70	56	42	17	9	0	0	0	...	...	...
PAB	85	85	85	85	67	67	67	66	65	66	50	19	0

## District coverage (as reported)

	2013	2012	
Number of districts in country	1838	1838	
Percentage of districts reporting	...	...	
DTP3: proportion of districts with coverage (%)	below 50%	21	18
	Between 50-79%	37	34
	at 80% or above	42	48
MCV1: proportion of districts with coverage at 95% or above (%)	27	32	
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	63	77	

## Immunization schedule

BCG	birth	MMR	12, 18 months
DT	4, 6 months	OPV	6, 18 months; 4 years
DTwP	18 months; 4 years	Pneumo_conj	2, 4, 12 months
DTwPHibHepB	2, 4, 6 months	Rotavirus	2, 4 months
HepB	birth;	Td	1st contact; +2, +8 months
Influenza	6-23 months (x2 doses); >= 65 years	TT	sz contact; +2, +8 months
IPV	2, 4 months	Vitamin A	from 6 months (subnational)
		YF	15 months

Births.....	2,404,000
Surviving infants.....	2,354,000
Total population.....	98,394,000
Infant mortality rate (per 1,000 live births).....	24
Under-five mortality rate (per 1,000 live births).....	30
Gross national income per capita (PPP, US\$).....	3,270
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	43 (2008, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	91	88	84	83	90	93	90	91	91	92	82	96	56
DTP1	98	90	85	81	89	94	90	90	91	92	76	96	72
DTP3	94	86	80	79	87	91	87	88	89	78	70	88	47
HepBB	44	35	40	37	34	21	9	0	0	0	...	...	...
HepB3	94	70	76	77	85	88	87	77	49	7	38	0	...
Hib3	94	23	14	1	0	0	0	0	0	0	0	0	...
rota (last)	28	5	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	88	86	80	78	86	91	87	88	90	74	67	88	50
MCV1	90	85	79	80	88	92	92	92	92	78	72	85	0
MCV2	53	38	28	10	19	0	0	0	0	0	...	...	...
PAB	80	76	76	75	68	58	58	61	57	55	54	57	8

### District coverage (as reported)

	2013	2012
Number of districts in country	218	217
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	6
	Between 50-79%	28
	at 80% or above	53
MCV1: proportion of districts with coverage at 95% or above (%)	18	15
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	82	78

### Immunization schedule

BCG	birth	OPV	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Pneumo_conj	6, 10, 14 weeks
HepB	birth;	Rotavirus	6-15, 32 weeks (subnational)
IPV	14 weeks	Td	10-19 years
Measles	9 months	Vitamin A	6, 12 months
MMR	12-15 months		

2013

Births.....	413,000
Surviving infants.....	410,000
Total population.....	38,217,000
Infant mortality rate (per 1,000 live births).....	5
Under-five mortality rate (per 1,000 live births).....	5
Gross national income per capita (PPP, US\$).....	12,960
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	93	94	94	93	94	94	93	94	94	96	98	97	93
DTP1	99	99	99	99	99	99	99	99	99	99	98	98	98
DTP3	99	99	99	99	99	99	99	99	99	98	96	96	96
HepBB	93	93	93	93	93	93	93	93	93	95	...	...	...
HepB3	96	97	98	98	98	98	98	98	98	99	23	0	...
Hib3	99	99	99	99	99	94	88	31	22	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	95	95	96	96	96	98	99	99	99	98	96	96	96
MCV1	98	98	98	98	98	98	98	99	98	97	96	95	92
MCV2	93	95	95	94	95	97	98	99	90	96	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	344	379
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 ... 0 ... 0 0
MCV1: proportion of districts with coverage at 95% or above (%)	0	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	IPV	3-4, 5-6, 16-18 months
DTwP	7-8 weeks; 3-4, 5-6, 16-18 months	MMR	13-14 months; 10 years
HepB	birth; 2, 7 months	OPV	6 years
Hib	2, 3-4, 5-6, 16-18 months	Td	14, 19 years
		Tdap	6 years

2013

Births.....	92,000
Surviving infants.....	92,000
Total population.....	10,608,000
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	20,670
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	98	96	98	98	98	99	89	82	94	88	0
DTP1	99	99	99	99	97	99	99	99	94	99	97	96	90
DTP3	98	98	98	98	96	97	97	97	93	96	93	89	73
HepBB	98	97	97	96	95	95	95	91	86	64	...	...	...
HepB3	98	98	98	97	96	97	97	97	94	58	6	0	...
Hib3	98	98	98	97	96	97	97	97	93	86	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	98	97	96	97	96	97	93	96	96	89	18
MCV1	98	97	97	96	95	97	95	97	93	87	94	85	54
MCV2	96	96	96	95	95	95	95	95	87	48	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	7	7
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 0 0</li> <li>at 80% or above 100 100</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	86	71
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	birth	HPV	13 years, +2, +6 months
DTaPHib	18 months	Influenza	65 years
DTaPHibIPV	2, 4, 6 months	MenC_conj	12 months
DTaPIPv	5-6 years	MMR	12 months; 5-6 years
HepB	birth; 2, 6 months	Td	10-13 years

2013

Births.....	23,000
Surviving infants.....	23,000
Total population.....	2,169,000
Infant mortality rate (per 1,000 live births).....	7
Under-five mortality rate (per 1,000 live births).....	8
Gross national income per capita (PPP, US\$).....	85,550
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	97	97	99	98	97	96	99	99	99	96	97	4
DTP1	99	94	94	98	99	97	96	99	99	92	97	94	82
DTP3	99	92	93	97	99	97	94	96	97	80	92	82	61
HepBB	96	95	96	99	94	94	93	99	99	99	...	...	...
HepB3	99	92	93	97	99	97	94	96	97	89	90	0	...
Hib3	99	92	93	97	99	97	94	96	97	80	0	0	...
rota (last)	87	80	83	40	41	0	0	0	...	...	...	...	...
PcV3	99	92	98	97	99	0	...	...	...	...	...	...	...
Pol3	99	92	93	98	98	98	97	95	98	91	92	82	61
MCV1	99	97	98	99	99	96	92	99	99	91	87	79	26
MCV2	99	99	99	98	99	95	91	87	98	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%

Between 50-79%

at 80% or above

## Immunization schedule

BCG	birth	MMR	12, 18 months
DTaP	4-6 years	OPV	4, 6, 18 months; 4-6 years
DTaPHib	15 months	Pneumo_conj	2, 4, 6, 15 months
DTaPHibHepIPV	2 months	Pneumo_ps	65 years
DTwPHibHepB	4, 6 months	Rotavirus	2, 4 months:
HepA	12, 18 months	Tdap	11-12 years
HepB	birth;	Varicella	12 months; 4-6 years

2013

Births.....	223,000
Surviving infants.....	221,000
Total population.....	21,699,000
Infant mortality rate (per 1,000 live births).....	11
Under-five mortality rate (per 1,000 live births).....	12
Gross national income per capita (PPP, US\$).....	9,060
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	99	99	99	99	99	99	99	98	99	99	90	0
DTP1	96	96	96	98	98	98	98	99	99	99	98	98	0
DTP3	89	89	89	94	95	96	96	97	97	99	98	96	0
HepBB	98	99	99	98	97	99	90	99	99	99	...	...	...
HepB3	96	96	96	98	95	97	99	99	98	98	0	0	...
Hib3	92	92	89	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	88	92	89	94	95	95	96	97	97	99	94	92	0
MCV1	92	94	93	95	96	96	97	95	97	98	93	92	0
MCV2	88	90	91	93	94	95	96	96	96	96	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	42	42
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 14 2</li> <li>at 80% or above 86 98</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	29	52
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	MMR	12 months; 7 years
DTaPHibHepIPV	2, 6 months	Td	14 years
DTaPHibIPV	4, 12 months	Typhoid	(travelers)
HepB	birth;	YF	(travelers)
IPV	6, 8 years		

Births.....	1,686,000
Surviving infants.....	1,670,000
Total population.....	142,834,000
Infant mortality rate (per 1,000 live births).....	9
Under-five mortality rate (per 1,000 live births).....	10
Gross national income per capita (PPP, US\$).....	13,860
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	96	96	95	96	96	98	96	97	97	96	92	...	...
DTP1	97	97	97	97	99	99	99	99	99	97	92	...	...
DTP3	97	97	97	97	98	98	98	99	98	96	78	...	...
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	97	97	97	97	98	98	98	98	97	0	0	...	...
Hib3	18	18	0	0	0	0	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	97	98	98	98	99	99	98	97	77	...	...
MCV1	98	98	98	98	98	99	99	99	99	97	85	...	...
MCV2	97	97	97	97	97	97	98	97	96	92	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	83	83
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

### Immunization schedule

BCG	3 days; 7, 14 years	Measles	12 months; 6 years
Dip	+ 10 years	MM	12 months; 6 years
DT	3, 4.5 months; 1 year	MMR	12 months; 6 years
DTwP	3, 4.5, 6, 18 months		(subnational)
DTwPHep	6 months	Mumps	12 months; 6 years
HepB	1st day; 1, 6 months	OPV	6, 18, 20 months; 14 years
Hib	6, 7 months	Rubella	12 months; 6 years
IPV	3, 4.5 months	Td	6-7, 14 years +10 years

2013

Births.....	414,000
Surviving infants.....	394,000
Total population.....	11,777,000
Infant mortality rate (per 1,000 live births).....	37
Under-five mortality rate (per 1,000 live births).....	52
Gross national income per capita (PPP, US\$).....	620
Percentage of routine EPI vaccines financed by government.....	16
Home-based vaccination records (percent).....	82; 80 (2011, DHS; 2013, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	93	89	98	91	81	89	92	0
DTP1	99	99	98	98	98	97	99	99	95	93	94	94	0
DTP3	98	98	97	97	97	97	97	99	95	90	83	84	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	98	97	97	97	97	97	99	95	0	0	0	...
Hib3	98	98	97	97	97	97	97	99	95	0	0	0	...
rota (last)	99	50	0	0	0	0	0	0	...	...	...	...	...
PcV3	98	98	97	97	0	0	...	...	...	...	...	...	...
Pol3	98	98	93	93	93	97	98	99	95	90	84	83	0
MCV1	97	97	95	95	95	92	94	95	89	74	84	83	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	85	85	85	85	85	85	82	82	79	81	89	85	0

## District coverage (as reported)

	2013	2012
Number of districts in country	30	30
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	63	87
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	birth	OPV	birth; 6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Pneumo_conj	6, 10, 14 weeks
HepB	1st contact; +1, +5 months	Rotavirus	6, 10, 14 weeks
HPV	9-15 years; +2, +6 months	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
Measles	9 months		

Births.....	1,000
Surviving infants.....	1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	8
Under-five mortality rate (per 1,000 live births).....	10
Gross national income per capita (PPP, US\$).....	13,460
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	94	95	99	91	93	95	97	99	99	99	94	80	0
DTP1	99	99	99	98	99	99	99	99	99	99	99	99	79
DTP3	96	97	97	95	97	98	99	99	99	98	99	99	56
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	97	98	98	96	97	98	99	99	99	99	0	0	...
Hib3	97	98	98	96	97	97	99	99	99	12	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	96	97	98	90	94	97	99	98	99	98	99	99	76
MCV1	99	95	99	99	99	99	99	99	99	99	99	99	0
MCV2	94	90	99	99	99	94	95	96	97	99	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	17	17
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 6 94
MCV1: proportion of districts with coverage at 95% or above (%)	71	76
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

BCG	0-4 weeks	IPV	2, 4, 6, 18 months; 4-5, 16 years
DTwP	3, 4, 5, 18 months; 4-5 years	MMR	1, 2 years
DTwPHibHep	2, 4, 6 months	OPV	2, 4, 6, 18 months; 4-5, 16 years
HepB	1st contact; +4 weeks; +7 months	Td	11, 16, 26 years

## 2013

Births.....	3,000
Surviving infants.....	3,000
Total population.....	182,000
Infant mortality rate (per 1,000 live births).....	13
Under-five mortality rate (per 1,000 live births).....	15
Gross national income per capita (PPP, US\$).....	7,090
Percentage of routine EPI vaccines financed by government.....	99
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	97	97	99	99	94	97	91	98	94	27
DTP1	99	99	99	98	99	99	99	94	99	76	98	96	79
DTP3	99	98	99	97	95	96	99	85	95	70	98	89	56
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	99	98	99	97	95	96	99	85	95	0	0	0	...
Hib3	99	98	99	97	95	96	99	85	95	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	98	99	97	95	96	99	85	95	70	98	90	58
MCV1	99	99	91	95	99	99	94	94	94	88	94	82	0
MCV2	62	80	72	74	63	22	33	45	56	89	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	36	9
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0</li> <li>Between 50-79% 14</li> <li>at 80% or above 86</li> </ul>	<ul style="list-style-type: none"> <li>0</li> <li>0</li> <li>100</li> </ul>
MCV1: proportion of districts with coverage at 95% or above (%)	53	33
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	72	100

### Immunization schedule

BCG	6 weeks	IPV	3, 5, 7, 18 months; 5, 11 years
DT	4-5 years		
DTwP	18 months	MMR	1, 4-5 years
DTwPHib	3, 5, 7 months	OPV	3, 5, 7, 18 months; 5, 11 years
DTwPHibHep	3, 5, 7 months		
HepB	birth; +4 weeks; +3 months	Td	11 years
Hib	3, 5 months	YF	+ 1 year
Influenza	+ 10 years		

## 2013

Births.....	2,000
Surviving infants.....	2,000
Total population.....	109,000
Infant mortality rate (per 1,000 live births).....	17
Under-five mortality rate (per 1,000 live births).....	19
Gross national income per capita (PPP, US\$).....	6,580
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	96	97	99	90	80	87	93	99	95	99	99	99	0
DTP1	96	98	98	99	99	99	99	99	99	99	98	98	51
DTP3	96	96	96	99	99	99	99	99	99	98	97	98	26
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	96	96	96	99	99	99	99	99	99	0	0	0	...
Hib3	97	97	96	99	99	99	99	99	99	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	96	96	96	99	99	99	99	99	93	99	97	92	26
MCV1	99	94	97	99	99	99	99	99	97	96	99	96	0
MCV2	96	92	91	89	94	94	83	88	93	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	9	9
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 0 11</li> <li>at 80% or above 100 89</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	56	56
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	67	78

### Immunization schedule

BCG	birth-12 months	Hib	2, 4, 6 months
DT	4-5 years	IPV	2, 4, 6, 18 months; 4-5 years
DTwP	18 months	MMR	1, 4-5 years
DTwPHibHep	2, 4, 6 months	OPV	2, 4, 6, 18 months; 4-5 years
HepB	1st contact; +1, +4-6	Td	>10 years

## 2013

Births.....	5,000
Surviving infants.....	5,000
Total population.....	190,000
Infant mortality rate (per 1,000 live births).....	16
Under-five mortality rate (per 1,000 live births).....	18
Gross national income per capita (PPP, US\$).....	3,430
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	40 (2009, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	96	99	91	94	99	91	84	86	97	96	97	72
DTP1	99	99	99	97	91	50	85	80	87	99	97	96	54
DTP3	95	92	91	87	72	46	71	56	64	99	94	90	29
HepBB	91	96	99	91	75	81	98	71	65	99	...	...	...
HepB3	95	99	91	87	72	38	69	56	60	96	96	0	...
Hib3	95	99	91	87	72	32	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	95	95	91	86	72	78	71	57	73	99	94	88	29
MCV1	99	85	67	61	49	45	63	54	57	93	96	89	0
MCV2	87	67	65	45	29	61	51	21	41	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	9	9
Percentage of districts reporting	100	...
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	56	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	78

### Immunization schedule

BCG	birth	MMR	12, 15 months
DTwP	5 years	OPV	6, 10, 14 weeks
DTwPHibHep	6, 10, 14 weeks	Td	1st contact pregnancy; +1, +6 months; +1, +2 year
HepB	birth;		

2013

Births.....	<1,000
Surviving infants.....	<1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	3
Under-five mortality rate (per 1,000 live births).....	3
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	72	98	90	80	95	89	92	98	98	97	99	99	0
DTP3	69	96	86	79	92	87	92	95	95	96	99	99	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	69	96	86	78	92	87	92	95	95	94	98	0	...
Hib3	69	96	85	78	92	87	92	95	94	92	80	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	69	96	86	75	92	87	92	95	95	96	98	99	0
MCV1	74	87	83	68	93	73	92	94	94	74	97	0	0
MCV2	77	88	84	86	88	89	91	93	94	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%  
Between 50-79%  
at 80% or above

## Immunization schedule

DT	15-16 years	HPV	11 years (x3)
DTaPHibHepIPV	2-3, 4-5, 11-12 months	MMR	15 months; 9-10 years
DTaPIPv	5-6 years		

# Sao Tome and Principe

2013

Births.....	7,000
Surviving infants.....	6,000
Total population.....	193,000
Infant mortality rate (per 1,000 live births).....	37
Under-five mortality rate (per 1,000 live births).....	51
Gross national income per capita (PPP, US\$).....	1,470
Percentage of routine EPI vaccines financed by government.....	89
Home-based vaccination records (percent).....	93 (2009, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	99	99	99	99	99	98	98	98	81	95	99	0
DTP1	99	98	98	98	99	99	99	99	99	89	92	97	0
DTP3	97	96	96	98	98	99	97	97	97	82	79	92	0
HepBB	2	2	3	3	3	3	2	1	0	0	...	...	...
HepB3	97	96	96	98	98	99	87	75	96	0	0	0	...
Hib3	97	96	96	98	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	97	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	97	96	96	98	99	99	98	97	97	87	79	90	0
MCV1	91	92	91	92	90	93	86	85	88	69	74	71	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012									
Number of districts in country	7	7									
Percentage of districts reporting	100	...									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>0</td> <td>0</td> </tr> <tr> <td>Between 50-79%</td> <td>0</td> <td>0</td> </tr> <tr> <td>at 80% or above</td> <td>100</td> <td>100</td> </tr> </table>	below 50%	0	0	Between 50-79%	0	0	at 80% or above	100	100	
below 50%	0	0									
Between 50-79%	0	0									
at 80% or above	100	100									
MCV1: proportion of districts with coverage at 95% or above (%)	0	0									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100									

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Td	1st contact; +1, +6 months; +1, +2 years
HepB	birth;		
Measles	9, 17 months	Vitamin A	6, 12, 18, 24, 30,36 months
OPV	birth; 6, 10, 14 weeks; 17 months	YF	9 months

2013

Births.....	561,000
Surviving infants.....	555,000
Total population.....	28,829,000
Infant mortality rate (per 1,000 live births).....	13
Under-five mortality rate (per 1,000 live births).....	16
Gross national income per capita (PPP, US\$).....	26,200
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	98	98	98	98	96	95	96	94	94	90	33
DTP1	98	98	99	98	98	98	97	97	97	95	98	97	66
DTP3	98	98	98	98	98	98	96	96	96	95	96	92	41
HepBB	99	99	98	98	98	98	96	95	96	0	...	...	...
HepB3	98	98	98	98	98	98	96	96	97	93	93	66	...
Hib3	98	98	98	98	98	98	96	96	96	0	0	0	...
rota (last)	84	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	98	98	98	98	98	0	...	...	...	...	...	...	...
Pol3	98	98	98	98	98	98	96	96	96	95	96	92	41
MCV1	98	98	98	98	98	97	96	95	97	94	94	88	8
MCV2	99	98	97	98	98	98	98	97	97	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	20	20
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	100	90
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	Measles	9 months
DT	< 7 years	MenACWY	> 2 years
DTaP	6 years	MMR	12, 18 months; 6 years
DTaPHib	18 months	OPV	6, 12, 18 months; 6 years
DTaPHibHepIPV	2, 4, 6 months	Pneumo_conj	2, 4, 6, 12 months
HepA	18, 24 months	Rotavirus	2, 4 months
HepB	birth;	Td	>= 7 years
Influenza	> 6 months	Varicella	12 months; 6 years

Births.....	534,000
Surviving infants.....	508,000
Total population.....	14,133,000
Infant mortality rate (per 1,000 live births).....	44
Under-five mortality rate (per 1,000 live births).....	55
Gross national income per capita (PPP, US\$).....	1,070
Percentage of routine EPI vaccines financed by government.....	15
Home-based vaccination records (percent).....	81; 71 (2013, EPI; 2013, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	97	97	97	97	98	96	94	92	89	91	90	0
DTP1	96	96	97	96	94	94	97	99	97	79	93	75	0
DTP3	92	91	92	89	86	88	94	89	84	52	80	51	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	92	91	92	89	86	88	94	89	84	0	0	0	...
Hib3	92	91	92	89	86	88	94	89	18	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	89	83	89	79	83	87	93	89	84	49	80	53	0
MCV1	84	83	84	81	79	77	84	80	74	48	80	51	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	91	91	88	88	88	88	85	86	80	62	54	45	0

### District coverage (as reported)

	2013	2012
Number of districts in country	76	76
Percentage of districts reporting	90	...
DTP3: proportion of districts with coverage (%)	below 50%	18
	Between 50-79%	43
	at 80% or above	32
MCV1: proportion of districts with coverage at 95% or above (%)	11	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	74	...

### Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Td	st contact pregnancy; +1, +6 months; +1, +1 year
Measles	9 months	Vitamin A	6-11, 12-59 months
MR	9 months	YF	9 months
OPV	birth; 6, 10, 14 weeks		

2013

Births.....	93,000
Surviving infants.....	92,000
Total population.....	9,511,000
Infant mortality rate (per 1,000 live births).....	6
Under-five mortality rate (per 1,000 live births).....	7
Gross national income per capita (PPP, US\$).....	5,730
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	71 (2006, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	98	99	99	98	99	98	99	98	85	97	...	...
DTP1	98	91	98	91	98	98	98	97	99	97	96	...	...
DTP3	95	91	94	91	95	95	94	92	98	95	89	...	...
HepBB	99	99	99	99	99	99	99	98	98	0	...	...	...
HepB3	91	97	94	89	93	93	99	93	65	0	0	...	...
Hib3	92	90	93	91	94	98	89	42	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	97	93	94	91	97	95	93	97	98	98	90	...	...
MCV1	92	87	93	95	95	92	95	88	96	89	86	...	...
MCV2	82	90	90	91	87	97	96	90	98	78	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	25	25
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	64	52
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	Influenza	>65 years
DT	7 years	IPV	> 12 months
DTwP	8, 14, 20 weeks; 18 months	MMR	12 months; 7 years
HepB	birth; 4 weeks; 5 months; 12 years	OPV	8, 14, 20 weeks; 18 months; 7, 14 years
Hib	8, 14, 20 weeks	Td	14 years

## 2013

Births.....	2,000
Surviving infants.....	2,000
Total population.....	93,000
Infant mortality rate (per 1,000 live births).....	12
Under-five mortality rate (per 1,000 live births).....	14
Gross national income per capita (PPP, US\$).....	12,530
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	96	99	99	99	99	99	99	98	0
DTP1	99	98	99	99	99	99	99	99	99	99	98	99	0
DTP3	98	98	99	99	99	99	99	99	99	98	97	99	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	99	99	99	99	99	99	99	99	99	98	99	0	...
Hib3	98	98	99	99	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	99	99	99	99	99	99	99	98	97	99	0
MCV1	97	98	99	99	97	99	99	99	99	97	97	86	0
MCV2	97	99	99	98	99	98	99	99	99	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	15	16
Percentage of districts reporting	100	1200
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	60	56
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

BCG	birth; 6 years	OPV	3, 4, 5, 18 months; 6, 15 years
DT	6 years		
DTwP	18 months	TT	15, 25 years
DTwPHibHepB	3, 4, 5 months	YF	1 year
MMR	15 months; 6 years		

2013

Births.....	223,000
Surviving infants.....	197,000
Total population.....	6,092,000
Infant mortality rate (per 1,000 live births).....	107
Under-five mortality rate (per 1,000 live births).....	161
Gross national income per capita (PPP, US\$).....	680
Percentage of routine EPI vaccines financed by government.....	9
Home-based vaccination records (percent).....	68; 93 (2010, MICS; 2013, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	98	97	97	96	91	82	83	85	74	0	0	0
DTP1	98	98	97	95	94	84	77	79	80	64	0	0	0
DTP3	92	91	89	86	84	77	64	64	65	44	0	0	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	92	91	89	86	84	77	63	0	0	0	0	0	...
Hib3	92	91	89	86	84	77	63	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	92	92	75	0	0	0	...	...	...	...	...	...	...
Pol3	92	91	88	84	81	75	63	65	67	46	0	0	0
MCV1	83	84	83	81	80	73	60	65	71	37	0	0	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	87	87	85	85	97	97	94	85	83	53	76	85	8

## District coverage (as reported)

	2013	2012
Number of districts in country	14	14
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 7 93
MCV1: proportion of districts with coverage at 95% or above (%)	36	29
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	64

## Immunization schedule

BCG	birth	Rotavirus	6, 10 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact; +1, +6 months; +1, +1 year
HPV	(subnational)		
Measles	9 months	Vitamin A	6, 12, 18, 24, 30, 36 months
OPV	birth; 6, 10, 14 weeks	YF	9 months
Pneumo_conj	6, 10, 14 weeks		

2013

Births.....	54,000
Surviving infants.....	53,000
Total population.....	5,412,000
Infant mortality rate (per 1,000 live births).....	2
Under-five mortality rate (per 1,000 live births).....	3
Gross national income per capita (PPP, US\$).....	54,040
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	98	98	98	99	98	99	85
DTP1	98	98	98	98	98	98	97	96	96	98	98	95	94
DTP3	97	97	96	97	97	97	96	95	96	98	98	85	84
HepBB	67	67	68	68	70	71	73	74	76	0	...	...	...
HepB3	97	97	96	96	97	96	95	94	96	97	96	74	...
Hib3	0	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	97	97	96	97	97	97	96	95	96	98	98	85	83
MCV1	95	95	95	95	95	95	95	93	96	96	97	84	47
MCV2	95	95	94	94	93	93	96	95	95	94	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%  
Between 50-79%  
at 80% or above

## Immunization schedule

BCG	birth	OPV	3, 4, 5, 18 months; 6-7, 10-11 years
DTaP	3, 4, 5, 18 months		
HepB	birth; 1, 5-6 months	Pneumo_conj	3, 5, 12 months
HPV	9-26 (x3 doses)	Tdap	10-11 years
MMR	12, 15-18 months		

2013

Births.....	58,000
Surviving infants.....	58,000
Total population.....	5,450,000
Infant mortality rate (per 1,000 live births).....	6
Under-five mortality rate (per 1,000 live births).....	7
Gross national income per capita (PPP, US\$).....	17,390
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	90	90	97	98	97	98	98	98	98	94	92	...	...
DTP1	99	99	99	99	99	99	99	99	99	99	99	...	...
DTP3	98	99	99	99	99	99	99	99	99	99	99	...	...
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	99	99	99	99	99	99	99	99	98	0	...	...
Hib3	98	99	99	99	99	99	99	99	99	59	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	98	99	99	99	99	0	...	...	...	...	...	...	...
Pol3	98	99	99	99	99	99	99	99	99	98	98	...	...
MCV1	98	99	98	98	99	99	99	98	98	98	99	...	...
MCV2	99	99	99	99	99	99	98	99	98	99	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	79	79
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	92	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

## Immunization schedule

DTaPHibHepIPV	2, 4, 10 months	MMR	14 months; 10 years
DTaPIPV	5, 12 years	Pneumo_conj	2, 4, 10 months
HepB	birth;		

## 2013

Births.....	21,000
Surviving infants.....	21,000
Total population.....	2,072,000
Infant mortality rate (per 1,000 live births).....	2
Under-five mortality rate (per 1,000 live births).....	3
Gross national income per capita (PPP, US\$).....	22,750
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	98	99	...	...
DTP1	98	98	98	98	98	99	99	99	98	96	98	...	...
DTP3	95	96	96	96	96	97	97	97	95	91	98	...	...
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	...	...
Hib3	95	96	96	96	96	97	97	97	95	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	95	96	96	96	96	97	97	97	95	93	98	...	...
MCV1	94	95	96	95	95	96	96	96	94	95	93	...	...
MCV2	95	96	96	96	98	98	98	99	99	98	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012									
Number of districts in country	9	9									
Percentage of districts reporting	...	...									
DTP3: proportion of districts with coverage (%)	<table border="1"> <tr> <td>below 50%</td> <td>0</td> <td>0</td> </tr> <tr> <td>Between 50-79%</td> <td>0</td> <td>0</td> </tr> <tr> <td>at 80% or above</td> <td>100</td> <td>100</td> </tr> </table>	below 50%	0	0	Between 50-79%	0	0	at 80% or above	100	100	
below 50%	0	0									
Between 50-79%	0	0									
at 80% or above	100	100									
MCV1: proportion of districts with coverage at 95% or above (%)	78	78									
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100									

### Immunization schedule

BCG	birth	Influenza	> 65 years
DTaPHibIPV	3, 4.5, 6, 18 months	MMR	18 months; 5 years
HepB	5 (x2), 6 years	Tdap	8 years
HPV	11 (x2), 12 years	TT	16 years

2013

Births.....	17,000
Surviving infants.....	17,000
Total population.....	561,000
Infant mortality rate (per 1,000 live births).....	25
Under-five mortality rate (per 1,000 live births).....	30
Gross national income per capita (PPP, US\$).....	1,610
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	82	83	89	85	83	81	84	84	78	92	77	87	65
DTP1	88	94	94	85	82	78	84	96	81	85	87	91	71
DTP3	83	90	88	79	81	78	79	91	78	82	69	77	46
HepBB	58	59	61	62	71	80	83	81	80	0	...	...	...
HepB3	83	90	88	79	81	77	79	93	73	77	68	0	...
Hib3	83	90	88	79	77	77	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	85	86	93	78	82	78	77	91	74	82	69	75	43
MCV1	76	85	73	68	60	60	78	84	70	85	68	70	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	85	85	85	85	85	85	84	74	74	75	81	71	0

## District coverage (as reported)

	2013	2012
Number of districts in country	10	10
Percentage of districts reporting	...	64
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	10 0 40 30 50 70
MCV1: proportion of districts with coverage at 95% or above (%)	10	30
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	90	70

## Immunization schedule

BCG	birth	MR	12 months
DTwPHibHepB	6, 10, 14 weeks	OPV	6, 10, 14 weeks
HepB	birth	Pneumo_conj	6, 10, 14 weeks
IPV	14 weeks	TT	5 years

2013

Births.....	461,000
Surviving infants.....	424,000
Total population.....	10,496,000
Infant mortality rate (per 1,000 live births).....	90
Under-five mortality rate (per 1,000 live births).....	146
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	33	37	39	41	29	36	38	40	50	69	46	31	6
DTP1	52	52	52	55	52	40	59	40	50	57	46	42	0
DTP3	42	42	41	45	42	31	40	26	35	33	22	19	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	34	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	34	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	47	47	49	49	41	40	40	26	35	37	22	18	8
MCV1	46	46	46	46	43	34	35	35	35	24	34	30	9
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	64	64	64	64	64	49	50	51	47	47	48	49	0

## District coverage (as reported)

	2013	2012
Number of districts in country	99	20
Percentage of districts reporting	85	100
DTP3: proportion of districts with coverage (%)	61	75
	below 50%	
	Between 50-79%	20
	at 80% or above	11
MCV1: proportion of districts with coverage at 95% or above (%)	4	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	30

## Immunization schedule

BCG	birth	OPV	birth; 6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact; +1, +6 months;
Measles	9 months		+1, +1 year

## 2013

Births.....	1,099,000
Surviving infants.....	1,057,000
Total population.....	52,776,000
Infant mortality rate (per 1,000 live births).....	33
Under-five mortality rate (per 1,000 live births).....	44
Gross national income per capita (PPP, US\$).....	7,190
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	69 (2009, OCS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	84	84	78	74	78	60	61	63	70	89	95	57	0
DTP1	69	70	77	77	77	76	76	75	75	85	89	89	0
DTP3	65	68	72	66	70	73	72	74	72	73	72	72	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	65	73	76	74	70	65	74	76	74	73	0	0	...
Hib3	65	68	72	66	70	73	72	74	72	73	0	0	...
rota (last)	64	78	72	66	19	0	0	0	...	...	...	...	...
PcV3	62	81	72	64	10	0	...	...	...	...	...	...	...
Pol3	66	69	73	74	74	75	73	75	73	71	72	76	0
MCV1	66	79	78	74	78	64	62	64	63	72	76	79	0
MCV2	53	67	62	62	66	49	48	51	44	57	...	...	...
PAB	77	77	77	77	75	75	72	74	59	68	29	0	0

### District coverage (as reported)

	2013	2012
Number of districts in country	52	52
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	2 6 83
MCV1: proportion of districts with coverage at 95% or above (%)	17	85
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	94

### Immunization schedule

BCG	birth	Pneumo_conj	6, 14 weeks; 9 months
DTaPHibIPV	6, 10, 14 weeks; 18 months;	Rotavirus	6, 14 weeks
HepB	6, 10, 14 weeks	Td	6, 12 years
Measles	9, 18 months	TT	1st contact; +1, +6 months
OPV	birth; 6 weeks	Vitamin A	6, 12, 18, 24, 30, 36 months

2013

Births.....	406,000
Surviving infants.....	375,000
Total population.....	11,296,000
Infant mortality rate (per 1,000 live births).....	64
Under-five mortality rate (per 1,000 live births).....	99
Gross national income per capita (PPP, US\$).....	1,120
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	10; 51 (2010, MICS; 2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	52	62	75	...	...	...	...	...	...	...	...	...	...
DTP1	57	71	79	...	...	...	...	...	...	...	...	...	...
DTP3	45	59	61	...	...	...	...	...	...	...	...	...	...
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	...	...	...	...	...	...	...	...	...	...
Hib3	0	0	0	...	...	...	...	...	...	...	...	...	...
rota (last)	0	0	0	...	...	...	...	...	...	...	...	...	...
PcV3	0	0	0	...	...	...	...	...	...	...	...	...	...
Pol3	50	64	66	...	...	...	...	...	...	...	...	...	...
MCV1	30	52	62	...	...	...	...	...	...	...	...	...	...
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	64	64	64	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	80	80
Percentage of districts reporting	88	90
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	44 28 28
MCV1: proportion of districts with coverage at 95% or above (%)	34	45
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	30	32

## Immunization schedule

BCG	birth	OPV	birth; 6, 10, 14 weeks
DTwP	6, 10, 14 weeks	TT	First contact; +1, +6 months; +1, +1 year
DTwPHibHepB	6, 10, 14 weeks		
Measles	9 months		

2013

Births.....	488,000
Surviving infants.....	486,000
Total population.....	46,927,000
Infant mortality rate (per 1,000 live births).....	4
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	29,180
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	98	99	99	99	98	99	98	99	98	98	96	95	0
DTP3	96	97	97	97	96	97	96	98	96	95	90	86	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	95	96	97	97	96	97	96	81	81	77	0	0	...
Hib3	96	97	97	97	96	97	96	98	96	92	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	96	97	97	97	96	97	96	98	96	95	88	94	0
MCV1	95	97	97	95	98	98	97	97	97	94	90	99	0
MCV2	91	90	91	92	90	94	95	94	92	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	19	19
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 100
MCV1: proportion of districts with coverage at 95% or above (%)	79	79
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

DTaPHibHepIPV	2, 6 months	MMR	12 months; 3-4 years
HepB	birth;	Pneumo_ps	> 65 years
HPV	11-14 years (x3)	Td	14 years
Influenza	>64 years	Tdap	6 years
MenC_conj	2,4, 12-18 months	Varicella	10-14 years (x2)

## 2013

Births.....	380,000
Surviving infants.....	377,000
Total population.....	21,273,000
Infant mortality rate (per 1,000 live births).....	8
Under-five mortality rate (per 1,000 live births).....	10
Gross national income per capita (PPP, US\$).....	3,170
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	93 (2007, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	98	90	84	61
DTP1	99	99	99	99	97	99	99	99	99	99	97	95	71
DTP3	99	99	99	99	97	98	98	98	99	99	93	86	46
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	99	99	99	99	97	98	98	98	99	0	0	0	...
Hib3	99	99	99	99	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	97	98	98	98	99	99	92	86	46
MCV1	99	99	99	99	97	98	98	99	99	99	87	80	0
MCV2	99	99	99	99	97	97	97	98	99	0	...	...	...
PAB	95	95	95	86	93	93	91	90	87	92	81	72	45

### District coverage (as reported)

	2013	2012
Number of districts in country	26	26
Percentage of districts reporting	...	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	58	65
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

BCG	birth	MMR	1, 3 years
DT	5 years	OPV	2, 4, 6, 18 months; 5 years
DTwP	18 months	Td	12 years
DTwPHibHepB	2, 4, 6 months	TT	During pregnancies
JapEnc	9 months	Vitamin A	6, 12, 18, 24, 30, 36 months

2013

Births.....	1,275,000
Surviving infants.....	1,206,000
Total population.....	37,964,000
Infant mortality rate (per 1,000 live births).....	51
Under-five mortality rate (per 1,000 live births).....	77
Gross national income per capita (PPP, US\$).....	1,130
Percentage of routine EPI vaccines financed by government.....	12
Home-based vaccination records (percent).....	10 (2010, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	93	92	92	90	82	88	83	77	72	56	63	77	2
DTP1	99	99	99	99	92	96	95	91	88	75	72	83	18
DTP3	93	92	93	90	81	86	84	78	78	62	48	62	1
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	93	92	93	75	72	78	78	60	22	0	0	0	...
Hib3	93	92	93	75	72	78	0	0	0	0	0	0	...
rota (last)	80	75	27	0	0	0	0	0	...	...	...	...	...
PcV3	30	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	93	92	93	90	81	85	84	77	78	62	48	62	1
MCV1	85	85	87	90	82	79	79	73	69	58	51	57	0
MCV2	57	24	0	0	0	0	0	0	0	0	...	...	...
PAB	74	74	74	74	74	70	72	70	68	61	76	72	0

## District coverage (as reported)

	2013	2012
Number of districts in country	168	162
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)		
below 50%	1	2
Between 50-79%	5	14
at 80% or above	93	82
MCV1: proportion of districts with coverage at 95% or above (%)	21	20
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	71	67

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Rotavirus	6, 10 weeks
Measles	9, 18 months	TT	1st contact; +1, +6 month;
OPV	6, 10, 14 weeks		+1, +1 years

## 2013

Births.....	10,000
Surviving infants.....	9,000
Total population.....	539,000
Infant mortality rate (per 1,000 live births).....	20
Under-five mortality rate (per 1,000 live births).....	23
Gross national income per capita (PPP, US\$).....	9,260
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	82 (2010, MICS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	95	94	90	99	91	95	96	94	93	90	94	94	50
DTP3	86	84	86	96	87	85	84	84	83	71	84	83	25
HepBB	45	51	46	41	36	69	67	64	0	0	...	...	...
HepB3	86	84	86	86	87	84	84	84	83	0	0	0	...
Hib3	86	84	86	86	87	84	84	84	83	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	86	84	86	96	85	85	84	84	84	70	81	81	24
MCV1	93	73	85	90	88	86	85	83	91	84	85	65	0
MCV2	18	0	0	0	0	0	0	0	0	0	...	...	...
PAB	93	93	93	93	93	93	93	93	92	92	92	92	0

### District coverage (as reported)

	2013	2012
Number of districts in country	10	10
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	20
	at 80% or above	80
MCV1: proportion of districts with coverage at 95% or above (%)	50	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

### Immunization schedule

DT	> 5 years	OPV	2, 4, 6, 18 months; 4 years
DTwP	18 months; 4 years	Rabies	1st contact
DTwPHibHep	2, 4, 6 months	Td	1st contact pregnancy; +1, +6 months; +1, +1 year
HepB	birth;	YF	1 year
HPV	9-13 years		
MMR	1, 4 years		

2013

Births.....	37,000
Surviving infants.....	35,000
Total population.....	1,250,000
Infant mortality rate (per 1,000 live births).....	56
Under-five mortality rate (per 1,000 live births).....	80
Gross national income per capita (PPP, US\$).....	3,080
Percentage of routine EPI vaccines financed by government.....	97
Home-based vaccination records (percent).....	88; 85 (2010, MICS; 2013, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	98	98	98	97	96	95	94	93	88	99	96	0
DTP1	99	97	98	95	95	96	95	95	95	94	94	96	0
DTP3	98	95	91	89	88	88	87	87	86	84	82	89	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	98	95	91	89	88	90	92	93	95	83	0	0	...
Hib3	98	95	91	89	89	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	92	85	89	89	89	88	88	88	87	81	89	0
MCV1	85	77	87	94	94	94	94	93	93	92	94	85	0
MCV2	89	52	92	99	99	99	99	99	99	0	...	...	...
PAB	86	86	86	86	86	86	85	85	82	80	77	63	0

## District coverage (as reported)

	2013	2012
Number of districts in country	4	4
Percentage of districts reporting	48	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 75 75 25 25
MCV1: proportion of districts with coverage at 95% or above (%)	0	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

## Immunization schedule

BCG	birth	OPV	birth; 6, 10, 14 weeks; 18 months; 5 years
DT	5 years		
DTwPHibHepB	6, 10, 14 weeks	Pneumo_conj	6, 10, 14 weeks
HepB	st contact; +1, +2 months	TT	1st contact pregnancy; +1, +6 months; +1, +1 years
Measles	9, 18 months	Vitamin A	6, 12, 18, 24, 30, 36 months

2013

Births.....	115,000
Surviving infants.....	115,000
Total population.....	9,571,000
Infant mortality rate (per 1,000 live births).....	2
Under-five mortality rate (per 1,000 live births).....	3
Gross national income per capita (PPP, US\$).....	59,240
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	27	27	27	27	24	23	23	21	20	16	14	13	3
DTP1	99	99	99	99	99	99	99	99	99	99	99	99	99
DTP3	98	98	98	98	98	98	98	98	98	99	99	99	99
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	98	98	98	98	98	98	98	98	98	98	99	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	98	98	98	98	98	60	...	...	...	...	...	...	...
Pol3	98	98	98	98	98	98	98	98	98	99	99	99	97
MCV1	97	97	97	97	97	96	96	97	96	91	97	96	88
MCV2	95	95	95	94	95	94	95	95	95	94	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	290	290
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	92	87
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth-6 months	Influenza	>= 65 years (subnational)
DTaPHibHepIPV	3, 5, 12 months	MMR	18 months; 6-8 years
DTaPHibIPV	3, 5, 12 months	Pneumo_conj	3, 5, 12 months
DTaPIP	5-6 years	Pneumo_ps	> 65 years (subnational)
HepB	birth; 1, 3, 5, 12 months	Tdap	14-16 years
HPV	10-12 years (x3)		

2013

Births.....	84,000
Surviving infants.....	84,000
Total population.....	8,078,000
Infant mortality rate (per 1,000 live births).....	4
Under-five mortality rate (per 1,000 live births).....	4
Gross national income per capita (PPP, US\$).....	86,600
Percentage of routine EPI vaccines financed by government.....	5
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	98	98	98	95	95	95	95	95	95	95	93	96	0
DTP3	96	96	96	95	95	95	94	94	94	93	89	90	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	95	95	95	95	95	95	93	93	93	91	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	75	62	50	37	25	13	...	...	...	...	...	...	...
Pol3	96	96	96	96	96	96	94	94	94	95	95	98	0
MCV1	93	93	93	92	92	92	87	87	87	82	83	90	0
MCV2	86	86	86	83	83	83	71	71	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%  
Between 50-79%  
at 80% or above

## Immunization schedule

DTaPHibIPV	2, 4, 6, 15-24 months	MMR	12, 15-24 months
DTaPIPV	4-7 years	Pneumo_conj	2, 4, 12 months
HepB	11-15 years; +6 months	Pneumo_ps	>= 65 years
HPV	11-14 years; +6 months	Td	45, >= 65 years
Influenza	>= 65 years	Tdap	11-15, 25-29 years
MenC_conj	12-15 months; 11-15 years	Varicella	11-15 years; +1 month

2013

Births.....	532,000
Surviving infants.....	522,000
Total population.....	21,898,000
Infant mortality rate (per 1,000 live births).....	12
Under-five mortality rate (per 1,000 live births).....	15
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	66 (2009, OCS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	84	82	90	97	95	93	93	91	90	91	91	92	35
DTP1	55	68	86	89	89	88	88	88	88	90	96	93	35
DTP3	41	45	72	80	80	79	80	80	80	84	89	91	13
HepBB	81	81	89	97	95	93	93	91	90	91	...	...	...
HepB3	71	43	66	84	84	83	83	83	83	79	74	0	...
Hib3	41	45	72	80	80	79	80	80	80	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	52	52	75	83	83	83	83	83	83	86	89	91	13
MCV1	61	61	80	82	82	81	81	81	81	84	85	87	13
MCV2	58	53	71	82	82	81	81	81	81	80	...	...	...
PAB	94	94	94	94	94	94	92	93	92	90	76	63	1

## District coverage (as reported)

	2013	2012
Number of districts in country	75	75
Percentage of districts reporting	87	89
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 80 100</li> <li>at 80% or above 20 0</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	0	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	...

## Immunization schedule

BCG	birth	MenACWY	6 years
DT	6 years	MMR	12, 18 months
DTwPHib	2, 4, 6, 18 months	OPV	6, 12, 18 months
DTwPHibHepB	2, 4, 6, 18 months	Td	12 years
DTwPHibIPV	2, 4, 6, 18 months	TT	1st contact ; +1, +6 months; +1, +1 year
HepB	birth; 2, 6 months	Vitamin A	12, 18 months
IPV	2, 4 months		

2013

Births.....	271,000
Surviving infants.....	256,000
Total population.....	8,208,000
Infant mortality rate (per 1,000 live births).....	41
Under-five mortality rate (per 1,000 live births).....	48
Gross national income per capita (PPP, US\$).....	990
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	91 (2012, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	97	97	98	82	89	83	93	97	98	96	...	...
DTP1	98	96	98	95	96	92	88	92	92	88	86	...	...
DTP3	96	94	96	93	93	86	86	83	84	83	80	...	...
HepBB	98	98	98	96	97	85	83	94	98	0	...	...	...
HepB3	96	94	96	93	93	86	84	88	81	0	0	...	...
Hib3	96	94	96	93	93	46	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	97	96	97	95	93	87	85	76	79	86	69	...	...
MCV1	92	94	98	94	89	86	85	82	85	88	70	...	...
MCV2	92	97	96	95	93	87	90	96	92	59	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	66	66
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	91	89
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	98

## Immunization schedule

BCG	3-5 days	MR	12 months, 6 years
DT	6 years	OPV	birth; 2, 3, 4, 12 months
DTwP	16-23 months	Td	16, 26, 36, 46, 56 years
DTwPHibHep	2, 3, 4 months	Vitamin A	6-11, 12-59 months
HepB	birth;		

2013

Births.....	1,931,000
Surviving infants.....	1,838,000
Total population.....	49,253,000
Infant mortality rate (per 1,000 live births).....	36
Under-five mortality rate (per 1,000 live births).....	52
Gross national income per capita (PPP, US\$).....	630
Percentage of routine EPI vaccines financed by government.....	8
Home-based vaccination records (percent).....	84; 76 (2010, DHS; 2011, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	93	89	89	90	91	86	96	85	72
DTP1	99	99	96	98	90	88	89	94	95	92	93	92	81
DTP3	91	92	90	91	85	86	83	90	90	79	81	78	59
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	91	92	90	91	85	86	83	90	90	0	0	0	...
Hib3	91	92	90	91	85	0	0	0	0	0	0	0	...
rota (last)	85	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	80	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	91	90	88	94	88	89	88	91	91	64	79	78	57
MCV1	99	97	93	92	91	88	90	93	91	78	78	80	46
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	88	88	88	83	90	81	81	81	81	79	85	77	37

## District coverage (as reported)

	2013	2012
Number of districts in country	145	129
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	1 0 19 13 79 87
MCV1: proportion of districts with coverage at 95% or above (%)	61	55
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	68	84

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 week;	Rotavirus	, 10 weeks
Measles	9 months	TT	1st contact; +1, +6 months;
OPV	birth; 6, 10, 14 weeks		+1, +1 year

2013

Births.....	687,000
Surviving infants.....	680,000
Total population.....	67,011,000
Infant mortality rate (per 1,000 live births).....	11
Under-five mortality rate (per 1,000 live births).....	13
Gross national income per capita (PPP, US\$).....	5,370
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	97 (2008, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	99	98	99	68
DTP1	99	99	99	99	99	99	99	99	99	98	98	97	73
DTP3	99	99	99	99	99	99	98	98	98	97	96	92	49
HepBB	99	99	99	99	99	99	99	99	99	99	...	...	...
HepB3	99	98	98	98	98	98	96	96	96	95	93	0	...
Hib3	0	0	0	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	99	98	98	98	97	96	92	19
MCV1	99	98	98	98	98	98	96	96	96	94	91	80	0
MCV2	94	91	91	91	91	91	94	94	95	99	...	...	...
PAB	91	91	91	91	91	91	89	88	88	85	87	75	25

## District coverage (as reported)

	2013	2012
Number of districts in country	928	927
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
below 50%	0	...
Between 50-79%	0	...
at 80% or above	0	0
MCV1: proportion of districts with coverage at 95% or above (%)	0	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	JapEnc	1.5 (x2), 2.5 years
DTwP	1.5, 4 years	MMR	9 months; 7 years
DTwPHep	2, 4, 6 months	OPV	2, 4, 6 months; 1.5, 4 years
HepB	birth; 1 month	Rotavirus	2, 4 months (subnational)

# The former Yugoslav Republic of Macedonia

2013

Births.....	23,000
Surviving infants.....	22,000
Total population.....	2,107,000
Infant mortality rate (per 1,000 live births).....	6
Under-five mortality rate (per 1,000 live births).....	7
Gross national income per capita (PPP, US\$).....	4,800
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	89 (2011, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	95	94	96	98	94	95	92	99	97	95	...	...
DTP1	99	98	97	97	96	96	95	95	99	98	98	...	...
DTP3	98	95	96	95	96	95	95	93	97	95	95	...	...
HepBB	98	99	97	95	93	92	90	88	0	0	...	...	...
HepB3	97	98	96	90	95	97	96	89	53	0	0	...	...
Hib3	97	95	96	89	82	13	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	97	97	95	96	96	96	92	98	96	95	...	...
MCV1	96	96	97	98	96	98	96	94	96	97	97	...	...
MCV2	96	96	98	99	97	95	95	96	95	95	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	31	31
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 0 0</li> <li>at 80% or above 100 100</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	97	90
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	HPV	12 years; +2, +6 months
DT	7 years	MMR	12 months; 6 years
DTwP	2, 3, 5, 18 months; 4 years	OPV	2, 3.5, 5, 18 months; 7, 14
HepB	birth; 1, 6 months	Td	14 years
Hib	2, 3, 5, 18 months	TT	18 years

2013

Births.....	41,000
Surviving infants.....	39,000
Total population.....	1,133,000
Infant mortality rate (per 1,000 live births).....	46
Under-five mortality rate (per 1,000 live births).....	55
Gross national income per capita (PPP, US\$).....	3,580
Percentage of routine EPI vaccines financed by government.....	18
Home-based vaccination records (percent).....	50 (2010, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	82	71	68	71	71	85	74	74	70	...	...	...	...
DTP1	86	94	69	75	76	85	76	71	64	...	...	...	...
DTP3	82	83	67	72	72	79	70	63	55	...	...	...	...
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	82	83	67	72	72	79	0	0	0	...	...	...	...
Hib3	82	0	0	0	0	0	0	0	0	...	...	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	82	83	66	72	78	79	70	62	55	...	...	...	...
MCV1	70	73	62	66	70	73	63	61	48	...	...	...	...
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	81	81	81	81	81	66	59	63	59	0	0	0	0

## District coverage (as reported)

	2013	2012
Number of districts in country	13	13
Percentage of districts reporting	100	99
DTP3: proportion of districts with coverage (%)		
below 50%	0	0
Between 50-79%	38	46
at 80% or above	62	54
MCV1: proportion of districts with coverage at 95% or above (%)	0	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	92	92

## Immunization schedule

BCG	birth- 1 year	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
DTwPHibHepB	6, 10, 14 weeks		
Measles	9 months	Vitamin A	6, 12, 18, 24, 30, 36 months
OPV	birth; 6, 10, 14 weeks		

Births.....	248,000
Surviving infants.....	232,000
Total population.....	6,817,000
Infant mortality rate (per 1,000 live births).....	56
Under-five mortality rate (per 1,000 live births).....	85
Gross national income per capita (PPP, US\$).....	530
Percentage of routine EPI vaccines financed by government.....	55
Home-based vaccination records (percent).....	73; 79 (2010, MICS; 2013, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	97	97	97	91	92	91	96	96	84	83	99	0
DTP1	94	94	94	97	93	92	94	91	91	80	74	90	0
DTP3	84	84	85	83	78	81	82	84	82	64	58	77	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	84	84	85	83	78	24	0	0	0	0	0	0	...
Hib3	84	84	85	83	78	24	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	84	84	85	83	78	80	72	85	80	63	59	76	0
MCV1	72	72	72	68	66	63	71	78	70	58	53	73	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	77	81	81	81	81	81	82	81	81	63	52	47	0

## District coverage (as reported)

	2013	2012
Number of districts in country	40	35
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 8 6</li> <li>at 80% or above 93 94</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	10	20
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	97	100

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Rotavirus	6, 10 weeks
HPV	(subnational)	TT	1st contact pregnancy; +1, +6 months; +1, +1 year
Measles	9 months	Vitamin A	9 months
MenA	1-29 years	YF	9 months
OPV	birth; 6, 10, 14 weeks		

2013

Births.....	3,000
Surviving infants.....	3,000
Total population.....	105,000
Infant mortality rate (per 1,000 live births).....	10
Under-five mortality rate (per 1,000 live births).....	12
Gross national income per capita (PPP, US\$).....	4,490
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	95	99	99	99	99	99	99	99	99	99	99	99
DTP1	99	95	99	99	99	99	99	99	99	99	98	97	65
DTP3	99	95	99	99	99	99	99	99	99	95	95	94	40
HepBB	99	95	99	99	99	99	99	99	99	99	...	...	...
HepB3	99	95	99	99	99	98	99	99	99	97	91	94	...
Hib3	99	95	99	99	99	99	99	99	99	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	95	99	99	99	99	99	99	99	95	93	93	20
MCV1	99	95	99	99	99	99	99	99	99	95	94	86	0
MCV2	99	95	99	98	98	98	99	99	98	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	5	5
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 0 100
MCV1: proportion of districts with coverage at 95% or above (%)	...	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

## Immunization schedule

BCG	birth	MR	12, 18 months
DTwP	18 months; 5-6 years	OPV	6, 10, 14 weeks
DTwPHibHep	6, 10, 14 week	Td	16 years
HepB	birth;		

Births.....	19,000
Surviving infants.....	19,000
Total population.....	1,341,000
Infant mortality rate (per 1,000 live births).....	19
Under-five mortality rate (per 1,000 live births).....	21
Gross national income per capita (PPP, US\$).....	15,760
Percentage of routine EPI vaccines financed by government.....	95
Home-based vaccination records (percent).....	...

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	94	97	96	96	95	91	90	93	98	90	96	94	51
DTP3	92	92	90	90	90	90	88	92	95	90	89	82	26
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	92	92	90	90	90	90	89	89	95	0	0	0	...
Hib3	92	92	90	90	90	90	88	89	95	74	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	80	39	0	0	0	0	...	...	...	...	...	...	...
Pol3	94	91	91	91	90	91	90	89	95	90	90	87	38
MCV1	91	85	92	92	94	91	91	89	93	90	84	70	0
MCV2	86	85	83	82	80	81	87	78	84	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	9	9
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	0
	Between 50-79%	0
	at 80% or above	100
MCV1: proportion of districts with coverage at 95% or above (%)	44	33
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

DT	2, 4, 6, 18 months; 4-5 years	MMR	12 months; 4 years
DTwP	18 months; 4-5 years	OPV	2, 4, 6, 18 months; 4-5 years
DTwPHibHep	2, 4, 6 months	Pneumo_conj	2, 4, 6, >=12 months
HepB	> 10 years (x3 doses)	Pneumo_ps	>= 24 months (subnational)
Hib	2, 4, 6 months	Rabies	(subnational; high risk areas)
HPV	(subnational)	Td	+10, +20 years
Influenza	6 months; >3 years	Varicella	>= 12 months (subnational)
IPV	2, 4, 5, 18 months; 4-5 years	YF	1, 11 years
MenAC	>= 2 years (subnational)		

2013

Births.....	190,000
Surviving infants.....	187,000
Total population.....	10,997,000
Infant mortality rate (per 1,000 live births).....	13
Under-five mortality rate (per 1,000 live births).....	15
Gross national income per capita (PPP, US\$).....	4,360
Percentage of routine EPI vaccines financed by government.....	95
Home-based vaccination records (percent).....	84 (2012, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	97	99	98	98	98	99	99	99	98	95	97	96	0
DTP1	99	99	98	98	99	99	99	99	98	99	97	97	0
DTP3	98	97	98	98	99	99	98	99	98	97	94	93	0
HepBB	82	73	80	82	88	92	89	0	0	0	...	...	...
HepB3	98	97	98	98	99	99	98	99	97	94	0	0	...
Hib3	98	97	43	0	0	0	0	0	80	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	97	98	98	99	99	98	99	98	97	94	93	0
MCV1	94	96	96	97	98	98	98	98	96	95	91	93	0
MCV2	98	96	96	98	97	99	98	98	99	98	...	...	...
PAB	96	96	96	96	96	96	96	89	90	68	58	40	2

## District coverage (as reported)

	2013	2012
Number of districts in country	225	225
Percentage of districts reporting	100	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	85	73
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	95

## Immunization schedule

BCG	birth	MR	12, 18 months; 6, 12 years
DTwP	18 months	OPV	2, 3, 6 months; 6, 12, 18 years
DTwPHibHepB	2, 3, 6 months		
HepB	birth;	Td	7, 12, 18 years

Births.....	1,261,000
Surviving infants.....	1,246,000
Total population.....	74,933,000
Infant mortality rate (per 1,000 live births).....	17
Under-five mortality rate (per 1,000 live births).....	19
Gross national income per capita (PPP, US\$).....	10,950
Percentage of routine EPI vaccines financed by government.....	4
Home-based vaccination records (percent).....	73 (2008, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	96	96	96	97	96	96	94	88	88	96	90	93	0
DTP1	99	97	98	98	97	97	98	92	92	92	86	94	67
DTP3	98	97	97	97	96	96	96	90	90	85	67	84	42
HepBB	99	97	97	97	96	96	96	95	94	0	...	...	...
HepB3	97	97	96	96	94	92	96	82	85	71	0	0	...
Hib3	98	97	97	97	96	96	76	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	97	97	96	93	0	0	...	...	...	...	...	...	...
Pol3	98	97	97	97	96	96	96	90	90	85	67	84	63
MCV1	98	96	98	97	97	97	96	98	91	87	65	78	27
MCV2	85	85	86	91	88	92	94	84	98	0	...	...	...
PAB	90	90	90	90	71	71	70	68	62	50	42	20	0

### District coverage (as reported)

	2013	2012
Number of districts in country	81	81
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0 0</li> <li>Between 50-79% 0 0</li> <li>at 80% or above 100 100</li> </ul>	
MCV1: proportion of districts with coverage at 95% or above (%)	93	64
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	...

### Immunization schedule

BCG	2 months	OPV	6, 18 months
DTaPHibIPV	2, 4, 6, 18 months	Pneumo_conj	2, 4, 6, 12 months
DTaPIPV	6 years	Td	1st contact; +1, +6 months; +1, +1 years
HepA	18, 24 months		
HepB	birth; 1, 6 months	Varicella	12 months
MMR	12 months; 6 years		

## 2013

Births.....	112,000
Surviving infants.....	107,000
Total population.....	5,240,000
Infant mortality rate (per 1,000 live births).....	47
Under-five mortality rate (per 1,000 live births).....	55
Gross national income per capita (PPP, US\$).....	6,880
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	94 (2000, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	99	98	99	99	99	99	99	99	99	93	...	...
DTP1	99	98	98	99	98	98	99	99	99	97	97	...	...
DTP3	98	97	97	96	96	96	98	98	99	97	93	...	...
HepBB	99	99	99	99	99	99	99	99	99	0	...	...	...
HepB3	98	98	97	96	97	96	98	98	99	0	0	...	...
Hib3	97	97	71	58	0	0	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	99	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	98	98	97	96	97	96	98	98	99	98	96	...	...
MCV1	99	99	99	99	99	99	99	99	99	96	92	...	...
MCV2	99	99	99	99	99	99	98	99	98	92	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	67	67
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

### Immunization schedule

BCG	2-3 days; 14 years	HepB	birth;
DT	6 years	MMR	12 months; 6 years
DTwP	18 months	OPV	2 days; 2, 3, 4, 18 months
DTwPHibHepB	2, 3, 4 months	Td	15, 25 years

Births.....	<1,000
Surviving infants.....	<1,000
Total population.....	...
Infant mortality rate (per 1,000 live births).....	24
Under-five mortality rate (per 1,000 live births).....	29
Gross national income per capita (PPP, US\$).....	6,630
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	33 (2007, DHS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	99	99	99	99	99	88	96	99
DTP1	99	99	99	99	97	99	99	99	99	93	95	99	61
DTP3	90	97	96	89	88	99	97	97	93	82	87	99	36
HepBB	97	99	98	99	99	99	99	99	99	99	...	...	...
HepB3	90	97	96	89	91	99	97	97	79	81	49	0	...
Hib3	90	97	96	89	84	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	90	97	96	89	85	99	97	97	99	82	85	84	23
MCV1	96	98	98	85	90	93	95	84	62	81	94	95	0
MCV2	84	93	90	87	84	82	74	83	86	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

### District coverage (as reported)

	2013	2012
Number of districts in country	8	8
Percentage of districts reporting	...	88
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0</li> <li>Between 50-79% 13</li> <li>at 80% or above 113</li> </ul>	0
MCV1: proportion of districts with coverage at 95% or above (%)	88	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	100

### Immunization schedule

BCG	birth	MR	12, 18 months
DTwP	5-6 years	OPV	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact; +4 weeks; +5 years
HepB	birth;		

2013

Births.....	1,626,000
Surviving infants.....	1,534,000
Total population.....	37,579,000
Infant mortality rate (per 1,000 live births).....	44
Under-five mortality rate (per 1,000 live births).....	66
Gross national income per capita (PPP, US\$).....	510
Percentage of routine EPI vaccines financed by government.....	24
Home-based vaccination records (percent).....	59; 79 (2011, DHS; 2012, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	93	93	97	86	90	86	87	83	90	82	83	75	0
DTP1	89	89	91	87	96	87	93	85	90	80	81	72	0
DTP3	78	78	82	80	79	71	73	64	64	52	59	45	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	78	78	82	80	79	71	73	64	64	0	0	0	...
Hib3	78	78	82	80	79	71	73	64	64	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	82	82	82	79	78	69	70	62	59	55	58	45	0
MCV1	82	82	75	73	77	70	75	75	68	57	57	52	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	85	85	85	85	89	85	85	83	85	70	82	41	0

## District coverage (as reported)

	2013	2012
Number of districts in country	112	112
Percentage of districts reporting	100	93
DTP3: proportion of districts with coverage (%)	below 50%	3
	Between 50-79%	14
	at 80% or above	83
MCV1: proportion of districts with coverage at 95% or above (%)	45	30
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	60	46

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	15-45 years; +4 weeks; +6 months; +1, +1 year
HPV	(subnational)	Vitamin A	6 months; 1, 1.5, 2, 2.5, 3 years
Measles	9 months		
OPV	birth; 6, 10, 14 weeks		

2013

Births.....	490,000
Surviving infants.....	485,000
Total population.....	45,239,000
Infant mortality rate (per 1,000 live births).....	9
Under-five mortality rate (per 1,000 live births).....	10
Gross national income per capita (PPP, US\$).....	3,960
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	91 (2012, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	95	90	92	94	95	98	97	96	98	95	...	...
DTP1	90	76	50	52	71	90	99	98	98	99	98	...	...
DTP3	76	76	50	52	71	90	98	98	96	99	98	...	...
HepBB	51	51	53	64	73	82	89	88	96	0	...	...	...
HepB3	46	46	21	48	66	84	92	96	97	4	0	...	...
Hib3	83	83	26	51	66	81	46	11	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	74	74	58	57	74	91	98	99	95	99	97	...	...
MCV1	79	79	67	56	75	94	97	98	96	99	97	...	...
MCV2	54	54	56	41	68	95	96	98	96	99	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%

Between 50-79%

at 80% or above

## Immunization schedule

BCG	3-5 days; 7 years	Hib	18 months
DT	6 years	MMR	12 months; 6 years
DTwP	3, 4, 5, 18 months	OPV	5, 18 months; 6, 14 years
DTwPHibIPV	3, 4 months	Td	14, 18 years
HepB	birth; 1, 6 months		

2013

Births.....	132,000
Surviving infants.....	131,000
Total population.....	9,346,000
Infant mortality rate (per 1,000 live births).....	7
Under-five mortality rate (per 1,000 live births).....	8
Gross national income per capita (PPP, US\$).....	...
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	94	94	96	98	98	98	98	98	98	98	98	96	15
DTP1	94	94	94	94	95	96	97	97	97	96	96	95	32
DTP3	94	94	94	94	93	92	92	92	94	94	90	85	11
HepBB	96	96	97	98	98	98	98	98	98	98	...	...	...
HepB3	94	94	94	94	93	92	92	92	92	92	90	0	...
Hib3	94	94	94	94	93	92	92	92	94	92	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	94	94	94	94	0	0	...	...	...	...	...	...	...
Pol3	94	94	94	94	94	94	94	94	94	94	90	85	11
MCV1	94	94	94	94	93	92	92	92	92	94	90	80	34
MCV2	94	94	94	94	93	92	93	93	94	92	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	9
Percentage of districts reporting	...	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0
MCV1: proportion of districts with coverage at 95% or above (%)	...	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	IPV	2 months
Dip	5-6 years	MMR	12 months; 5-6 years
DT	15-16 years	OPV	4, 6, 18 months; 5-6 years
DTwPHib	2, 4, 6 months	Pneumo_conj	2,4, 6, 18 months
DTwPHibIPV	18 months	Rubella	13-14 years
HepB	birth; 2, 4, 6 months	Varicella	12 months
Hib	18 months		

# United Kingdom

2013

Births.....	770,000
Surviving infants.....	767,000
Total population.....	63,136,000
Infant mortality rate (per 1,000 live births).....	4
Under-five mortality rate (per 1,000 live births).....	5
Gross national income per capita (PPP, US\$).....	39,140
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	98	99	98	98	97	97	97	97	97	97	97	94	66
DTP3	96	97	95	94	93	92	92	92	91	91	94	84	41
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	0	0	0	0	0	0	0	0	0	0	0	0	...
Hib3	97	97	95	94	93	92	92	92	91	91	94	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	95	95	90	89	0	0	...	...	...	...	...	...	...
Pol3	96	97	95	94	93	92	92	92	91	91	96	92	81
MCV1	95	93	90	89	86	86	86	85	82	88	92	87	53
MCV2	91	87	88	87	79	75	74	75	75	76	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	176	176
Percentage of districts reporting	100	...
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">                     below 50%                      Between 50-79%                      at 80% or above                 </div>	0 0 1 0 99 100
MCV1: proportion of districts with coverage at 95% or above (%)	38	19
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth (subnational high risk areas)	MenC_conj	3 months; 14-18 years
DTaPHibIPV	2, 3, 4 months	MMR	12-13 months; 3-5 years
DTaPIPV	3-5 years	Pneumo_conj	2, 4, 12 months
HepB	birth; 1, 2, 3 months	Pneumo_ps	>=65 years
HibMenC	13 months	Rotavirus	2, 3 months
HPV	12-13 years; +1, +4-6	TdIPV	13-18 years
Influenza	2-3 years; >=65 years	Varicella	1st contact

2013

Births.....	4,230,000
Surviving infants.....	4,204,000
Total population.....	320,051,000
Infant mortality rate (per 1,000 live births).....	6
Under-five mortality rate (per 1,000 live births).....	7
Gross national income per capita (PPP, US\$).....	53,670
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	...	...	...	...	...	...	...	...	...	...	...	...	...
DTP1	98	98	98	98	98	99	99	99	99	99	98	96	98
DTP3	94	96	95	95	95	96	95	96	96	94	95	90	96
HepBB	72	69	67	64	61	47	45	43	48	0	...	...	...
HepB3	90	91	92	92	92	94	94	93	93	90	68	0	...
Hib3	93	94	90	90	84	91	93	93	94	93	91	0	...
rota (last)	69	64	59	59	44	0	0	0	...	...	...	...	...
PcV3	92	94	93	93	93	93	...	...	...	...	...	...	...
Pol3	93	94	93	93	93	94	93	93	92	90	88	85	95
MCV1	91	92	92	92	90	92	92	92	92	91	88	90	86
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	...	...
Percentage of districts reporting	...	...
DTP3: proportion of districts with coverage (%)	...	...
MCV1: proportion of districts with coverage at 95% or above (%)	...	...
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

below 50%

Between 50-79%

at 80% or above

## Immunization schedule

DTaP	2, 4, 6, 15-18 months; 4-6 years	Influenza	6-23 months; > 50 years
DTaPHepBIPV	2, 4, 6 months	IPV	2, 4, 6-18 months; 4-6 years
DTaPHibIPV	2, 4, 6, 15-18 months	MenACWY	11-12 years
DTaPIPv	4-6 years (x2)	MMR	12-15 months; 4-6 years
HepA	12-23 months + 6-18	Pneumo_conj	2, 4, 6, 12-15 months
HepB	birth; 1-2, 6-18 months	Pneumo_ps	65 years
Hib	2, 4, 6, 12-15 months	Rotavirus	2, 4, 6 months
HPV	11-12 years; +1-2, +6 months	Tdap	11-12 years
		Varicella	12-15 months; 4-6 years

2013

Births.....	49,000
Surviving infants.....	49,000
Total population.....	3,407,000
Infant mortality rate (per 1,000 live births).....	10
Under-five mortality rate (per 1,000 live births).....	11
Gross national income per capita (PPP, US\$).....	15,180
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	98	99	99	99	99	99	99	99	99	99	99	99	56
DTP1	98	98	99	98	99	98	98	99	99	92	97	98	77
DTP3	94	95	95	95	95	94	94	95	96	90	91	97	53
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	94	95	95	95	95	94	94	95	96	92	0	0	...
Hib3	94	95	95	95	95	94	94	95	96	88	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	93	93	92	91	0	0	...	...	...	...	...	...	...
Pol3	94	95	95	95	95	94	94	95	96	92	91	97	59
MCV1	96	96	95	95	94	95	96	94	95	89	90	97	50
MCV2	92	0	0	0	0	0	0	0	0	0	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	275	275
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 101
MCV1: proportion of districts with coverage at 95% or above (%)	97	96
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	birth	Influenza	6 months to 4 years
DT	2, 4, 6, 15 months	IPV	2, 4, 6, 15 months
DTwP	5 years	MMR	1, 5 years
DTwPHibHep	2, 4, 6, 15 months	Pneumo_conj	2, 4 months; 1 year
HepA	15, 21 months	Pneumo_ps	> =65 years
HepB	2, 4, 6, 15 months	Td	22 years
Hib	2, 4, 6, 15 months	Tdap	12 years
HPV	12 years (x3)	Varicella	1 year

2013

Births.....	622,000
Surviving infants.....	595,000
Total population.....	28,934,000
Infant mortality rate (per 1,000 live births).....	37
Under-five mortality rate (per 1,000 live births).....	43
Gross national income per capita (PPP, US\$).....	1,900
Percentage of routine EPI vaccines financed by government.....	72
Home-based vaccination records (percent).....	96 (2006, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	99	99	99	99	99	96	99	99	93	98	99	...	...
DTP1	99	99	99	99	99	99	98	96	99	99	96	...	...
DTP3	99	99	99	99	98	98	96	96	99	99	87	...	...
HepBB	99	99	99	48	99	99	99	99	99	0	...	...	...
HepB3	99	99	99	99	98	91	99	98	99	0	0	...	...
Hib3	99	99	99	99	98	0	0	0	0	0	0	...	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	99	99	99	99	99	98	98	94	99	99	99	...	...
MCV1	97	99	99	98	95	98	98	98	99	99	91	...	...
MCV2	99	99	99	54	8	26	44	63	81	98	...	...	...
PAB	...	...	...	...	...	...	...	...	...	...	...	...	...

## District coverage (as reported)

	2013	2012
Number of districts in country	195	196
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 0 0 100 100
MCV1: proportion of districts with coverage at 95% or above (%)	100	100
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	100	100

## Immunization schedule

BCG	3 days	MMR	1, 6 years
DTwP	16 months	OPV	3 days; 2, 3, 4, 16 months; 7 years
DTwPHibHepB	2, 3, 4 months		
HepB	birth;	Td	7, 16 years

## 2013

Births.....	7,000
Surviving infants.....	7,000
Total population.....	253,000
Infant mortality rate (per 1,000 live births).....	15
Under-five mortality rate (per 1,000 live births).....	17
Gross national income per capita (PPP, US\$).....	3,130
Percentage of routine EPI vaccines financed by government.....	...
Home-based vaccination records (percent).....	69 (2007, MICS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	81	81	81	81	81	81	81	81	81	79	67	96	0
DTP1	78	78	78	78	78	78	78	78	79	85	90	91	0
DTP3	68	68	68	68	68	68	68	68	68	71	73	76	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	59	59	59	59	59	59	59	59	61	70	66	0	...
Hib3	68	68	68	0	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	67	67	67	67	67	67	67	67	67	67	74	78	0
MCV1	52	52	52	52	52	52	52	52	53	61	60	66	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	75	75	75	73	73	73	73	88	84	86	33	47	0

### District coverage (as reported)

	2013	2012
Number of districts in country	6	6
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	<ul style="list-style-type: none"> <li>below 50% 0</li> <li>Between 50-79% 83</li> <li>at 80% or above 17</li> </ul>	<ul style="list-style-type: none"> <li>below 50% 0</li> <li>Between 50-79% 17</li> <li>at 80% or above 83</li> </ul>
MCV1: proportion of districts with coverage at 95% or above (%)	0	0
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	50

### Immunization schedule

BCG	birth	OPV	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Td	6, 12 years
HepB	birth;	TT	1st contact; +1, +6 months;
Measles	1 year		+1, +1 years

2013

Births.....	601,000
Surviving infants.....	592,000
Total population.....	30,405,000
Infant mortality rate (per 1,000 live births).....	13
Under-five mortality rate (per 1,000 live births).....	15
Gross national income per capita (PPP, US\$).....	12,550
Percentage of routine EPI vaccines financed by government.....	100
Home-based vaccination records (percent).....	...

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	96	95	92	91	90	82	83	95	99	91	82	72
DTP1	90	90	90	90	86	87	70	79	98	92	87	84	79
DTP3	82	81	78	78	84	50	62	71	87	77	68	63	56
HepBB	80	67	78	73	66	73	64	61	63	14	...	...	...
HepB3	82	81	78	78	84	53	62	71	88	5	0	0	...
Hib3	82	81	78	78	84	51	62	71	87	2	0	0	...
rota (last)	77	76	66	49	54	50	29	13	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	82	73	78	74	75	76	67	73	80	86	85	72	95
MCV1	85	87	86	79	87	93	87	82	76	84	47	61	50
MCV2	38	33	26	31	6	0	0	0	0	0	...	...	...
PAB	75	50	50	50	50	52	51	49	51	0	0	0	0

## District coverage (as reported)

	2013	2012
Number of districts in country	335	335
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)	below 50%	5
	Between 50-79%	42
	at 80% or above	53
MCV1: proportion of districts with coverage at 95% or above (%)	27	31
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	65	60

## Immunization schedule

BCG	birth	Pneumo_conj	2, 4, 5 months; +1 year
DTwPHibHep	2, 4, 6, 18 months; 5 years	Pneumo_ps	> 60 years + 5 years
HepB	birth;	Rotavirus	2, 4 months
Influenza	6, 7 months	Td	1st contact; +1, +6 months; +1, +1 year
MenBC	1, 2 days;		
MMR	12 months; 5 years	YF	1 year
OPV	2, 4, 6, 18 months; 5 years		

Births.....	1,424,000
Surviving infants.....	1,404,000
Total population.....	91,680,000
Infant mortality rate (per 1,000 live births).....	19
Under-five mortality rate (per 1,000 live births).....	24
Gross national income per capita (PPP, US\$).....	1,730
Percentage of routine EPI vaccines financed by government.....	40
Home-based vaccination records (percent).....	52 (2011, MICS)

### National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	98	98	94	97	92	94	95	95	98	96	90	0
DTP1	83	99	97	93	97	97	92	94	98	97	97	96	0
DTP3	59	97	95	93	96	93	92	94	95	96	93	88	0
HepBB	44	64	43	9	28	13	15	0	0	0	...	...	...
HepB3	59	97	95	88	94	87	67	93	94	0	0	0	...
Hib3	59	97	95	63	0	0	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	93	97	96	94	97	93	92	94	94	96	94	88	0
MCV1	98	96	96	98	97	92	83	93	95	97	95	88	0
MCV2	86	83	93	98	96	97	18	0	0	0	...	...	...
PAB	91	91	87	87	87	84	86	87	86	86	80	24	0

### District coverage (as reported)

	2013	2012
Number of districts in country	698	697
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)		
below 50%	39	0
Between 50-79%	46	3
at 80% or above	14	97
MCV1: proportion of districts with coverage at 95% or above (%)	80	76
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	15	93

### Immunization schedule

BCG	birth	OPV	2, 3, 4 months
CHOLERA	(subnational)	TT	pregnant Women; +1, +6 months; +1 year
DTwP	18 months	Typhoid	3 years (subnational)
DTwPHibHepB	2, 3, 4 months	Vitamin A	6-11, 12-17, 18-23, 24-29, 30-36, 37-42 months
HepB	birth;		
JapEnc	12 months; + 2 weeks; 2 years (subnational)		
Measles	9, 18 months		

2013

Births.....	760,000
Surviving infants.....	718,000
Total population.....	24,407,000
Infant mortality rate (per 1,000 live births).....	40
Under-five mortality rate (per 1,000 live births).....	51
Gross national income per capita (PPP, US\$).....	1,330
Percentage of routine EPI vaccines financed by government.....	17
Home-based vaccination records (percent).....	48 (2006, MICS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	71	64	59	65	58	60	64	67	66	82	60	95	9
DTP1	94	89	89	94	92	93	94	92	93	88	69	94	18
DTP3	88	82	81	87	86	87	87	85	85	76	44	84	1
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	88	82	81	87	86	87	87	85	86	15	0	0	...
Hib3	88	82	81	87	86	87	87	85	55	0	0	0	...
rota (last)	71	23	0	0	0	0	0	0	...	...	...	...	...
PcV3	88	82	56	0	0	0	...	...	...	...	...	...	...
Pol3	88	89	81	88	86	87	87	85	86	76	44	84	1
MCV1	78	71	71	73	69	73	74	68	76	71	40	69	2
MCV2	55	48	54	49	44	41	38	30	25	0	...	...	...
PAB	70	66	66	66	66	63	52	56	59	54	30	17	0

## District coverage (as reported)

	2013	2012
Number of districts in country	333	333
Percentage of districts reporting	98	96
DTP3: proportion of districts with coverage (%)		
below 50%	4	6
Between 50-79%	18	34
at 80% or above	77	58
MCV1: proportion of districts with coverage at 95% or above (%)	11	7
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	74	65

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwPHibHepB	6, 10, 14 weeks	Rotavirus	6, 10 weeks
Measles	9, 18 months	TT	1st contact; +1, +6 months; +1, +1 year
OPV	birth; 6, 10, 14 weeks; 9, 18 months	Vitamin A	9, 18 months

Births.....	625,000
Surviving infants.....	585,000
Total population.....	14,539,000
Infant mortality rate (per 1,000 live births).....	56
Under-five mortality rate (per 1,000 live births).....	87
Gross national income per capita (PPP, US\$).....	1,480
Percentage of routine EPI vaccines financed by government.....	69
Home-based vaccination records (percent).....	77 (2011, EPI)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	82	83	88	92	92	91	91	92	92	94	97	97	0
DTP1	86	86	87	92	96	95	93	92	92	94	97	97	0
DTP3	79	78	81	83	94	87	80	81	82	85	86	91	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	79	78	81	83	94	87	80	81	82	0	0	0	...
Hib3	79	78	81	83	94	87	80	81	82	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	0	0	0	0	0	0	...	...	...	...	...	...	...
Pol3	74	70	83	80	93	90	77	83	84	85	84	90	0
MCV1	80	82	83	96	90	87	93	85	85	85	86	90	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	81	81	81	90	90	90	89	90	91	78	85	62	0

## District coverage (as reported)

	2013	2012
Number of districts in country	74	72
Percentage of districts reporting	100	100
DTP3: proportion of districts with coverage (%)		
below 50%	5	6
Between 50-79%	42	24
at 80% or above	53	69
MCV1: proportion of districts with coverage at 95% or above (%)	20	51
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	...	...

## Immunization schedule

BCG	birth	TT	1st contact pregnancy; +1,
DTwPHibHepB	6, 10, 14 weeks		+1, +6 months; +1, +1 year
Measles	9 months	Vitamin A	6, 12, 18, 24, 30, 36 months
OPV	6, 10, 14 weeks		

2013

Births.....	446,000
Surviving infants.....	429,000
Total population.....	14,150,000
Infant mortality rate (per 1,000 live births).....	55
Under-five mortality rate (per 1,000 live births).....	89
Gross national income per capita (PPP, US\$).....	820
Percentage of routine EPI vaccines financed by government.....	36
Home-based vaccination records (percent).....	84; 68 (2010, EPI; 2011, DHS)

## National coverage rates (%) (WHO/UNICEF estimates, 2013)

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2000	1995	1990	1980
BCG	95	98	98	99	90	91	87	84	80	84	96	91	0
DTP1	98	99	99	95	87	89	86	83	80	84	96	96	0
DTP3	95	95	93	89	73	75	73	70	68	78	88	88	0
HepBB	0	0	0	0	0	0	0	0	0	0	...	...	...
HepB3	95	95	93	89	73	75	72	68	65	79	1	0	...
Hib3	95	95	93	89	73	75	0	0	0	0	0	0	...
rota (last)	0	0	0	0	0	0	0	0	...	...	...	...	...
PcV3	95	21	0	0	0	0	...	...	...	...	...	...	...
Pol3	95	95	93	89	69	75	73	71	69	78	88	89	0
MCV1	93	97	92	90	76	70	69	68	67	75	87	87	0
MCV2	0	0	0	0	0	0	0	0	0	0	...	...	...
PAB	66	66	66	76	76	76	78	78	77	76	42	57	0

## District coverage (as reported)

	2013	2012
Number of districts in country	63	63
Percentage of districts reporting	97	100
DTP3: proportion of districts with coverage (%)	<div style="border: 1px solid black; padding: 2px; display: inline-block;">           below 50%            Between 50-79%            at 80% or above         </div>	0 0 11 10 89 87
MCV1: proportion of districts with coverage at 95% or above (%)	56	54
DTP1-DTP3 drop-out rate: proportion of districts that have achieved a rate of less than 10% (%)	84	37

## Immunization schedule

BCG	birth	Pneumo_conj	6, 10, 14 weeks
DTwP	18 months	Rotavirus	6, 10 weeks
DTwPHibHepB	6, 10, 14 weeks	TT	1st contact; +4 weeks; +6 months
HPV	(subnational)	Vitamin A	6, 12, 18, 24, 30, 36 months
Measles	9 months		
OPV	6, 10, 14 weeks; 18 months		

## GLOSSARY OF ACRONYMS

**Note:** Compound acronyms denote vaccine combinations. 'DTPHibHepIPV', for example, denotes DTP, Hib, HepB and IPV vaccines combined.

AMC	advanced market commitment
aP	acellular pertussis vaccine
BCG	bacille Calmette-Guérin (vaccine against tuberculosis)
CBAW	childbearing-aged women; refers to ages 15-45 unless otherwise noted
Dip	diphtheria toxoid vaccine
DT	diphtheria toxoid
DTaP	diphtheria and tetanus toxoid with acellular pertussis vaccine
DTP	diphtheria and tetanus toxoid with pertussis vaccine
DTP1	first dose of diphtheria and tetanus toxoid with pertussis vaccine
DTP3	third dose of diphtheria and tetanus toxoid with pertussis vaccine
DTwP	diphtheria and tetanus toxoid with whole-cell pertussis vaccine
EPI	Expanded Programme on Immunization
FCA	free carrier (a type of pricing in international commerce)
GAVI	Global Alliance for Vaccines and Immunisation
GNI	gross national income (US)
H1N1	monovalent vaccine against the 2009 influenza A (H1N1) virus
HepA	hepatitis A vaccine
HepB	hepatitis B vaccine
HepBB	birth dose of hepatitis B vaccine
HepB3	third dose of hepatitis B vaccine
HFRS	hemorrhagic fever with renal syndrome (hantavirus) vaccine
Hib	Haemophilus influenzae type b vaccine
Hib3	third dose of Haemophilus influenzae type b vaccine
HPV	human papilloma virus vaccine
IPV	inactivated polio vaccine
JE	Japanese encephalitis
MCV1	first dose of measles-containing vaccine
MCV2	second dose of measles-containing vaccine
MenA	meningococcal A vaccine; this monovalent vaccine protects against meningitis serogroup A
MenAC	meningococcal AC vaccine; this bivalent vaccine protects against meningitis serogroups A and C

MenACW	meningococcal ACWY vaccine; this quadrivalent vaccine protects against meningitis serogroups A, C and W-135
MenACWY	meningococcal ACWY vaccine; this quadrivalent vaccine protects against meningitis serogroups A, C, Y and W-135
MenBC	meningococcal BC vaccine; this bivalent vaccine protects against meningitis serogroups B and C
MenC	meningococcal C vaccine; this monovalent vaccine protects against meningitis serogroup C
MenC_conj	meningococcal C conjugate vaccine
MM	measles and mumps vaccine
MMR	measles-mumps-rubella vaccine
MMRV	measles-mumps-rubella-varicella vaccine
MR	measles and rubella vaccine
OPV	oral polio vaccine
PAB	protected at birth against tetanus
PcV3	third dose of pneumococcal conjugate vaccine
Pneumo_conj	pneumococcal conjugate vaccine
Pneumo_ps	pneumococcal polysaccharide vaccine
Pol3	third dose of poliomyelitis vaccine
PPP	purchasing power parity
Pw	whole-cell pertussis vaccine
rota (last)	last dose of rotavirus vaccine
TBE	tick-borne encephalitis vaccine
TBD	to be determined
Td	tetanus toxoid with reduced amount of diphtheria toxoid
Tdap	tetanus toxoid vaccine (full dose) with acellular pertussis vaccine (reduced dose)
TT	tetanus toxoid
UNICEF	United Nations Children's Fund
WHO	World Health Organization



*Immunization Summary for 2013 data* – jointly produced by the United Nations Children’s Fund (UNICEF) and the World Health Organization (WHO) – presents detailed statistics on the performance of national and local immunization systems in 195 countries and territories.

Please go to <http://www.data.unicef.org/child-info/immunization> to obtain additional information including:

- Excel worksheets containing WHO/UNICEF coverage estimates from the latest revision with data for all years since 1980, plus reported data that include district-level performance indicators, supply and safety indicators, survey data and national immunization schedules for 2012 - 2013.
- Samples of the WHO/UNICEF Joint Reporting Form on Immunization in English, French and Spanish.
- National Immunization Coverage Final Report (PDF) for each country or territory.

**Minimum technical requirements:**

Microsoft® Office (Microsoft® Excel and Word)

Adobe® Acrobat® (for PDF downloads)

Further information on the publication  
can be obtained from:



UNICEF Data & Analytics Section  
Division of Data, Research and Policy  
3 United Nations Plaza  
New York, NY 10017, USA  
[immunization@unicef.org](mailto:immunization@unicef.org)  
[www.unicef.org](http://www.unicef.org); [www.data.unicef.org](http://www.data.unicef.org)  
Tel: +1-212-326-7000



**World Health  
Organization**

World Health Organization (WHO)  
20 Avenue Appia  
CH-1211 Geneva 27, Switzerland  
[info@who.int](mailto:info@who.int)  
[www.who.int](http://www.who.int)  
Tel: +41-22-791-2111