NWI ADMINISTRATION PROCEDURES

- 1. Observe infant (1 minute)
- 2. Unswaddle and gently awaken
- 3. Determine respiratory rate (1 minute)
- 4. Measure temperature (axillary)
- 5. Inspect for signs of excoriation
- 6. Assess tone and Moro reflex
- 7. Change diaper
- 8. Reswaddle and position
- 9. Observe infant (1 minute)

Neonatal Withdrawal Inventory

									-		_
Tremors: Disturbed: Undisturbed:		Tremors: Disturbed: Undisturbed:	1	Tremors: Disturbed: Undisturbed:	11						
Hypertonicity	2.	Hypertonicity	2								
Moro reflex	2										
Sneezing or Yawning >2	1										
Sweating or Mottling	2										
Regurgitation	2										
Loose, watery stools	2										
Irritablility	1,										
Crying/ fist sucking	2	Crying/ fist sucking	2	Crying/ fist sucking	2 1	Crying/ fist sucking	2	Crying/ fist sucking	2	Crying/ fist sucking	2
Fresh excoriation	3,	Fresh excoriation	3								
Continuous crying	4	Continuous crying	4♥	Continuous crying	4						
NWI SCORE:		NWI SCORE:		NWI SCORE:		NWI SCORE:		NWI SCORE:		NWI SCORE:	
Respiratory rate:		Respiratory rate:		Respiratory rate:		Respiratory rate:		Respiratory rate:		Respiratory rate:	
Temperature:		Temperature:		Temperature:		Temperature:		Temperature:		Temperature:	
Weight:		Weight:		Weight:		Weight:		Weight:		Weight:	
Day:		Day:		Day:		Day:		Day:		Day:	
Time:		Time:		Time:		Time:		Time:		Time:	
a.m.	p.m.										